

PAIN RELIEF ROLL-ON- lidocaine hci gel

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens

Drug Facts

Active ingredient

Lidocaine HCl 4%.....

Purpose

Topical anesthetic

Uses For temporary relief of pain and itching

Warnings

For external use only.

When using this product • use only as directed • do not bandage tightly • avoid contact with eyes • do not apply to wounds or damaged skin • do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
Children under 2 years of age: consult a doctor.

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicaprylyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Methylparaben, SD Alcohol 40, Steareth-21, Water.

NEW

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

**FRAGRANCE FREE
MAXIMUM STRENGTH**

Pain Relief Roll-On Gel

**4% Lidocaine HCl /
Topical Analgesic**

- Easy roll-on, no touch applicator
- Temporary relief of pain
- Helps pain-affected areas without irritation



NET WT 2.5 OZ (71 g)



Actual Size

WLG-LDRL1-25



WALGREENS PHARMACIST RECOMMENDED*

Drug Facts

Active ingredient **Purpose**
Lidocaine HCl 4%.....Topical analgesic

Uses For temporary relief of pain and itching.

Warnings

For external use only.

When using this product • avoid contact with eyes • do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor.

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf Extract, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Methylparaben, SD Alcohol 40, Steareth-21, Water.

Questions? 1-800-925-4733

**FRAGRANCE FREE
MAXIMUM STRENGTH**

**Pain Relief
Roll-On Gel**

**4% Lidocaine HCl /
Topical Analgesic**

- Easy roll-on, no touch applicator
- Temporary relief of pain
- Helps pain-affected areas without irritation



NET WT 2.5 OZ (71 g)

*Walgreens Pharmacist Survey Study, November 2014.

**Questions or comments?
1-866-483-2846**

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens
**100% SATISFACTION
GUARANTEED**

walgreens.com ©2016 Walgreen Co.

PAIN RELIEF ROLL-ON

lidocaine hci gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7780
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
Ceteth-20 Phosphate (UNII: 921FTA1500)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
Dimethicone (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
Ethylhexylglycerin (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
Methylparaben (UNII: A218C7HI9T)	
ALCOHOL (UNII: 3K9958V90M)	
Steareth-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7780-03	74 mL in 1 CONTAINER; Type 0: Not a Combination Product	07/08/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/08/2016	

Labeler - Walgreens (008965063)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(0363-7780)

