

**CONDITION AND ENHANCE SYSTEM TRAVEL-SIZE NON-SURGICAL- hydroquinone, octinoxate, and zinc oxide
OMP, INC.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**Obagi® Condition & Enhance Clear
(Hydroquinone USP, 4%)
Skin Bleaching Cream**


**Obagi® Condition & Enhance Blender®
(Hydroquinone USP, 4%)
Skin Bleaching Cream**

Rx Only
FOR EXTERNAL USE ONLY

DESCRIPTION

Hydroquinone is 1,4-benzenediol. Hydroquinone occurs as fine, white needles. The drug is freely soluble in water and in alcohol. Chemically, hydroquinone is designated as p-dihydroxybenzene; the empirical formula is $C_6H_6O_2$; molecular weight is 110.0.

Obagi® Condition & Enhance Blender contains Hydroquinone USP 40 mg/gm in a base of purified water, glycerin, cetyl alcohol, PPG-2 myristyl ether propionate, sodium lauryl sulfate, TEA-salicylate, lactic acid, phenyl trimethicone, tocopheryl acetate, sodium metabisulfite, ascorbic acid, methylparaben, saponins, disodium EDTA, BHT, and propylparaben.



Obagi® Condition & Enhance Clear contains Hydroquinone USP 40 mg/gm in a base of purified water, cetyl alcohol, glycerin, sodium lauryl sulfate, stearyl alcohol, tocopheryl acetate, ascorbic acid, sodium metabisulfite, lactic acid, saponins, disodium EDTA, methylparaben, BHT, propylparaben, and butylparaben.

CLINICAL PHARMACOLOGY

Topical application of hydroquinone produces a reversible depigmentation of the skin by inhibition of the enzymatic oxidation of tyrosine to 3, 4-dihydroxyphenylalanine (dopa) and suppression of other melanocyte metabolic processes.

Exposure to sunlight or ultraviolet light will cause repigmentation of the bleached areas, which may be prevented by the use of sunblocking agents or sunscreen agents contained in Obagi Condition & Enhance.

INDICATIONS AND USAGE

The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines, and other unwanted areas of melanin hyperpigmentation.

CONTRAINDICATIONS

Prior history of sensitivity or allergic reaction to this product or any of its ingredients. The safety of topical hydroquinone use during pregnancy or in children (12 years and under) has not been established.

WARNINGS

Caution

Hydroquinone is a skin bleaching agent which may produce unwanted cosmetic effects if not used as directed. The physician should be familiar with the contents of this insert before prescribing or dispensing this medication.

Test for skin sensitivity before using by applying a small amount to an unbroken patch of skin and check in 24 hours. Minor redness is not a contraindication, but where there is itching or vesicle formation or excessive inflammatory response, further treatment is not advised. Close patient supervision is recommended.

Avoid contact with eyes. In case of accidental contact, patient should rinse eyes thoroughly with water and contact physician. A bitter taste and anesthetic effect may occur if applied to lips.

Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Warning

Contains sodium metabisulfite, a sulfite that may cause serious allergic type reactions (e.g., hives, itching, wheezing, anaphylaxis, severe asthma attacks) in certain susceptible persons.

PRECAUTIONS

(SEE WARNINGS)

General

Treatment should be limited to relatively small areas of the body at one time since some patients experience a transient skin reddening and a mild burning sensation which does not preclude treatment.

Pregnancy Category C

Animal reproduction studies have not been conducted with topical hydroquinone. It is also not known whether hydroquinone can cause fetal harm when used topically on a pregnant woman or affect reproductive capacity. It is not known to what degree, if any, topical hydroquinone is absorbed systemically. Topical hydroquinone should be used on pregnant women only when clearly indicated.

Nursing mothers

It is not known whether topical hydroquinone is absorbed or excreted in human milk. Caution is advised when topical hydroquinone is used by a nursing mother.

Pediatric usage

Safety and effectiveness in children below the age of 12 years have not been established.

ADVERSE REACTIONS

No systemic adverse reactions have been reported. Occasional hypersensitivity (localized contact dermatitis) may occur, in which case the medication should be discontinued and the physician notified immediately.

DOSAGE AND ADMINISTRATION

A thin application should be applied to the affected area twice daily or as directed by a physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent repigmentation.

HOW SUPPLIED

Obagi Condition and Enhance Blender is available as follows:

2 oz. (57 gm) bottle	NDC 62032-115-36
1 oz. (28.5 gm) bottle	NDC 62032-115-10

Obagi Condition and Enhance Clear is available as follows:

2 oz. (57 gm) bottle	NDC 62032-117-36
----------------------	------------------

Store at 25°C (77°F); excursion permitted to 15°C-30°C (59°F-86°F).

OBAGI® MEDICAL

OMP, Inc.
Long Beach, CA 90802
USA
1-800-636-7546
80707910U Rev. 6/07

PRINCIPAL DISPLAY PANEL - Kit Carton

**OBAGI®
CONDITION & ENHANCE SYSTEM**
For Use with Nonsurgical Procedures

Travel Size

OBAGI[®] CONDITION & ENHANCE SYSTEM

For Use with Nonsurgical Procedures

Travel Size

OBAGI[®]
MEDICAL

OBAGI[®] CONDITION & ENHANCE SYSTEM

For Use with Nonsurgical Procedures

OBAGI[®] CONDITION & ENHANCE SYSTEM

For Use with Nonsurgical Procedures

Skincare and protection should be a fundamental part of good health and beautiful, vibrant skin. Your skin needs special care to stay young and healthy. The Obagi[®] Condition & Enhance System is the leading prescription skincare program that works at the cellular level for skin that looks and acts younger and healthier. Whether you're planning a surgical or nonsurgical procedure, the Obagi Condition & Enhance System uses proven ingredients and penetrating technologies to help ensure a successful outcome.

Foaming Gel (Cleanser)

Obagi Foaming Gel is a soap-free cleanser that removes impurities, oil and makeup. This special formula prepares the skin for the transformation process. It is designed for use with nonsurgical procedures.

DIRECTIONS: Apply to damp face and neck with moistened fingertips in the morning and evening. Rinse completely with warm water.

INGREDIENTS: Purified water, sodium lauryl sulfate, cocamidopropyl betaine, sodium laureth sulfate, aloe barbadensis leaf juice, medicago sativa (alfalfa) extract, benzoic acid, chamomile extract (matricaria), sodium chloride, sorbitan gum, saponins, phenoxyethanol, methylparaben, ethylparaben, butylparaben, propylparaben, isobutylparaben, fragrances, D&C Red No. 33, FD&C Yellow No. 5.

Toner (Skin Preparation)

Obagi Toner, formulated with alum (a natural astringent), adjusts the pH of the skin for optimal penetration of the treatment ingredients in the System.

DIRECTIONS: Apply after cleansing in the morning and evening. Saturate cotton pad and wipe gently over face and neck. Avoid eyelid area. Do not rinse off.

WARNINGS: Avoid contact with eyes. In case of accidental contact, patient should rinse eyes thoroughly with water and contact a physician. A bitter taste and anesthetic effect may occur if applied to lips. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

CAUTION: Contains sodium metabisulfite, a sulfite that may cause serious allergic-type reactions (e.g. hives, itching, wheezing, anaphylaxis, severe asthma attacks) in certain susceptible persons.

INGREDIENTS: Hydroquinone USP 40 mg/gm in a base of purified water, cetyl alcohol, glycerin, sodium lauryl sulfate, stearic alcohol, tocoopheryl acetate, ascorbic acid, sodium metabisulfite, lactic acid, saponins, disodium EDTA, methylparaben, BHT, propylparaben and butylparaben.

Rx ONLY, FOR EXTERNAL USE ONLY

Exfoform[®] Forte (Exfoliation Enhancer)

Obagi Exfoform Forte exfoliates dead surface skin cells and smoothes roughness, aiding in penetration of treatment ingredients in the System.

DIRECTIONS: Apply to the face in the morning, following the application of Obagi Clear, as directed by a physician. Follow with the appropriate Obagi sun protector.

CAUTION: FOR EXTERNAL USE ONLY. Avoid contact with the eyes. A mild burning sensation of the skin is to be expected. If burning is severe, discontinue use and consult a physician.

INGREDIENTS: Purified water, glycolic acid, emulsifying wax, triethanolamine, glycerin, lactic acid, capryloyl glycolic triglyceride, hydroxy acid, citric acid, cetyl alcohol, dimethylsiloxane, methylparaben, propylparaben, saponins.

CAUTION: Contains sodium metabisulfite, a sulfite that may cause serious allergic-type reactions (e.g. hives, itching, wheezing, anaphylaxis, severe asthma attacks) in certain susceptible persons.

INGREDIENTS: Hydroquinone USP 40 mg/gm in a base of purified water, glycerin, cetyl alcohol, PEG-20 myristyl ether propionate, sodium lauryl sulfate, TEA-sulfonate, lactic acid, phenyl trimethone, tocoopheryl acetate, sodium metabisulfite, ascorbic acid, methylparaben, saponins, disodium EDTA, BHT and propylparaben.

See enclosed Package Insert for full prescription information.

Rx ONLY, FOR EXTERNAL USE ONLY

Healthy Skin Protection SPF 35

Obagi Healthy Skin Protection contains 9% micronized zinc oxide to protect the newer, healthier skin created by skin transformation. This high concentration of micronized zinc oxide provides protection against long UVA rays linked to deep premature aging.

DIRECTIONS: Apply liberally to all exposed areas. Apply at least 15 minutes before sun exposure and reapply frequently after prolonged swimming, excessive perspiration, vigorous activity or tanning.

DRUG FACTS

Active Ingredients: Hydroquinone, 2% Zinc Oxide 9%
Purpose: Sunscreen

Uses: Helps prevent sunburn. Higher SPF gives more sunburn protection.
Warnings: For external use only.

Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F)

Dist. by OMP, Inc., Long Beach, CA 90805

Made in U.S.A. 40709101

Obagi is a registered trademark of OMP, Inc.

Obagi products are physician dispensed and should be used under the guidance of your skincare specialist.



Clear (Skin Bleaching and Corrector Cream) NDC 62032-117-35
 Obagi Clear corrects uneven skin color and brown spots, continuing the transformation process.

INDICATIONS: For the gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentiginos and other unwanted areas of melanin hyperpigmentation.
DOSEAGE AND ADMINISTRATION: A thin layer should be applied to the affected area in the morning and evening, or as directed by a physician. If no improvement is seen after three months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin during and after usage of this product in order to prevent repigmentation.

Blender® (Skin Lightener and Blending Cream) NDC 62033-115-10
 Obagi Blender maximizes skin transformation when prescribed with tretinoin cream. Blender evens skin color and tone, making skin look and act younger and healthier.

INDICATIONS: For the gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentiginos and other unwanted areas of melanin hyperpigmentation.
DOSEAGE AND ADMINISTRATION: A thin layer should be applied to the affected area in the morning and evening, or as directed by a physician. If no improvement is seen after three months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin during and after usage of this product in order to prevent repigmentation.
WARNINGS: Avoid contact with eyes. In case of accidental contact, patient should rinse thoroughly with water and contact a physician. A bitter taste and anesthetic effect may occur if applied to lips. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Stop use and ask a physician if a Rash or irritation develops and persists.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.
Directions: Apply liberally and evenly 15 minutes before sun exposure. Do not use for 6 months after a physician. Do not use if redness or other harmful effects of the sun.
Other Information: Store at controlled room temperature: 15°-30°C (59°-86°F). High sun protection product. Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun.
Inactive Ingredients: Butylparaben, cetyl alcohol, citric acid, C13-14 isoparaffin, dehydrochloride and phosphate, disodium edetate, hydroquinone, hydroxyacetone, isopropyl palmitate, Isurel-2, methylparaben, octyl stearate, phenoxystyrene, polyacrylamide, polyethylene, polyethylene glycol, propylparaben, purified water, sodium hydroxide, xanthan gum, xanthan gum.



OBAGI® CONDITION & ENHANCE SYSTEM

For Use with Nonsurgical Procedures

1 FL. OZ. (30 mL)
SPF 35
Healthy Skin Protection

Rx Only
Hydroquinone USP, 4%
NET WT. 1 OZ. (28.5 g)
Blender®

Rx Only
Hydroquinone USP, 4%
NET WT. 2 OZ. (57 g)
Clear

2 FL. OZ. (60 mL)
Toner

2 FL. OZ. (60 mL)
Foaming Gel

This Obagi® Condition & Enhance System includes:

OBAGI®
CONDITION & ENHANCE SYSTEM
 For Use with Nonsurgical Procedures



What to Expect

The desire for healthy, youthful and attractive skin is why you are undergoing facial aesthetic procedures. The Obagi® Condition & Enhance System uses proven ingredients and penetrating technologies to help ensure a successful outcome. This system has been shown to improve the overall results of facial aesthetic procedures.

The length of time that it takes to condition your skin varies. You should begin to notice visible improvements to your skin within a six week period.

It is important to understand that you will experience some reactions during your skin conditioning process. These reactions are normal and part of the transformation process. You may experience one or more of these symptoms:

- Dryness
- Redness
- Skin texture and appearance of wrinkles may temporarily worsen
- Exfoliation
- Sensitive skin
- Acne may temporarily worsen

In order to maximize the results of your procedure, it is very important that you follow your personal program as indicated by a skincare professional.

Your physician should discuss with you any reactions related to your facial procedure, as these vary by the type of procedure you have received.

Daily Product Routines

a.m.
Morning

	PRODUCT	QUANTITY
1	Foaming Gel	Entire face
2	Toner	Apply liberally with cotton pad to the entire face
3	Clear	<input type="checkbox"/> ½ gm <input type="checkbox"/> 1 gm
4	Blender® Forte	<input type="checkbox"/> ½ gm <input type="checkbox"/> 1 gm
5	Healthy Skin Protection SPF 35	Entire face

p.m.
Evening

	PRODUCT	QUANTITY
1	Foaming Gel	Entire face
2	Toner	Apply liberally with cotton pad to the entire face
3	Clear	<input type="checkbox"/> ½ gm <input type="checkbox"/> 1 gm
4	Blender®	<input type="checkbox"/> ½ gm
5	Tretinoin Cream (apply as prescribed)	<input type="checkbox"/> ½ gm <input type="checkbox"/> 1 gm

Note: Morning routine does not include step 5.

Note: Evening routine does not include steps 4 or 6.


Measuring

Squeeze the product onto your finger, using the bars below as reference:



Or use the distance from the tip of your pinky finger to the first joint as an approximate measurement of ½ gram of product.

HANDGLUE




Travel Size

OBAGI
MEDICAL

OBAGI
CONDITION & ENHANCE SYSTEM

For Use with Non-surgical Procedures



CONDITION AND ENHANCE SYSTEM TRAVEL-SIZE NON-SURGICAL

hydroquinone, octinoxate, and zinc oxide kit

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62032-510
---------------------	-------------------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-510-60	1 in 1 CARTON		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	28.5 g
Part 2	1 BOTTLE, PLASTIC	57 g
Part 3	1 BOTTLE, PLASTIC	30 mL
Part 4	1 BOTTLE, PLASTIC	60 mL

Part 5	1 BOTTLE, PLASTIC	60 mL
Part 6	1 BOTTLE, PLASTIC	28.5 g

Part 1 of 6

CONDITION AND ENHANCE BLENDER SKIN LIGHTENER AND BLENDING

hydroquinone cream

Product Information

Item Code (Source)	NDC:62032-115
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
TROLAMINE SALICYLATE (UNII: H8O4040BHD)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0K00R)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-115-10	28.5 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1988	

Part 2 of 6

CONDITION AND ENHANCE CLEAR SKIN BLEACHING AND CORRECTOR hydroquinone cream

Product Information

Item Code (Source)	NDC:62032-117
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL PARABEN (UNII: 3QP1U3FV8)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0KO0R)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-117-36	57 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1988	

Part 3 of 6**CONDITION AND ENHANCE HEALTHY SKIN PROTECTION SPF 35**

octinoxate and zinc oxide cream

Product Information

Item Code (Source)	NDC:62032-119
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
LAURETH-7 (UNII: Z95S6G8201)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL PARABEN (UNII: 3QPIU3FV8)	
DIETHANOLAMINE CETYL PHOSPHATE (UNII: 4UG0316V9S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYL PARABEN (UNII: 14255EXE39)	
ISOBUTYL PARABEN (UNII: 0QQJ25X58G)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-119-10	30 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2002	

Part 4 of 6

CONDITION AND ENHANCE FOAMING

cleansing (cold creams, cleansing lotions, liquids, and pads) gel

Product Information

Route of Administration	TOPICAL
-------------------------	---------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0K00R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	METHYL PARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYL PARABEN (UNII: Z8IX2SC1OH)	
INGR	BUTYL PARABEN (UNII: 3QPII3FV8)	
INGR	ETHYL PARABEN (UNII: 14255EXE39)	
INGR	ISOBUTYL PARABEN (UNII: 0QQJ25X58G)	
INGR	SODIUM LAUROYL OAT AMINO ACIDS (UNII: FSW2K9B9N5)	
INGR	COCAMIDOPROPYL BETAINE (UNII: 5OCF3011KX)	
INGR	SODIUM LAURETH SULFATE (UNII: BPV390UAP0)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	SODIUM CHLORIDE (UNII: 451W47IQ8X)	

INGR	ALFALFA (UNII: DJO934BRBD)	
INGR	CHAMOMILE (UNII: FGL3685T2X)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	
INGR	D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
INGR	FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		60 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		01/01/1988	

Part 5 of 6

CONDITION AND ENHANCE TONER

face and neck (excluding shaving preparations) liquid

Product Information

Route of Administration	TOPICAL
-------------------------	---------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
INGR	DMDM HYDANTOIN (UNII: BYR0546TOW)	
INGR	IODOPROPYNYL BUTYL CARBAMATE (UNII: 603P14DHEB)	
INGR	POTASSIUM ALUM (UNII: 1L24V9R23S)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	SAGE (UNII: 065C5D077J)	
INGR	CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
INGR	POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	

INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
INGR	HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)	

Product Characteristics

Color	BLUE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		60 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		01/01/1988	

Part 6 of 6

CONDITION AND ENHANCE EXFODERM FORTE

face and neck (excluding shaving preparations) lotion

Product Information

Route of Administration	TOPICAL
-------------------------	---------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	METHYL PARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYL PARABEN (UNII: Z8IX2SC1OH)	
INGR	POLYSORBATE 60 (UNII: CAL22UVI4M)	
INGR	CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
INGR	GLYCOLIC ACID (UNII: 0WT12SX38S)	
INGR	TROLAMINE (UNII: 9O3K93S3TK)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	LACTIC ACID (UNII: 33X04XA5AT)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	EMU OIL (UNII: 344821WD61)	
INGR	STEARIC ACID (UNII: 4ELV7Z65AP)	

INGR	STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		28.5 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		01/01/1988	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		08/20/2007	

Labeler - OMP, INC. (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
PURETEK CORPORATION		785961046	MANUFACTURE(62032-510) , LABEL(62032-510) , PACK(62032-510)

Establishment

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-510) , LABEL(62032-510) , PACK(62032-510) , ANALYSIS(62032-510)

Establishment

Name	Address	ID/FEI	Business Operations
Swiss-American Products		611921669	MANUFACTURE(62032-510)

Establishment

Name	Address	ID/FEI	Business Operations
Bay Cities Container Corporation		066229618	RELABEL(62032-510) , REPACK(62032-510)