# HIMS- minoxidil 5% liquid Clubroom, Inc.

-----

Minoxidil 5% w/v

Hair regrowth treatment for men

to regrow hair on the scalp (vertex only, see picture on side of carton)

For external use only

For use by men only

Flammable: Keep away from fire or flame

#### Do not use if

- •you are a woman
- •your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil Topical Solution, 5% is not intended for frontal baldness or receding hairline.
- •you have no family history of hair loss
- your hair loss is sudden and/or patchy
- •you do not know the reason for your hair loss
- •you are under 18 years of age. Do not use on babies and children.
- •your scalp is red, inflamed, infected, irritated, or painful
- •you use other medicines on the scalp

## Ask a doctor before use if you have heart disease

#### When using this product

- •do not apply on other parts of the body
- •avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- •some people have experienced changes in hair color and/or texture
- •it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- •the amount of hair regrowth is different for each person. This product will not work for all men.

#### Stop use and ask a doctor if

- •chest pain, rapid heartbeat, faintness, or dizziness occurs
- •sudden, unexplained weight gain occurs
- •your hands or feet swell
- •scalp irritation or redness occurs
- •unwanted facial hair growth occurs
- •you do not see hair regrowth in 4 months

## May be harmful if used when pregnant or breast-feeding

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

apply one ml with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- in clinical studies of mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution store at controlled room temperature 20° to 25°C (68° to 77°F).

alcohol, propylene glycol, purified water

Questions or Comments: Call toll-free 1 (800) 368-0038 or Visit Website at www.forhims.com



# **HIMS**

minoxidil 5% liquid

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71730-042		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MINO XIDIL (UNII: 5965120 SH1) (MINO XIDIL - UNII:5965120 SH1)	MINOXIDIL	50 mg in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

Packaging				
# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1 NDC:71730-042-08	1 in 1 BOX	11/18/2017		
1	60 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA075518	11/0 1/20 17			

# Labeler - Clubroom, Inc. (080696472)

Revised: 12/2017 Clubroom, Inc.