

**GLYCERIN- glycerin suppository**  
**DSC Laboratories Inc.**

-----  
**Core Values Adult Glycerin Suppositories**

**Active ingredient (in each suppository)**

Glycerin 2g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or a burning sensation.

**Ask a doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions-single daily dosage**

adult and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Questions or comments?

1-800-492-5988

## Label

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Adult Glycerin Suppositories, 50 count

Distributed by

Liberty Procurement Inc.


650 Liberty Ave.

Union, NJ 07083 USA

**CORE VALUES™**

*Compare to Fleet® Glycerin Suppositories*

**ADULT**  
**Glycerin**  
**Suppositories**  
Laxative




**50 SUPPOSITORIES**

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
INNER SEAL IS DAMAGED OR MISSING**

<b>Drug Facts</b>	<b>Purpose</b>		
<b>Active ingredient (in each suppository)</b>	Glycerin 2g.....Laxative		
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ for relief of occasional constipation</li> <li>■ this product generally produces bowel movement in 1/4 to 1 hour</li> </ul>		
<b>Warnings</b>	<p>For rectal use only</p> <p>May cause rectal discomfort or a burning sensation.</p> <p>Ask a doctor before using any laxative if you have</p> <ul style="list-style-type: none"> <li>■ abdominal pain, nausea or vomiting</li> <li>■ a sudden change in bowel habits lasting more than 2 weeks</li> <li>■ already used a laxative for more than 1 week</li> </ul> <p>Stop use and consult a doctor if you have</p> <ul style="list-style-type: none"> <li>■ rectal bleeding</li> <li>■ no bowel movement after using this product</li> </ul> <p>These symptoms may indicate a serious condition.</p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p>		
<b>Directions</b>	<p>Single daily dosage</p> <p>adult and children 1 suppository, or as directed by a doctor</p> <p>children 2 to under 6 years use Child Suppositories</p> <p>Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.</p>		
<b>Other information</b>	<ul style="list-style-type: none"> <li>■ Store container tightly closed.</li> <li>■ Keep away from excessive heat.</li> </ul>		
<b>Inactive ingredients</b>	purified water, sodium hydroxide, stearic acid		
<b>Questions or comments?</b>	Call 1-800-492-5988 Monday - Friday 9am - 5pm EST		

This product is not manufactured or distributed by C.B. Fleet Co., Inc., owner of the registered trademark Fleet®.

Distributed by  
Liberty Procurement, Inc.  
650 Liberty Ave.  
Union, NJ 07083 USA  
Visit us at: [www.libertyvalues.com](http://www.libertyvalues.com)  
S475F-ACTION GUARANTEED  
Or Your Money Back



## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52316-720
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-720-51	50 in 1 JAR; Type 0: Not a Combination Product	08/01/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/01/2017	

**Labeler** - DSC Laboratories Inc. (097807374)

**Registrant** - DSC Laboratories Inc. (097807374)

### Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-720)

Revised: 12/2023

DSC Laboratories Inc.