

DE LA CRUZ DECOLORIZED IODINE- ethyl alcohol liquid
DLC Laboratories, Inc.

De La Cruz Decolorized Iodine

Drug Facts

Active Ingredients

Alcohol 45 % denatured with ammonia, Ammonium and Potassium Iodides.

Purpose

Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Ask a doctor before use if you have

deep or puncture wounds, animal bites, serious burns.

Stop use and ask a doctor if:

The condition persists or gets worse, or if using this product for longer than 1 week.

When using this product:

Do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. Do not apply over large areas of the body.

Keep out of the reach of children.

In case of accidental ingestion give milk, then give a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. contact a poison Control Center immediately.

Directions

Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.

Inactive Ingredient:

Purified Water

Other Information:

Will stain skin and clothing

Label

HYW

3 24286 15322 0

De la Cruz

Decolorized Iodine

Alcohol 48%

First Aid Antiseptic

For External Use Only

TRUSTED QUALITY

POISON / DANGER

2 FL OZ (59 mL)

Distributed by: De La Cruz Products, A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions: 1-800-858-3889

dlclabs.com

@delacruzproducts

@DLClaboratories

©2024 DLC Laboratories, Inc.

Drug Facts

Active ingredient
Ethyl Alcohol 48%.....First aid antiseptic

Purpose
First aid antiseptic to help prevent infection in minor:
■ cuts ■ scrapes ■ burns

Warnings For external use only
Flammable. Keep away from sparks, heat and fire.
Consult a doctor before use if you have
■ deep or puncture wounds ■ animal bites ■ serious burns

When using this product ■ do not use in or near the eyes.
■ do not apply over large areas of the body

Stop use and consult a doctor if ■ condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount of this product to the area 1 to 3 times daily ■ may be covered with a sterile bandage. If bandaged, let dry first.

Other information ■ store at room temperature

Inactive ingredients ammonium hydroxide, iodine, potassium iodide, purified water

Datos Medicinales

Ingrediente activo

Alcohol 48%.....Antiséptico para primeros auxilios;
Usos Antiséptico para primeros auxilios;
 ayuda a prevenir infecciones en:
 ■ cortaduras menores ■ abrasiones menores
 ■ quemaduras menores

Advertencias

Para uso externo únicamente
 inflamable. Manténgase alejado de chispas,
 calor y fuego.
Consulte con un médico antes de usar si tiene
 ■ heridas profundas o punzantes
 ■ mordeduras de animales
 ■ quemaduras graves

Cuando use este producto

■ no usar en los ojos ni cerca de ellos
 ■ no aplicar en áreas grandes del cuerpo
Deje de usar y consulte con un médico si
 ■ la condición persiste o empeora. No usar
 por más de 1 semana a menos que sea
 recomendado por un médico.

Manténgase fuera del alcance de los niños.
 Si se inflama, pida ayuda médica o contáctese
 con un Centro de Control de Envenenamientos
 inmediatamente.

Instrucciones

■ limpie el área afectada
 ■ aplique este producto en cantidades
 pequeñas de 1 a 3 veces al día ■ puede cubrir
 el área afectada con una venda esterilizada.
 Antes de vendar, deje que el producto se seque.

Otra información

■ manténgase a temperatura ambiente

Ingredientes inactivos

hidróxido amónico, yodo, yoduro de potasio,
 agua purificada

Drug Facts

Active ingredient

Alcohol 48%.....First aid antiseptic

Uses First aid antiseptic to help prevent
 infection in minor: ■ cuts ■ scrapes ■ burns

Warnings

For external use only
 Flammable. Keep away from sparks, heat
 and fire.

Consult a doctor before use if you have

■ deep or puncture wounds
 ■ animal bites
 ■ serious burns

When using this product

■ do not use in or near the eyes
 ■ do not apply over large areas of the body

Stop use and consult a doctor if

■ the condition persists or gets worse.
 Do not use this product longer than 1 week
 unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a
 Poison Control Center immediately.

Directions

■ clean the affected area ■ apply a small
 amount of this product to the area 1 to 3
 times daily ■ may be covered with a sterile
 bandage. If bandaged, let dry first.

Other information

■ store at room temperature

Inactive ingredients

ammonium hydroxide, iodine, potassium
 iodide, purified water



Decolorized Iodine
Yodo Blanco

Alcohol 48%

First Aid Antiseptic
Antiséptico Para
Primeros Auxilios



For External Use Only
Para Uso Externo Únicamente

POISON / DANGER **VENENO / PELIGRO**

1 FL OZ
 (30 mL)

Distributed by / Distribuido por:

De La Cruz Products
 A Division of D.L.C. Laboratories, Inc.
 Paramount, CA 90723 USA
 Questions / Preguntas: 1-800-858-3889
www.dlclabs.com © 2013 DLC

P0958-HZT



WARNINGS: KEEP OUT OF REACH OF CHILDREN.
 FLAMMABLE. KEEP AWAY FROM SPARKS, HEAT AND FIRE.
ADVERTENCIAS: MANTÉNGASE FUERA DEL ALCANCE DE
 LOS NIÑOS. INFLAMABLE. MANTÉNGASE ALEJADO DE
 CHISPAS, CALOR Y FUEGO.

Peel Here
 Levante Aquí

Drug Facts
Datos Medicinales

ethyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24286-1529
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.45 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
IODINE (UNII: 9679TC07X4)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1529-8	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/06/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/25/1998	

Labeler - DLC Laboratories, Inc. (093351930)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(24286-1529) , analysis(24286-1529) , pack(24286-1529) , label(24286-1529)