

GLYCERIN - glycerin suppository
Rite Aid Corporation

Rite Aid Glycerin Supp.

Active ingredient (in each suppository)

Glycerin 2 g

Purpose

Hyperosmotic laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort of burning sensation

Ask a Doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

adults and children 6 years and over 1 suppository, or as directed by a doctor

children 2 to under 6 years use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Glycerin Suppositories, 50 count

Compare to the active ingredient in Fleet® Glycerin Suppositories*

LAXATIVE GLYCERIN SUPPOSITORIES

GLYCERIN 2g

often works in minutes for gentle, effective relief of constipation

50 ADULT SIZE SUPPOSITORIES

Drug Facts

Active Ingredient (in each suppository)
Glycerin 2 g.....Hyperosmotic laxative

Purpose
Hyperosmotic laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions Single daily dosage
adults and children 1 suppository, or as directed by a doctor
6 years and over
children 2 to 6 years use Child Suppositories

Insert suppository well up into rectum.
Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients
purified water, sodium hydroxide, stearic acid

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

*This product is not manufactured or distributed by C.B. Fleet Co., one of the registered trademark Fleet®

0 11822 43215 3

**MOUTH OF JAR SEALED FOR SAFETY.
IF FOIL IS BROKEN OR MISSING, DO NOT USE.**

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

RAGlycerinSupp50ct

Distributed by

Rite Aid

30 Hunter Lane

Camp Hill, PA 17011

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3312
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3312-9	100 in 1 JAR; Type 0: Not a Combination Product	10/14/2011	
2	NDC:11822-3312-5	50 in 1 JAR; Type 0: Not a Combination Product	10/14/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/14/2011	

Labeler - Rite Aid Corporation (014578892)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(11822-3312)

Revised: 10/2025

Rite Aid Corporation