

**TUSSIN DM COUGH AND CHEST CONGESTION NON DROWSY-
dextromethorphan hbr, guaifenesin liquid
QUALITY CHOICE (Chain Drug Marketing Association)**

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store Between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

Principal Display Panel

*Compare to the active ingredients in Robitussin® Peak Cold Cough + Chest Congestion DM

Adult

Tussin DM

Cough & Chest Congestion

Dextromethorphan HBr

Cough suppressant

Guaifenesin

Expectorant

Relieves

Cough

Mucus

For Ages 12 Years & Over

Alcohol Free

Non-Drowsy

FL OZ (mL)

Dosing Cup Included

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Cough + Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by C.D.M.A., Inc. ©

43157 W. Nine Mile

Novi, MI 48375-0995

www.qualitychoice.com

Package Label

 Dosing Cup Included	<p>NDC 63868-868-56</p> <p>QC QUALITY CHOICE</p> <p>*Compare to the active ingredients in Robitussin® Peak Cold Cough+Chest Congestion DM</p> <p>Adult Tussin DM</p> <p>Cough & Chest Congestion</p> <p>Dextromethorphan HBr Cough Suppressant Guaifenesin Expectorant</p> <p>Relieves: Cough Mucus</p> <p>For Ages 12 & Over Alcohol Free Non-Drowsy</p> <p>8 FL OZ (237 mL)</p>	<p>NDC 63868-868-56</p> <p>QC QUALITY CHOICE</p> <p>*Compare to the active ingredients in Robitussin® Peak Cold Cough+Chest Congestion DM</p> <p>Adult Tussin DM</p> <p>Cough & Chest Congestion</p> <p>Dextromethorphan HBr Cough Suppressant Guaifenesin Expectorant</p> <p>Relieves: Cough Mucus</p> <p>For Ages 12 & Over Alcohol Free Non-Drowsy</p> <p>8 FL OZ (237 mL)</p>	<p>Drug Facts</p> <p>Active ingredients (in each 10 mL) Dextromethorphan HBr 20 mg.....Cough suppressant Guaifenesin 200 mg.....Expectorant</p> <p>Purposes</p> <p>Uses <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes </p> <p>Warnings <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema </p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> </p> <p>Directions <ul style="list-style-type: none"> do not take more than 6 doses in any 24-hour period measure only with dosing cup provided. Do not use any other dosing device. keep dosing cup with product mL = milliliter this adult product is not intended for use in children under 12 years of age adults and children 12 years and over: 10 mL every 4 hours children under 12 years: do not use </p> <p>Other information <ul style="list-style-type: none"> store between 20-25°C (68-77°F). Do not refrigerate. </p> <p>Inactive ingredients citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate</p> <p>Questions or comments? Call 1-800-935-2362 Monday-Friday 9AM-5PM EST</p> <p>*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Cough+Chest Congestion DM.</p> <p>TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</p>
	<p>PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org</p> <p>100% SATISFACTION GUARANTEED</p> <p>Distributed by C.D.M.A., Inc.© 43157 W 9 Mile Rd Novi, MI 48375 www.qualitychoice.com Questions: 800-935-2362</p>	 6 35515 98133 1 PLD-6325C FC007422 Lot No.: Exp. Date:	

QUALITY CHOICE Adult Tussin DM Cough & Chest Congestion

TUSSIN DM COUGH AND CHEST CONGESTION NON DROWSY

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-868
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)

GUAIFENESIN

200 mg
in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
DEXTROSE (UNII: IY9XDZ35W2)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KOOR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-868-54	1 in 1 BOX	09/30/2014	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:63868-868-56	1 in 1 BOX	09/30/2014	
2		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/30/2014	

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 5/2024

QUALITY CHOICE (Chain Drug Marketing Association)