

VETALYTE PLUS- vetalyte plus injection, solution
Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Vetalyte Plus

INDICATIONS:

For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS:

Do not administer intraperitoneally to horses.

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle andHorses - 1000 to 2000 mL

Calves, Ponies andFoals - 500 to 1000 mL**Adult Sheep andSwine** - 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

TAKE TIME OBSERVE LABEL DIRECTIONS

RMS# 92-501
18-804

Manufactured for:
Aspen Veterinary Resources®, Ltd.Liberty, MO 64068, USA
www.aspenveterinaryresources.com

A287NT

Rev. 09/15

I.V. Solution Injection
Electrolytes - Dextrose

NET CONTENTS:1000 mL (33.81 fl oz)

□Lot No. Exp. Date

For Animal Use Only

Keep Out of Reach of Children

Caution:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

COMPOSITION:

Each 500 mL of sterile aqueous solution contains:

| | | | | | | | | | |
|---|---------|---|---------|---------------------|--------|----------------------|--------|-------------------------|--------|
| Dextrose • H ₂ O..... | 12.50 g | Sorbitol..... | 12.50 g | Sodium Lactate..... | 3.95 g | Sodium Chloride..... | 2.40 g | Potassium Chloride..... | 0.37 g |
| Magnesium Chloride • 6H ₂ O..... | 0.21 g | Calcium Chloride • 2H ₂ O..... | 0.19 g | | | | | | |

Milliequivalents per liter

| | | | |
|----------------------------|-----------|----------------|---------|
| Cations Sodium..... | 153 mEq/L | Potassium..... | 9 mEq/L |
| Calcium..... | 6 mEq/L | Magnesium..... | 4 mEq/L |

| | | | |
|-----------------------------|--------------|--------------|----------|
| Anions Chloride..... | 101 mEq/L | Lactate..... | 71 mEq/L |
| Osmolarity (calc.) | 602 mOsmol/L | | |

Store between 15°C-30°C (59°F-86 degrees F).

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses – 1000 to 2000 mL

Calves, Ponies and Foals – 500 to 1000 mL

Adult Sheep and Swine – 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

RMS# 92-501
18-804

Manufactured for:
Aspen Veterinary Resources, Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com

A287NT

Rev. 09/15

NDC# 46066-804-60

aspen
VETERINARY RESOURCES, LTD.

Vetalyte Plus®

I.V. Solution Injection
Electrolytes – Dextrose



CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For Animal Use Only
Keep Out of Reach of Children

NET CONTENTS:
1000 mL (33.81 fl oz)

COMPOSITION: Each 500 mL of sterile aqueous solution contains:

| | |
|---|---------|
| Dextrose • H ₂ O..... | 12.50 g |
| Sorbitol..... | 12.50 g |
| Sodium Lactate..... | 3.95 g |
| Sodium Chloride..... | 2.40 g |
| Potassium Chloride..... | 0.37 g |
| Magnesium Chloride • 6H ₂ O..... | 0.21 g |
| Calcium Chloride • 2H ₂ O..... | 0.19 g |

Milliequivalents per liter

| | |
|----------------------------|-----------|
| Cations Sodium..... | 153 mEq/L |
| Potassium..... | 9 mEq/L |
| Calcium..... | 6 mEq/L |
| Magnesium..... | 4 mEq/L |

Anions

| | |
|--------------------|--------------|
| Chloride..... | 101 mEq/L |
| Lactate..... | 71 mEq/L |
| Osmolarity (calc.) | 602 mOsmol/L |

Store between 15°C-30°C (59°F-86°F).



Lot No.

Exp. Date

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses – 1000 to 2000 mL

Calves, Ponies and Foals – 500 to 1000 mL

Adult Sheep and Swine – 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

RMS 92-1026
18-804-50



Manufactured for:
Aspen Veterinary Resources,® Ltd.
Liberty, MO 64068, USA

A296NT Iss. 05/12

NDC# 46066-804-50

Vetalyte Plus®

I.V. Solution Injection
Electrolytes – Dextrose

For Animal Use Only
Keep Out of Reach of Children

Caution: Federal law restricts this drug to use by
 or on the order of a licensed veterinarian.

NET CONTENTS:
500 mL

COMPOSITION: Each 500 mL of sterile aqueous solution contains:

| | |
|--|---------|
| Dextrose • H ₂ O..... | 12.50 g |
| Sorbitol | 12.50 g |
| Sodium Lactate | 3.95 g |
| Sodium Chloride | 2.40 g |
| Potassium Chloride | 0.37 g |
| Magnesium Chloride • 6H ₂ O | 0.21 g |
| Calcium Chloride • 2H ₂ O | 0.19 g |

Milliequivalents per liter

| | |
|-----------------|-----------|
| Cations | |
| Sodium | 153 mEq/L |
| Potassium | 9 mEq/L |
| Calcium | 6 mEq/L |
| Magnesium | 4 mEq/L |

| | |
|--------------------|--------------|
| Anions | |
| Chloride | 101 mEq/L |
| Lactate | 71 mEq/L |
| Osmolarity (calc.) | 602 mOsmol/L |

Store between 15°C and 30°C (59°F and 86°F).



Lot No. Exp. Date

VETALYTE PLUS

vetalyte plus injection, solution

Product Information

| | | | |
|--------------------------------|------------------------------|---------------------------|---------------|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:46066-804 |
| Route of Administration | INTRAVENOUS, INTRAPERITONEAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------|--------------------|
| Dextrose Monohydrate (UNII: LX22YL083G) (Anhydrous Dextrose - UNII:5SLOG7R0OK) | Dextrose Monohydrate | 12.50 g in 1000 mL |
| Sorbitol (UNII: 506T60A25R) (Sorbitol - UNII:506T60A25R) | Sorbitol | 12.50 in 1000 mL |
| Sodium Lactate (UNII: TU7HW0W0QT) (Sodium Cation - UNII:L YR4M0NH37) | Sodium Lactate | 3.95 in 1000 mL |
| Sodium Chloride (UNII: 451W47IQ8 X) (Chloride Ion - UNII:Q32ZN48698) | Sodium Chloride | 2.40 in 1000 mL |
| Potassium Chloride (UNII: 660 YQ98I10) (Potassium Cation - UNII:295O53K152) | Potassium Chloride | 0.37 in 1000 mL |
| Magnesium Chloride (UNII: 02F3473H9O) (Magnesium Cation - UNII:T6 V3LHY838) | Magnesium Chloride | 0.21 in 1000 mL |
| Calcium Chloride (UNII: M4I0D6VV5M) (Calcium Cation - UNII:2M83C4R6ZB) | Calcium Chloride | 0.19 in 1000 mL |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|------------------------------|----------------------|--------------------|
| 1 | NDC:46066-804-60 | 1000 mL in 1 BOTTLE, PLASTIC | | |
| 2 | NDC:46066-804-50 | 500 mL in 1 BOTTLE, PLASTIC | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 05/01/2017 | |

Labeler - Aspen Veterinary (627265361)

Registrant - Aspen Veterinary (627265361)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------|---------|-----------|------------------------------|
| Nova-Tech, Inc. | | 196078976 | manufacture, api manufacture |

Revised: 4/2017

Aspen Veterinary