

**THIAMINE HYDROCHLORIDE- thiamine hydrochloride injection**  
**Neogen Corporation - Nandino**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Thiamine Hydrochloride**  
**500mg/mL**  
**Sterile Solution**

**Indications:**

For use as a supplemental source of thiamine in dogs, cats, and horses.

**Each mL Contains:**

Thiamine Hydrochloride.....500 mg  
Disodium Edetate.....0.01% w/v  
Benzyle Alcohol (as preservative).....1.5% v/v  
Water for Injection.....q.s.  
pH adjusted with Hydrochloric acid or Sodium Hydroxide

**Dosage and Administration:**

For intravenous or intramuscular use as determined by the veterinarian.

**Warning:**

Anaphylactogenesis to parental thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50mg)

**Store at controlled temperatures between 15° and 30°C (59° - 86°F).**

Manufactured by Sparhawk Laboratories, Lenexa, KS 66215  
for Neogen® Corporation, Lexington, KY 40511 • 859-254-1221

**Principal Display Panel**

**THIAMINE HYDROCHLORIDE**

**500 mg/mL**

**Sterile Solution**



For use in dogs, cats and horses



**Caution:** Federal law restricts this drug to use by or on the order of a licensed veterinarian



**FOR ANIMAL USE ONLY**

**KEEP OUT OF THE REACH OF CHILDREN**

**Net Content:100 mL**

<p><b>FOR ANIMAL USE ONLY</b></p> <p><b>Each mL Contains:</b>                  Thiamine Hydrochloride .....500 mg                  Disodium Edetate ..... 0.01%                  Benzyl Alcohol (as preservative) ..... 1.5% v/v                  Water for Injection ..... q.s.                  pH adjusted with Hydrochloric acid or Sodium Hydroxide.</p> <p><b>Dosage and Administration:</b>                  For intravenous or intramuscular use as determined by the veterinarian.</p> <p>Item No. 09083                      Rev. 09-17                  Made in U.S.A.                      V-0347-04</p>  <p>7 26087 09083 2</p>	<p>NDC: 59051-9083-5</p> <p><b>Thiamine Hydrochloride</b> <b>500 mg/mL</b></p> <p>STERILE SOLUTION</p> <p>CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.</p>  <p>Net Contents: 100 mL</p>	<p><b>KEEP OUT OF REACH OF CHILDREN</b></p> <p><b>Indications:</b>                  For use as a supplemental source of thiamine in dogs, cats and horses.</p> <p><b>Warning:</b>                  Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).</p> <p><b>Store at controlled room temperatures between 15° - 30°C (59° - 86°F).</b></p> <p>Manufactured by Sperhawk Laboratories, Lenexa, KS 66215 for Neogen® Corporation, Lexington, KY 40511 • 859-254-1221</p> <p>LOT NO.:                      EXP. DATE:</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>
---	--	--

<p><b>FOR ANIMAL USE ONLY</b></p> <p><b>Each mL Contains:</b>                  Thiamine Hydrochloride .....500 mg                  Disodium Edetate ..... 0.01%                  Benzyl Alcohol (as preservative) ..... 1.5% v/v                  Water for Injection ..... q.s.                  pH adjusted with Hydrochloric acid or Sodium Hydroxide.</p> <p><b>Dosage and Administration:</b>                  For intravenous or intramuscular use as determined by the veterinarian.</p> <p>Item No. 09083                      Rev. 09-17                  Made in U.S.A.                      V-0347-04</p>  <p>7 26087 09083 2</p>	<p>NDC: 59051-9083-5</p> <p><b>Thiamine Hydrochloride</b> <b>500 mg/mL</b></p> <p>STERILE SOLUTION</p> <p>CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.</p>  <p>Net Contents: 100 mL</p>	<p><b>KEEP OUT OF REACH OF CHILDREN</b></p> <p><b>Indications:</b>                  For use as a supplemental source of thiamine in dogs, cats and horses.</p> <p><b>Warning:</b>                  Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).</p> <p><b>Store at controlled room temperatures between 15° - 30°C (59° - 86°F).</b></p> <p>Manufactured by Sperhawk Laboratories, Lenexa, KS 66215 for Neogen® Corporation, Lexington, KY 40511 • 859-254-1221</p> <p>LOT NO.:                      EXP. DATE:</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>
--	---	--

<p><b>FOR ANIMAL USE ONLY</b></p> <p><b>Each mL Contains:</b>                  Thiamine Hydrochloride .....500 mg                  Disodium Edetate ..... 0.01%                  Benzyl Alcohol (as preservative) ..... 1.5% v/v                  Water for Injection ..... q.s.                  pH adjusted with Hydrochloric acid or Sodium Hydroxide.</p> <p><b>Dosage and Administration:</b>                  For intravenous or intramuscular use as determined by the veterinarian.</p> <p>Item No. 09083                      Rev. 09-17                  Made in U.S.A.                      V-0347-04</p>  <p>7 26087 09083 2</p>	<p>NDC: 59051-9083-5</p> <p><b>Thiamine Hydrochloride</b> <b>500 mg/mL</b></p> <p>STERILE SOLUTION</p> <p>CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.</p>  <p>Net Contents: 100 mL</p>	<p><b>KEEP OUT OF REACH OF CHILDREN</b></p> <p><b>Indications:</b>                  For use as a supplemental source of thiamine in dogs, cats and horses.</p> <p><b>Warning:</b>                  Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).</p> <p><b>Store at controlled room temperatures between 15° - 30°C (59° - 86°F).</b></p> <p>Manufactured by Sperhawk Laboratories, Lenexa, KS 66215 for Neogen® Corporation, Lexington, KY 40511 • 859-254-1221</p> <p>LOT NO.:                      EXP. DATE:</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>
---	--	--

<b>THIAMINE HYDROCHLORIDE</b>			
thiamine hydrochloride injection			
<b>Product Information</b>			
<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:59051-9083
<b>Route of Administration</b>	INTRAVENOUS, INTRAMUSCULAR		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>

<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	500 mg in 1 mL
---	------------------------	----------------

### Inactive Ingredients

Ingredient Name	Strength
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	.1 mg in 1 mL
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	.015 mL in 1 mL
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59051-9083-5	100 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/2000	

**Labeler** - Neogen Corporation - Nandino (042125879)

**Registrant** - Sparhawk Laboratories, Inc. (147979082)

### Establishment

Name	Address	ID/FEI	Business Operations
Sparhawk Laboratories, Inc.		147979082	analysis, manufacture

### Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Tianxin Pharmaceutical Co., Ltd.		527410270	api manufacture

Revised: 12/2023

Neogen Corporation - Nandino