

GLYCERIN - glycerin suppository
H and P Industries, Inc. dba Triad Group

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENT

Glycerin, USP 2g

PURPOSE

Laxative

USE

For relief of occasional constipation

WARNINGS

For rectal use only. May cause rectal discomfort or a burning sensation.

Do not use

- more than one per day
- for a period of longer than one week unless directed by a doctor
- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- if seal under product lid is damaged, missing or broken.

Ask a doctor before use

- if you have noticed a sudden change in bowel habits that persist over a period of two weeks
- if you are pregnant or nursing a baby

Stop use and ask a doctor

if you have rectal bleeding or fail to have a bowel movement after using a laxative. This may indicate a condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Adults and children 6 years of age and older: carefully insert one suppository well into the rectum

- Do not use more than once per day
- Generally produces a bowel movement in 15 minutes to 1 hour
- Children under 6 years of age: ask a doctor.

OTHER INFORMATION

- Store container tightly closed
- Store at room temperature: 15° - 30° C (59° - 86° F). Do not exceed 30° C (86° F).

INACTIVE INGREDIENTS

sodium stearate, purified water

PACKAGE LABEL

CVS pharmacy

NDC 50730-1091-0

Compare to Fleet Glycerin Suppositories

NEW!

GLYCERIN
SUPPOSITORIES
LAXATIVE

For fast, gentle relief of
occasional constipation

12 ADULT SUPPOSITORIES

Distributed by CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

©CVS/pharmacy

1-800-shop-CVS

www.cvs.com

#721501

DO NOT USE IF PRINTED
INNER SEAL IS BROKEN
OR MISSING

This product is not
manufactured or distributed
by C.B.Fleet co., owner of
the registered trademark
Fleet®.

CVS pharmacy NDC 50730-1091-0
Compare to Fleet® Glycerin Suppositories®

GLYCERIN SUPPOSITORIES LAXATIVE **NEW!**

For fast, gentle relief of occasional constipation
12 ADULT SUPPOSITORIES

**no print allowed
lot/exp channel
magenta does not print**

LOT EXP

Drug Facts

Active Ingredient (per suppository) Purpose
Glycerin, USP Laxative

Use For relief of occasional constipation

Warnings
For rectal use only. May cause rectal discomfort or a burning sensation. Do not use more than one per day for a period longer than one week unless directed by a doctor

Laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

if seal under product lid is damaged, missing, or broken. Ask a doctor before use if you have noticed a

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2009 CVS/pharmacy www.cvs.com
1-800-shop-CVS #721501

Peel label for more Drug Facts →

UPC-A FPO

0 50428 16674 1

**no print/color allowed
dead tab
magenta does not print**

Drug Facts (continued)

sudden change in bowel habits that persists over a period of two weeks ■ if you are pregnant or nursing a baby, **Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after using a laxative. This may indicate a condition. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 6 years of age and older: carefully insert one suppository well into the rectum ■ Do not use more than once per day ■ Generally produces a bowel movement in 15 minutes to 1 hour ■ Children under 6 years of age: ask a doctor.

Other information
■ Store container tightly closed ■ Store at room temperature: 15° – 30° C (59° – 86° F). Do not exceed 30° C (86° F)

Inactive ingredients
sodium stearate, purified water

DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®.

Rev. A0709

STOP PEELING HERE

**Adhesive Area
No Print/Color/Varnish
Allowed
magenta does not print**

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50730-1091
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
glycerin (UNII: PDC6A3C0OX) (glycerin - UNII:PDC6A3C0OX)	glycerin	2 g

Inactive Ingredients

Ingredient Name	Strength
sodium stearate (UNII: QU7E2XA9TG)	
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50730-1091-0	12 in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph final	part334	07/01/2009	
---------------------	---------	------------	--

Labeler - H and P Industries, Inc. dba Triad Group (050259597)

Registrant - H and P Industries, Inc. dba Triad Group (050259597)

Establishment			
Name	Address	ID/FEI	Business Operations
Hand P Industries, Inc. dba Triad Group		050259597	manufacture

Revised: 12/2009

Hand P Industries, Inc. dba Triad Group