

**G-SUPRESS DX - dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride syrup**  
**KRAMER NOVIS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**G-Supress DX**

*Drug Facts*

**Active Ingredients (in each 1mL)**

Dextromethorphan HBr, 5mg

Guaifenesin, 50mg

Phenylephrine HCl, 2.5mg

**Purpose**

Cough Suppressant

Expectorant

Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
  - nasal congestion due to hay fever or other upper respiratory allergies (allergic rhinitis)
  - cough due to minor throat and bronchial irritation as may occur with the common cold

**Warnings**

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- heart disease • thyroid disease • high blood pressure
- diabetes
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with asthma

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- your child gets nervous, dizzy, or sleepless
  - symptoms do not get better within 7 days or are accompanied by fever
  - cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.
- These could be signs of a serious condition.

**Keep out of the reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- do not use more than 6 doses in any 24 hour period.
- repeat every 4 hours.
- measure with the dosage device provided. Do not use with any other device.
- **children 2 to under 6 years of age, 1 mL.**
- **children under 2 years of age, consult a doctor.**

***Other information***

- Tamper Evident Feature: Do not use if cap seal is torn, broken or missing. For your protection, this bottle has an imprinted seal around the neck.
- Store at controlled room temperature 15-30°C (59-86°F).
- Avoid excessive heat and humidity.

***Inactive Ingredients***

citric Acid, FD&C red 40, flavor, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate and sodium saccharin.

**Compare to Suppress-DX®**

**By the makers of Suppress-DX®**

**COUGH SUPPRESSANT**

**EXPECTORANT**

**NASAL DECONGESTANT**

**Cherry Flavor**

**Sugar & Alcohol FREE**

Manufactured in the USA for Kramer-Novis, San Juan, PR 00917 - Tel: (787) 767-2072

**Packaging**

Lot No.

**Drug Facts**

**Active Ingredients(in each 1mL) Purpose**  
 Dextromethorphan HBr, 5mg ..... Cough Suppressant  
 Guaifenesin, 50mg .....Expectorant  
 Phenylephrine HCl, 2.5mg .....Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
  - nasal congestion due to hay fever or other upper respiratory allergies (allergic rhinitis)
  - cough due to minor throat and bronchial irritation as may occur with the common cold

**Warnings**

**Keep out of the reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not use more than 6 doses in any 24 hour period.

Exp. Date

NDC 52083-655-01

**G-SUPRESS DX**

**PEDIATRIC DROPS**

Compare to Suppress-DX®  
 By the makers of Suppress-DX®

**COUGH SUPPRESSANT  
 EXPECTORANT  
 NASAL DECONGESTANT**

SEE CARTON FOR FULL PRESCRIBING INFORMATION

**Cherry Flavor**

**Sugar & Alcohol FREE**

NET CONTENT: 30 ML (1 FL. Oz.)



**Drug Facts continued**

- repeat every 4 hours.
- measure with the dosage device provided. Do not use with any other device.
- **children 2 to under 6 years of age, 1 mL.**
- **children under 2 years of age, consult a doctor.**

**Other information**

**Tamper Evident Feature:** Do not use if cap seal is torn, broken or missing. For your protection, this bottle has an imprinted seal around the neck.

• Store at controlled room temperature 15-30°C (59-86°F)

• Avoid excessive heat and humidity.

**Inactive Ingredients**

citric acid, FD&C red 40, flavor, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate and sodium saccharin.

Manufactured in the USA for Kramer-Novis, San Juan, PR 00917. Tel: (787) 767-2072

07/2018

**G-SUPRESS DX**

dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride syrup

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52083-655
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	50 mg in 1 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 1 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

**Product Characteristics**

<b>Color</b>	red (CHERRY RED)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY (SOUR CHERRY)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52083-655-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2011	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/29/2011	

**Labeler** - KRAMER NO VIS (090158395)**Registrant** - KRAMER NO VIS (090158395)

Revised: 12/2018

KRAMER NOVIS