

**ACTISPEC PSE- dextromethorphan hydrobromide, guaifenesin,
pseudoephedrine hydrochloride solution
ACTIPHARMA, LLC**

ACTISPEC® PSE COUGH SUPPRESSANT EXPECTORANT NASAL DECONGESTANT

Drug Facts

Active ingredients (in each 5 mL tsp)

Dextromethorphan HBr 10 mg

Guaifenesin 187 mg

Pseudoephedrine HCl 30 mg

Purpose

Cough Suppressant
Expectorant
Nasal Decongestant

Uses

• temporarily relieves cough due to minor throat and bronchial irritation associated with a cold or inhaled irritants • helps loosen phlegm and thin bronchial secretions to make coughs more productive • temporarily relieves nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • cough accompanied by excessive phlegm (mucus) • persistent or chronic cough such occurs with smoking, asthma, chronic bronchitis or emphysema.

Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.

When using this product do not use more than directed.

Stop use and ask a doctor if • nervousness, dizziness or sleeplessness occur • symptoms do not improve within 7 days or are accompanied by fever • cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or a persistent

headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

do not exceed more than 6 doses in any 24-hour period.

AGE	DOSE
Adults and children 12 years of age and over	Take 2 teaspoonfuls (10 mL) every 4 hours
Children 6 to under 12 years of age	Take 1 teaspoonful (5 mL) every 4 hours
Children under 6 years of age	Ask physician

Other information

- Tamper evident feature: Do not use if inner seal is torn, cut, or opened.
- Store at controlled room temperature 15° - 30°C (59° - 86°F).
- Avoid excessive heat or humidity.

Inactive ingredients

citric acid, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Questions or comments?

call weekdays from 8 AM to 4PM AST at **1.787.608.0882**.

Contains the same active ingredients as Trispec[®] PSE*

Alcohol FREE

Dye FREE

Sugar FREE

Grape Flavor

Manufactured in USA with imported ingredients for ActiPharma LLC. San Juan, PR 00917. www.actipharma.net. Rev. 04/25

* Trispec[®] PSE is a registered trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.

Packaging

NDC 63102-120-16

ACTISPEC[®] PSE

Contains the same active
ingredients as Trispec[®] PSE*

**COUGH SUPPRESSANT
EXPECTORANT
NASAL DECONGESTANT**

Alcohol FREE
Dye FREE
Sugar FREE
Grape Flavor



16 fl oz (473 mL)

Drug Facts

Active ingredients (in each 5 mL tsp) **Purpose**
Dextromethorphan HBr 10 mg.....Cough Suppressant
Guaifenesin 187 mg.....Expectorant
Pseudoephedrine HCl 30 mg.....Nasal Decongestant

Uses
■ temporarily relieves cough due to minor throat and bronchial irritation associated with a cold or inhaled irritants ■ helps loosen phlegm and thin bronchial secretions to make coughs more productive ■ temporarily relieves nasal congestion

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ difficulty in urination due to enlargement of the prostate gland ■ cough accompanied by excessive phlegm (mucus) ■ persistent or chronic cough such occurs with smoking, asthma, chronic bronchitis or emphysema.

Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.

When using this product do not use more than directed.

Stop use and ask a doctor if ■ nervousness, dizziness, or sleepiness occur ■ symptoms do not improve within 7 days or are accompanied by fever ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or a persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not exceed more than 6 doses in any 24-hour period.

AGE	DOSE
Adults and children 12 years of age and over	Take 2 teaspoonfuls (10 mL) every 4 hours
Children 6 to under 12 years of age	Take 1 teaspoonful (5 mL) every 4 hours
Children under 6 years of age	Ask physician

Other information

- Tamper evident feature: Do not use if inner seal is torn, cut, or opened.
- Store at controlled room temperature 15° - 30°C (59° - 86°F).
- Avoid excessive heat or humidity.

Inactive ingredients

citric acid, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Questions or comments?

call weekdays from 8 AM to 4PM AST at 1.787.608.0882.

Manufactured in USA with imported ingredients for ActiPharma LLC. San Juan, PR 00917. www.actipharma.net. Rev. 04/25
* Trispec[®] PSE is a registered trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.



ACTISPEC PSE

dextromethorphan hydrobromide, guaifenesin, pseudoephedrine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63102-120
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	187 mg in 5 mL
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	grape	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63102-120-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/17/2025	

Labeler - ACTIPHARMA, LLC (079340948)

Revised: 7/2025

ACTIPHARMA, LLC