

**POLYETHYLENE GLYCOL 3350- polyethylene glycol 3350 powder, for solution  
Bryant Ranch Prepack**

-----  
**Polyethylene Glycol 3350 Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

### **Inactive ingredients**

none

### **Questions or comments?**

**1-800-719-9260**

### **HOW SUPPLIED**

Polyethylene Glycol 3350 17g of white powder when filled to the indicated line (white section in cap). Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

Keep Tightly Closed

Dispense in a tight, light-resistant container as defined in the USP.

NDC: 72162-2172-2: 238 g Powder for Solution

NDC: 72162-2172-4: 510 g Powder for Solution

Repackaged/Relabeled by:

Bryant Ranch Prepack, Inc.  
Burbank, CA 91504

Polyethylene Glycol 3350 Powder #238

 GTN For Exp N2	<b>Drug Facts</b>	
	<b>Active Ingredient (in each dose)</b> Polyethylene Glycol 3350, 17 g (cap filled to line)	<b>Purpose</b> Osmotic Laxative
<b>Uses</b> -relieves occasional constipation (irregularity) -generally produces a bowel movement in 1 to 3 days		
<b>Warnings</b> Allergy alert: Do not use if you are allergic to polyethylene glycol. Do not use if you have kidney disease, except under the advice and supervision of a doctor. Ask a doctor before use if you have -nausea, vomiting or abdominal pain -a sudden change in bowel habits that lasts over 2 weeks -irritable bowel syndrome. Ask a doctor or pharmacist before use if you are taking a prescription drug. When using this product you may have loose, watery, more frequent stools. Stop use and ask a doctor if -you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. -you get diarrhea -you need to use a laxative for longer than 1 week. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).		
<b>Other Information</b> -Store at 20°-25° C (68°-77° F) -Tamper-evident: do not use if printed foil seal under cap is missing, open or broken. -Softens Stool -Unflavored Powder -Grit Free. Powder for Solution. Dissolves in Any Beverage. Compare to MiralAX active ingredient. -Scan Package Insert QR Code for more information.		
<b>Directions</b> -do not take more than directed unless advised by your doctor -the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) -children 16 years of age or under: ask a doctor. Adults and children 17 years of age and older: -use once a day -fill to top of white section in cap which is marked to indicate the correct dose (17 g) -stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink -do not combine with starch-based thickeners used for difficulty swallowing -ensure that the powder is fully dissolved before drinking -do not drink if there are any clumps -do not use more than 7 days -children 18 years of age or under: ask a doctor.		
<b>Inactive Ingredients</b> none		
 Package Insert		

NDC 72162-2172-2

**Polyethylene Glycol 3350  
Powder for Solution  
Osmotic Laxative**

**14 Once-Daily Doses**



Relabeled by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504 USA

NET WT 8.3 OZ (238 g)

Manufactured by:  
Padagis



**POLYETHYLENE GLYCOL 3350**

polyethylene glycol 3350 powder, for solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72162-2172(NDC:45802-868)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-2172-2	238 g in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2024	
2	NDC:72162-2172-4	510 g in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/13/2009	

**Labeler** - Bryant Ranch Prepack (171714327)

**Registrant** - Bryant Ranch Prepack (171714327)

## Establishment

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2172) , RELABEL(72162-2172)

Revised: 9/2025

Bryant Ranch Prepack