# RITE AID POVIDONE IODINE- povidone iodine 10% liquid Rite Aid Corporation

-----

#### **Rite Aid Povidone Iodine**

**Drug Facts** 

#### **Active Ingredient**

Povidone-Iodine 10%

(Equivalent to 1% titrable iodine)

#### **Purpose**

**Antiseptic** 

#### Use

First aid antiseptic to prevent infection in minor cuts and burns.

### Warnings

For External Use Only

# Ask a doctor before use if you have

- deep punture wounds
- animal bites
- serious burns

## Stop use and consult a doctor if

- the condition persists or gets worse
- irritation and redness develop and persits for more than 72 hours

# When using this product do not

- use in eyes
- use on individuals who are allergic or sensitive to iodine or use for longer thn 1 week unless directed by a doctor
- apply over large areas of the body

# Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

#### **Directions**

Clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If badaged, let it dry first.

#### Other information

store at room temperature, 20-25C (68-77F)

### **Inactive Ingredients**

Citric Acid, Disodium Phosphate, Glycerin, nonoxynol-9. Sodium Hydroxide and Purified Water.

#### Label



# **Drug Facts**

#### Active ingredient

**Purpose** 

Povidone-lodine 10%..... .First Aid Antiseptic

(1% available iodine)

#### Uses

First aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns

#### Warnings For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation

#### Ask a doctor before use if you have

- deep or puncture wounds serious burns
- animal bites

Stop use and ask a doctor if me the condition persists or gets worse wou need to use this product for more than 1 week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

■ clean the affected area ■ apply a small amount of product to the area 1 to 3 times daily ■ may be covered with sterile bandage if bandaged let dry first

# **ANTISEPTIC** solution

**POVIDONE-IODINE USP 10%** 

#### FIRST AID ANTISEPTIC **GERMICIDE**

kills germs promptly and helps prevent infections in: minor cuts, burns, scrapes and skin wounds

FOR EXTERNAL USE ONLY

\*Warning: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.

#### Drug Facts (continued)

#### Other information

store at room temperature, 20-25° C (68-77° F)

#### Inactive ingredients

Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Purified Water and Sodium Hydroxide

Questions or Comments? 1-800-662-3435

#### DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE. CAMP HILL PA 17011

SATISFACTION GUARANTEE

If you're not satisfied, we'll happily refund your money





Purpose



PHARMACY

# first aid antiseptic solution

povidone-iodine 10%

topical antiseptic germicide

#### helps prevent infections in:

- burns
- cuts
- scrapes
- minor skin wounds

**FOR EXTERNAL USE ONLY** 

8 FL OZ (237 mL)

#### Drug Facts

#### Active Ingredient

Povidone-lodine, 10% (equivalent 1% titratable iodine) .

Uses • first aid antiseptic to prevent infection in minor cuts and burns

8 FL 07

(237 mL)

#### Warnings For external use only

#### Ask a doctor before use if you have deep or puncture wounds

- animal bites
- serious burns

### Stop use and consult a doctor if

- the condition persists or gets worse
  irritation and redness develop and persists for more than 72 hours

When using this product do not use

- in the eyes
  on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

- clean the affected area
  apply a small amount on the area
  to
  times daily
- may be covered with sterile bandage if bandaged, let dry first

#### Other Information

store at room temperature, 20-25°C (68-77°F)

Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water

> DISTRIBUTED BY: RITE AID 30 HUNTER LANE, CAMP HILL, PA 17011





#### RITE AID POVIDONE IODINE

povidone iodine 10% liquid

**Product Information** 

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3775
Route of Administration	TOPICAL		

l	Active Ingredient/Active Moiety			
ı	Ingredient Name	<b>Basis of Strength</b>	Strength	
ı	POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)		
NONOXYNOL-9 (UNII: 48Q180SH9T)		
SODIUM HYDROXIDE (UNII: 55X04QC32I)		
WATER (UNII: 059QF0KO0R)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:11822- 3775-7	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2008	

# Labeler - Rite Aid Corporation (014578892)

# Registrant - Pharma Nobis, LLC (118564114)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(11822-3775), analysis(11822-3775), pack(11822-3775), label(11822-3775)

Revised: 12/2023 Rite Aid Corporation