

PHYTOZINE RINGWORM TREATMENT MAXIMUM STRENGTH-

tolnaftate ointment

The Sisquoc Healthcare Corporation

Sisquoc HC (as PLD) - PHYTOZINE RINGWORM TREATMENT (71229-101)

ACTIVE INGREDIENT

TOLNAFTATE 1%

PURPOSE

ANTIFUNGAL

USES

- CURES MOST RINGWORM
- RELIEVES ITCHING, REDNESS, IRRITATION AND DISCOMFORT WHICH ACCOMPANY THIS CONDITION.

WARNINGS

FOR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT AVOID CONTACT WITH THE EYES.

STOP USE AND ASK A DOCTOR IF

- IRRITATION OCCURS
- THERE IS NO IMPROVEMENT WITHIN 4 WEEKS.

DO NOT USE ON CHILDREN UNDER 2 YEARS OF AGE UNLESS DIRECTED BY A DOCTOR.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- For the cure of most ringworm (tinea corporis) and athlete's foot (tinea pedis). For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions.
- Wash affected area and dry thoroughly. Apply a layer of PHYTOZINE over the affected area twice daily (morning and night). Allow the cream to dry for at least 3 minutes before covering the affected area with clothing.
- Wash hands after each application to prevent the chance of the infection spreading to other parts of the skin.
- Most ringworm infections will require between 3-4 weeks of continuous daily treatment before the infection is completely eliminated.
- Proper use of PHYTOZINE will eliminate most ringworm infections. If the condition persists longer, contact a physician or medical professional.

INACTIVE INGREDIENTS

Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Polysorbate-20, Sodium Polyacrylate, Hydrogenated Polydecene, Trideceth-6, Glyceryl Stearate, PEG-100, Stearate, Propylene Glycol, Cetyl Alcohol, Oleth-10 Phosphate, Glycerin, Avena (Oat), Kernel Extract, Aloe Barbadensis Leaf Juice, Actrostaphylos Uva Ursi Leaf Extract, Propolis Extract, Theobroma Cacao (Cocoa) Seed Butter, Rosa Canina Fruit Oil, Camphor, Menthol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Jasminum Officinale (Jasmine) Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Tocopheryl Acetate, Stearic Acid, Propylene Glycol, Butylene Glycol, Cetyl Hydroxyethylcellulose, Sodium Hydroxide, Phenoxyethanol, Ethylhexylglycerin

Store between 20°C to 25°C (68° to 77°F)

MAXIMUM STRENGTH

PHYTOZINE

RINGWORM TREATMENT

1 OZ / 28 G

Uses: cures most ringworm; relieves itching, redness, irritation and discomfort which accompany this condition.

Warnings: for external use only.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if irritation occurs; there is no improvement within 4 weeks.

Do not use on children under 2 years unless directed by a doctor. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Read the included information sheet for complete Drug Facts.

Active Ingredient: Tolnaftate 1%

Directions: wash affected area and dry thoroughly; apply a thin layer over the affected area twice daily (morning and night); supervise children in the use of this product; use daily for 4 weeks; if condition persists longer, ask a doctor; this product is not effective on the scalp or nails.

Store between 20° to 25°C (68° to 77°F). Distributed by: Sisquoc Healthcare, Newport Beach, CA 92660 U.S.A. ©2022

Drug Facts	
Active Ingredient	Purpose
Tolnaftate (1%)	Antifungal
<p>Uses - proven clinically effective in treatment of athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)</p> <ul style="list-style-type: none"> ■ helps prevent most athlete's foot with daily use ■ or effective relief of itching, burning, and cracking 	
<p>Warnings</p> <p>For external use only</p> <p>Do not use on children under 2 years of age unless directed by a doctor.</p> <p>When using this product avoid contact with eyes.</p> <p>Stop use and ask a doctor if - irritation occurs - there is no improvement within 4 weeks.</p> <p>Keep out of reach of children. If swallowed seek medical help or contact Poison Control Center right away.</p>	
<p>Directions</p> <ul style="list-style-type: none"> ■ wash the affected area and dry thoroughly. ■ apply a thin layer over the affected area twice daily (morning and night) ■ supervise children in the use of this product ■ for athlete's foot: pay special attention to spaces between toes; wear well fitting, ventilated shoes and change shoes and socks at least once daily. ■ use daily for 4 weeks. If condition persists longer, consult a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not proven to be effective on scalp or nails. 	
<p>Other Information store at 20° to 25°C (68° to 77°F)</p>	
<p>Inactive Ingredients Aloe Barbadensis Leaf Juice, Avena Sativa (Oat) Kernel Extract, Camphor, Cetyl Alcohol, Cetyl Hydroxyethylcellulose, DI Water, Ethylhexylglycerin, Eugenia Caryophyllus (Clove) Flower Oil, Glycerin, Glyceryl Stearate, Hydrogenated Polydecene, Lavandula Angustifolia (Lavender) Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Menthol, Oleth-10, PEG-100 Stearate, Phenoxyethanol, Polysorbate-20, Propylene Glycol, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Rosa Canina Fruit Oil, Sodium Hydroxide, Sodium Polyacrylate, Stearic Acid, Theobroma Cacao (Cocoa) Seed Butter, Tocopherol Acetate, Trideceth-6</p>	
<p>Questions? 800-589-8913</p>	

PHYTOZINE RINGWORM TREATMENT MAXIMUM STRENGTH

tolnaftate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71229-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALMOND OIL (UNII: 66YXD4DKO9)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
OLETH-10 PHOSPHATE (UNII: Q95361F4VS)	
GLYCERIN (UNII: PDC6A3C0OX)	
OAT (UNII: Z6J799EAJK)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
THEOBROMA CACAO WHOLE (UNII: EB048G1S9J)	
ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
MENTHOL (UNII: L7T10EIP3A)	
MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K)	
LAVANDULA ANGUSTIFOLIA WHOLE (UNII: 51217XIL5L)	
JASMINUM OFFICINALE WHOLE (UNII: X3314B4SYD)	
CLOVE LEAF OIL (UNII: VCA5491KVF)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CETYL HYDROXYETHYLCELLULOSE (350000 MW) (UNII: T7SWE4S2TT)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71229-101-11	28 g in 1 TUBE; Type 0: Not a Combination Product	03/25/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	03/25/2019	

Labeler - The Sisquoc Healthcare Corporation (021517142)

Revised: 4/2025

The Sisquoc Healthcare Corporation