MAXIMUM STRENGTH BLUE EMU PAIN RELIEF BLU EMU- trolamine salicylate spray Nutrition & Fitness, Inc., dba NFI Consumer Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Trolamine Salicylate 10%

Uses

Temporarily relieves pain associated with: arthritis, simple backache, muscle strains, sprains, bruises, and cramps.

Warnings

For external use only. Allergy Alert: if prone to allergic reaction from aspirin or salicylates, consult a doctor before use. **When using this product**: use only as directed, do not bandage tightly or use with a heating pad, avoid contact with eyes or mucuous membranes, and do not apply to wounds or damaged skin. **Stop use and ask doctor if**: condition gets worse, symptoms persist for more than 7 days, or symptoms clear up and occur again in a few days, redness is present, or irritation develops.

Directions

Shake well. Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: ask a doctor. To apply to face, spray into palm of hand and gently apply.

Inactive ingredients

Aloe Barbadensis Leaf Juice, Caprylyl Glycol, Diazolidinyl Urea, Dimethyl Sulfone, Disodium EDTA, DMDM Hydantoin, Emu Oil, Glucosamine Sulfate, Glycerin, Glyceryl Caprylate, Lecithin, Oleic Acid, Panthenol, Phenoxyethanol, Polysorbate 20, Sorbitol, Water, and Xanthan Gum.

Purpose

Topical analgesic.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.



EXPERIENCE THE HEALING POWER OF EMU OIL



Emu Oil, MSM & Glucosamine **CONTINUOUS SPRAY**

> **Fast Acting** Non-Irritating Deep Penetrating



TOPICAL ANALGESIC SPRAY 4 FL. OZ. 118 mL

Drug Facts

Active ingredient Trolamine salicylate 10%....

Purpose pical analgesic

Uses temporarily relieves minor pain associated with: • arthritis
• simple backache • muscle strains • sprains • bruises • cramps

Warnings For external use only

Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product * use only as directed * do not bandage tightly or use with a heating pad * avoid contact with eyes or mucous membranes * do not apply to wounds or damaged skin,

Stop use and ask a doctor if + condition worsens + symptoms persist for more than 7 days or clear up and occur again within a few days redness is present • irritation develops.

If pregnant or breast-feeding, ask a health professional before use, Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children over 12 years: * apply generously to affected
area * massage into painful area until thoroughly absorbed into skin
* repeat as necessary, but no more than 4 times daily children 12 years or younger: ask a doctor.

Inactive ingredients Aloe Barbadensis Leaf Juice, Caprylyl Glycol, Diazolidinyl Urea, Dimethyl Sulfone, Disodium EDTA, DMDM Hydantoin, Emu Oil, Glucosamine Sulfate, Glycerin, Glyceryl Caprylate, Lecithin, Glèck Acid, Panthenol, Phenoxyethanol, Polysorbate 20, Sorbitol, Water, Xanthan Gum.

Manufactured In the U.S.A. for:

NFI Consumer Products PO Box 35142 Fayetteville, NC 28303

1-800-432-9334 www.blue-emu.com

MAXIMUM STRENGTH BLUE EMU PAIN RELIEF BLU EMU

trolamine salicylate spray

Product Information

HUMAN OTC DRUG NDC:69993-100 Product Type Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Trolamine Salicylate (UNII: H8O4040BHD) (Salicylic Acid - UNII:O414PZ4LPZ)	Trolamine Salicylate	10 g in 100 mL

Inactive Ingredients

macryc ingredience	
Ingredient Name	Strength
Aloe (UNII: V5VD430 YW9)	
Caprylyl Glycol (UNII: 00 YIU5438U)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	

Edetate Disodium (UNII: 7FLD91C86K)	
DMDM Hydantoin (UNII: BYR0546TOW)	
Emu Oil (UNII: 344821WD61)	
Glucosamine Sulfate (UNII: 1FW7WLR731)	
Glycerin (UNII: PDC6A3C0OX)	
GLYCERYL MO NO CAPRYLATE (UNII: TM2TZD4G4A)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
Oleic Acid (UNII: 2UMI9U37CP)	
Panthenol (UNII: WV9CM0O67Z)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
SORBITOL (UNII: 506T60A25R)	
Water (UNII: 059QF0KO0R)	
Xanthan Gum (UNII: TTV12P4NEE)	

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:69993-100-04	118 mL in 1 CAN; Type 0: Not a Combination Product	06/04/2012	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	06/04/2012	

Labeler - Nutrition & Fitness, Inc., dba NFI Consumer Products, Inc. (016785052)

Establishment				
Name	Address	ID/FEI	Business Operations	
Formulated Solutions, LLC.		143266687	Manufacture(69993-100)	

Revised: 2/2019 Nutrition & Fitness, Inc., dba NFI Consumer Products, Inc.