

**EAGLE EXTRA STRENGTH- menthol methyl salicylate liquid**  
**Borden Company (Private) Limited**

-----  
**EgleMscleRubRllonMthnlMthylSlcte**

**Active Ingredients**

Menthol 14.5%  
Methyl Salicylate 30%

**Purpose**

External Analgesic

**Uses**

For the temporary relief of minor aches and pains of muscles and joint associated with  
■ simple backache ■ arthritis ■ strains  
■ bruises ■ sprains

**Warnings**

■ For external use only ■ Avoid getting into eyes and mucous membranes

**When using this product**

■ do not apply to wound or damaged skin ■ do not bandage tightly ■ do not use otherwise than as directed

**Stop use and ask a doctor if**

■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ pain persists for more than 10 days ■ redness is present ■ conditions affect children under 12 years of age

***Keep this drug out of reach of children***

to avoid accidental poisoning. In case of accidental ingestion, contact a doctor or Poison Control Center immediately. If pregnant or breast-feeding, ask a health professional before use

***Directions***

■ adults and children 12 years of age and older apply to affected area not more than 3 to 4 time daily. ■ apply liberally and gently rub into affected area ■ children under 12 years of age, consult a doctor before using.

***Inactive ingredients***

alcohol, camphor, thymol

**Package Label**

鷹標舒筋露  
**MUSCLE RUB**



**EAGLE BRAND**

**MUSCLE RUB**  
 Extra Strength  
 Menthol, Methyl Salicylate  
 EXTERNAL ANALGESIC LIQUID ROLL-ON



Relieves stiff shoulders  
& muscular aches

2.87fl. oz. (85mL)



MUSCULAR PAIN



SHOULDER PAIN



BACKACHE



SPRAIN



MUSCULAR PAIN



SHOULDER PAIN



BACKACHE



SPRAIN

**Drug Facts**

Active Ingredients	Purpose
Menthol 14.5%.....	External Analgesic
Methyl Salicylate 30%.....	External Analgesic

**Uses**

For the temporary relief of minor aches and pains of muscles and joints associated with  
 ■ simple backache ■ arthritis ■ strains  
 ■ bruises ■ sprains.

**Warnings**

■ For external use only ■ Avoid getting into the eyes or on mucous membranes.

**When using this product** ■ do not apply to wounds or damaged skin ■ do not bandage lightly ■ do not use otherwise than as directed.

**Stop use and ask a doctor if**

■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ pain persists for more than 10 days ■ redness is present ■ conditions affect children under 12 years of age

**Keep out of reach of children** to avoid accidental poisoning. In case of accidental ingestion, contact a doctor or Poison Control Center immediately. **If pregnant or breast-feeding**, ask a health professional before use.

**Directions**

■ adults and children 12 years of age and older apply to affected area not more than 3 to 4 times daily.  
 ■ apply liberally and gently rub into affected area  
 ■ children under 12 years of age, consult a doctor before using.

**Other information:** ■ this product may cause allergic reactions in some individuals. Test on a small area of the skin before using the product ■ Store in a dry place at 20° to 25°C (68° to 77°F)

**Inactive Ingredients:** alcohol, camphor, thymol

Manufactured by

Borden Co Pte Ltd  
 9 Jalan Kilang Borden Centre  
 Singapore 159409  
 Tel: 62726022 Fax: 62731328  
 Email: enquiry@borden eagle.com.sg  
 Website: borden eagle.com.sg



BATCH No.  
Exp.

鷹標舒筋露  
**MUSCLE RUB**



**MUSCLE RUB**  
Extra Strength  
Menthol, Methyl Salicylate  
EXTERNAL ANALGESIC LIQUID ROLL-ON



Relieves stiff shoulders  
& muscular aches

2.87 fl. oz. (85mL)



MUSCULAR PAIN



SHOULDER PAIN



BACKACHE



SPRAIN



MUSCULAR PAIN



SHOULDER PAIN



BACKACHE



SPRAIN

**Drug Facts**

Active Ingredients	Purpose
Menthol 14.5%.....	External Analgesic
Methyl Salicylate 30%.....	External Analgesic

**Uses**

For the temporary relief of minor aches and pains of muscles and joints associated with  
 ■ simple backache ■ arthritis ■ strains  
 ■ bruises ■ sprains.

**Warnings**

■ For external use only ■ Avoid getting into the eyes or on mucous membranes.

**When using this product** ■ do not apply to wounds or damaged skin ■ do not bandage lightly ■ do not use otherwise than as directed.

**Stop use and ask a doctor if**

■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ pain persists for more than 10 days ■ redness is present ■ conditions affect children under 12 years of age

**Keep out of reach of children** to avoid accidental poisoning. In case of accidental ingestion, contact a doctor or Poison Control Center immediately. **If pregnant or breast-feeding**, ask a health professional before use.

**Directions**

■ adults and children 12 years of age and older apply to affected area not more than 3 to 4 times daily.  
 ■ apply liberally and gently rub into affected area  
 ■ children under 12 years of age, consult a doctor before using.

**Other information:** ■ this product may cause allergic reactions in some individuals. Test on a small area of the skin before using the product ■ Store in a dry place at 20° to 25°C (68° to 77°F)

**Inactive ingredients:** alcohol, camphor, thymol

Manufactured by

Borden Co Pte Ltd  
 9 Jalan Kilang Borden Centre  
 Singapore 159409  
 Tel: 62726022 Fax: 62731328  
 Email: enquiry@bordenagle.com.sg  
 Website: bordenagle.com.sg



888951893016

BATCH No.  
Exp.

**EAGLE EXTRA STRENGTH**  
menthol methyl salicylate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43405-010
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	14.5 g in 100 mL
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>THYMOL</b> (UNII: 3J50XA376E)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:43405-010-01	1 in 1 BOX	06/15/2015	
1	NDC:43405-010-85	85 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	06/15/2015	

**Labeler** - Borden Company (Private) Limited (595109711)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Borden Company (Private) Limited		595109711	manufacture(43405-010)

Revised: 10/2024

Borden Company (Private) Limited