

RITE AID DECOLORIZED IODINE- ethyl alcohol liquid

Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Decolorized Iodine

Drug Facts

Active Ingredients

Alcohol 45 % denatured with ammonia, Ammonium and Potassium Iodides.

Purpose

Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Ask a doctor before use if you have

deep or puncture wounds, animal bites, serious burns.

Stop use and ask a doctor if:

The condition persists or gets worse, or if using this product for longer than 1 week.

When using this product:

Do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. Do not apply over large areas of the body.

Keep out of the reach of children.

In case of accidental ingestion give milk, then give a starch solution made by mixing two tablespoonfools of cornstarch or flour to a pint of water. contact a poison Control Center immediately.

Directions

Clean the affected area. Aply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let it dry first.

Inactive Ingredient:

Purified Water

Other Information:

Will stain skin and clothing

Label



Drug Facts
Active Ingredients
 Alcohol 48% denatured with ammonia, Ammonium and Potassium Iodides.....Antiseptic
Uses To help prevent infection in minor cuts, scrapes and burns.
Warnings For external use only.
 Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using this product for longer than 1 week.
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.
Keep out of the reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing two tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
Directions Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
Other information: Will stain skin and clothing.
Flammable: Keep from spark, heat or flame.
Inactive ingredient: Purified Water.
DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011

RITE AID DECOLORIZED IODINE

ethyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-6450
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.45 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
IODINE (UNII: 9679TC07X4)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:11822-6450-0	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/06/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/25/1998	

Labeler - Rite Aid Corporation (014578892)

Registrant - Humco Holding Group, Inc. (825672884)

Establishment

Name	Address	ID/FEI	Business Operations
Humco Holding Group, Inc.		825672884	manufacture(118 22-6450) , analysis(118 22-6450) , pack(118 22-6450) , label(118 22-6450)

Revised: 11/2017

Rite Aid Corporation