

**TOPCARE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b,
pramoxine hydrochloride ointment
Topco Associates LLC**

Topco Associates LLC. Triple Antibiotic Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger)
on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredient

white petrolatum

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO NEOSPORIN® + PAIN RELIEF

ACTIVE INGREDIENTS

First Aid Antibiotic & Pain Relieving Ointment

Helps Prevent Infection in Minor Cuts, Scrapes & Burns

Maximum Strength

TopCare® health

MAXIMUM STRENGTH

Triple Antibiotic Ointment + Pain Relief

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE & PRAMOXINE HCl

First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 OZ (28 g)



COMPARE TO NEOSPORIN®
+ PAIN RELIEF
ACTIVE INGREDIENTS*

First Aid Antibiotic & Pain Relieving Ointment

Helps Prevent Infection in Minor Cuts,
Scrapes & Burns

Maximum Strength

TopCare
health

MAXIMUM STRENGTH

Triple Antibiotic Ointment + Pain Relief

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE & PRAMOXINE HCl
First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 OZ (28 g)

NDC 36800-790-64

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE
IL 60007
©TOPCO PERA0521
QUESTIONS?
1-888-423-0139
topcare@topco.com
www.topcarebrand.com



Scan here for more
information or
call 1-888-423-0139



This TopCare® product is laboratory
tested to guarantee its highest quality.
Your total satisfaction is guaranteed.

*This product is not affiliated with,
manufactured by, or produced by
the makers of Neosporin®.



0 36800 24874 8
67964 88 C2

TopCare
health

Triple Antibiotic Ointment + Pain Relief

Drug Facts

Active Ingredients (in each gram)

Bacitracin zinc 500 units First aid antibiotic
Neomycin sulfate equivalent to 35 mg of neomycin base First aid antibiotic
Polymyxin B 1,000 units as polymyxin B sulfate First aid antibiotic
Pramoxine HCl 10 mg External analgesic

Purpose

Uses First aid to help prevent infection and for temporary relief of pain or discomfort in minor:
■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or recur upon use again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older
- cleanse the affected area
- apply as small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredient white petrolatum

Questions or comments? 1-888-423-0139

TOPCARE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b, pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-780
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	YELLOW (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-780-64	1 in 1 CARTON	03/15/2020	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/15/2020	

Labeler - Topco Associates LLC (006935977)

