

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS GLOW DAILY
GLOW SUNSCREEN BRONZE CELL OX SHIELD BROAD SPECTRUM SPF 35-
avobenzone, homosalate, octisalate and octocrylene liquid
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 13%

Octisalate 5%

Octocrylene 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun
- store at 20°C - 25°C (68°F - 77°F)

Inactive ingredients

water, glycerin, dicaprylyl carbonate, alcohol denat., C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, dimethicone, silica, synthetic fluorophlogopite, zeamays (corn) starch, mica, iron oxides, phenoxyethanol, titanium dioxide, dimethicone/PEG-10/15 crosspolymer, hydroxyacetophenone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, acrylamide/sodium acryloyldimethyltaurate copolymer, xanthan gum, arachidyl alcohol, chlorphenesin, caprylyl glycol, isohexadecane, behenyl alcohol, tocopherol, pentylene glycol, tetrasodium glutamate diacetate, diethylhexyl syringylidenemalonate, trisodium ethylenediamine disuccinate, arachidyl glucoside, citric acid, polysorbate 80, ammonium polyacryloyldimethyl taurate, cassia alata leaf extract, maltodextrin, sorbitan oleate, dipropylene glycol, glycine soja (soybean) oil, caprylic/capric triglyceride, tin oxide, disodium stearyl glutamate, sodium citrate, aluminum hydroxide

Questions or comments?

1-888-LRP-LAB0 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

ANTHELIOS
GLOW
BRONZE



LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

NEW

BROAD SPECTRUM
SPF 35

35

ANTHELIOS
GLOW
DAILY GLOW SUNSCREEN

**INSTANT GLOWING,
RADIANT SKIN**
Helps protect against sun
damage*
Primes skin for all day
brighter look

BRONZE

CELL-OX SHIELD®
UVA/UVB Protection + Antioxidants

Fragrance-free
Suitable for sensitive skin
*when used as directed with other
sun protection measures

1.35 FL.OZ. - 40 ml

Drug Facts (continued)

ammonium polyacryloyldimethyl
taurate, cassia alata leaf extract,
maltodextrin, sorbitan oleate,
dipropylene glycol, glycine soja
(soybean) oil, caprylic/capric
triglyceride, tin oxide, disodium
stearoyl glutamate, sodium
citrate, aluminum hydroxide

Questions or comments?

1-888-LRP LABO 1-888-577-5226
Monday- Friday (9 a.m. - 5 p.m. EST)

2067530 14 Code F.L.L. V70065118/1

**A PIONEER IN SUN
PROTECTION
RESEARCH FOR OVER
30 YEARS.**

Every day, dermatologists
observe skin damage
caused by UVA and UVB
rays.

UVB rays mainly cause
Burning. They cause
tanning and are mainly
responsible for sunburn.
SPF or "Sun Protection
Factor" is the degree of
protection a sunscreen
offers against UVB rays.

UVA rays mainly cause
Skin **Aging** or Sun Allergies.
UVA rays directly contribute
to skin aging (wrinkles,
sagging, dark spots) and
are the #1 cause of sun
intolerances (allergies).

Both UVA and UVB rays
have been proven to cause
damage to skin cells,
including DNA, and can
weaken the immune
system. This damage can
potentially lead to the
development of skin cancer.

La Roche-Posay is
dedicated to providing
photostable, broad-spectrum
protection through the
use of **CELL-OX SHIELD**,
a synergistic combination of
UVA/UVB filters combined
with antioxidants.



3

**ANTHELIOS GLOW 35
DAILY GLOW SUNSCREEN**

Package: Skin Type:
All



Texture:
Light Lotion

Application:
Face

PROPERTIES.

**1. Designed to Instantly
Illuminate the Skin and
Create a Sun-Kissed Glow.**

This lightweight lotion
leaves a radiant finish and
has a subtle, flexible tint
ideal for daily use. It helps
protect against the effects of
daily sun exposure. Blends
seamlessly into the skin
and provides hydration.

**2. Formulated for Adaptable
and Multi-Purpose Use.**

Designed for use with and
without makeup for "glow
from within" skin. Use alone
to instantly illuminate skin,
or use as a primer to enhance
makeup finish. With consistent
daily usage, improves the
skin's natural radiance.

**3. CELL-OX SHIELD
TECHNOLOGY
UVA/UVB Protection +
Antioxidants**

Broad Spectrum UV Filters
Combines photostable
UVA/UVB filters chosen for
their synergistic effect to
deliver broad-spectrum
protection.

**Powerful Antioxidant
Protection**

With Senna Alata, a tropical
leaf extract known to defend
skin cells' against damaging
free radicals caused by the
sun that can accelerate
skin aging.

¹ upper layers of skin

FRAGRANCE-FREE
NON-COMEDOGENIC
ALLERGY TESTED
SUITABLE FOR
SENSITIVE SKIN
DERMATOLOGIST TESTED
FOR SAFETY

Made in USA of US and/or
Imported Ingredients
Distribution reserved to
La Roche-Posay agreed distributors
L'Oréal USA S/D, Inc., Dist.,
10 Hudson Yards,
New York, NY 10001
3612624669005

La Roche-Posay
Laboratoire Dermatologique
CAJ 86270 La Roche-Posay, France
TSA 75000 93584 ST OVEN CEDEX FR
www.laroche-posay.us

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 13%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun
protection measures (see *Directions*),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

- For external use only**
- Do not use** on damaged or broken skin
- When using this product** keep out of eyes.
Rinse with water to remove.
- Stop use and ask a doctor** if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact
a Poison Control Center right away.

Directions

- For sunscreen use:
- apply generously 15 minutes before sun
exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if
swimming or sweating
- **Sun Protection Measures.** Spending
time in the sun increases your risk of skin
cancer and early skin aging. To decrease
this risk, regularly use a sunscreen with
a Broad Spectrum SPF value of 15 or
higher and other sun protection measures
including:
 - limit time in the sun, especially from
10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats
and sunglasses
 - children under 6 months of age:
Ask a doctor

Other information

- protect the product in this container from
excessive heat and direct sun
- store at 20° - 25° C (68° - 77° F)

Inactive ingredients

water, glycerin, dicaprylyl carbonate,
alcohol denat., C12-22 alkyl acrylate/
hydroxyethylacrylate copolymer,
dimethicone, silica, synthetic fluorophlogopite,
zea mays (corn) starch, mica, iron oxides,
phenoxyethanol, titanium dioxide,
dimethicone/PEG-10/15 crosspolymer,
hydroxyacetophenone, pentaerythrityl
tetra-di-t-butyl hydroxyhydrocinnamate,
acrylamide/sodium acryloyldimethyltaurate
copolymer, xanthan gum, arachidyl
alcohol, chlorphenesin, caprylyl glycol,
isohexadecane, behenyl alcohol,
tocopherol, pentylene glycol, tetrasodium
glutamate diacetate, diethylhexyl
syringylidenemalonate, trisodium
ethylenediamine disuccinate, arachidyl
glucoside, citric acid, polysorbate 80,

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS GLOW DAILY GLOW SUNSCREEN BRONZE CELL OX SHIELD BROAD SPECTRUM SPF 35

avobenzone, homosalate, octisalate and octocrylene liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82046-768
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	130 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICA (UNII: ETJ7Z6XBU4)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3S))	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%) (UNII: 5F4963KLHS)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
BEHENYL ALCOHOL (UNII: 9G1OE216XY)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
ARACHIDYL GLUCOSIDE (UNII: 6JVVW35JOJ)	
CITRIC ACID (UNII: 2968PHW8QP)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: F01RIY4371)
SENNALATA LEAF (UNII: 4BXR6YZN92)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
SORBITAN OLEATE (UNII: 06XEA2VD56)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SOYBEAN OIL (UNII: 241ATL177A)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
TIN OXIDE (UNII: KM7N50LOS6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-768-01	1 in 1 CARTON	04/28/2026	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/28/2026	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC.		624244349	manufacture(82046-768)

Establishment			
Name	Address	ID/FEI	Business Operations
Unette Corporation		011401882	pack(82046-768)

Revised: 4/2026

L'Oreal USA Products Inc