

SHISEIDO ULTIMATE SUN PROTECTOR MINERAL- titanium dioxide and zinc oxide lotion
SHISEIDO AMERICAS CORPORATION

SHISEIDO ULTIMATE SUN PROTECTOR LOTION MINERAL

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
TITANIUM DIOXIDE 5.7%	Sunscreen
ZINC OXIDE 5.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER, DIPHENYLSILOXY PHENYL TRIMETHICONE, DIMETHICONE, CETYL ETHYLHEXANOATE, TRISILOXANE, DIPROPYLENE GLYCOL, GLYCERIN, BUTYLOCTYL SALICYLATE, BIS-BUTYLDIMETHICONE POLYGLYCERYL-3

**SILICA PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE PEG-10
DIMETHICONE DEXTRIN PALMITATE MYRISTYL MYRISTATE PHENETHYL
BENZOATE PEG/PPG-14/7 DIMETHYL ETHER DIPOTASSIUM
GLYCYRRHIZATE SCUTELLARIA BAICALENSIS ROOT EXTRACT HIBISCUS
SABDARIFFA FLOWER EXTRACT CITRUS DEPRESSA PEEL EXTRACT RUBUS
IDAEUS (RASPBERRY) FRUIT EXTRACT HAMAMELIS VIRGINIANA (WITCH
HAZEL) LEAF EXTRACT ALOE BARBADENSIS LEAF EXTRACT THYMUS
SERPYLLUM EXTRACT EUCHEUMA SERRA/GRATELOUPIA
SPARSA/SACCHARINA ANGUSTATA/ULVA LINZA/UNDARIA PINNATIFIDA
EXTRACT SACCHARINA ANGUSTATA/UNDARIA PINNATIFIDA EXTRACT
ALUMINUM HYDROXIDE BUTYLENE GLYCOL DISTEARDIMONIUM
HECTORITE HYDROGEN DIMETHICONE ISOSTEARIC ACID TRISODIUM EDTA
CALOPHYLLUM INOPHYLLUM SEED OIL TRIETHOXYCAPRYLYLSILANE
SODIUM CITRATE CITRIC ACID STEARIC ACID SODIUM METABISULFITE
GLUCOSYLROUTIN SYZYGIUM JAMBOS LEAF EXTRACT TOCOPHEROL
PHENOXYETHANOL**

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 150 mL Container Carton

SHISEIDO
GINZA TOKYO

Ultimate Sun Protector
Lotion MINERAL

SPF
60+

Advanced Protection & Age Defense

BROAD SPECTRUM SPF 60+
WATER RESISTANT (80 MINUTES)
SUNSCREEN

For All Skin Types Including Sensitive

150mL 5 FL. OZ.



SHISEIDO
GINZA TOKYO

**Ultimate Sun Protector
Lotion MINERAL**

SPF
60+

Advanced Protection & Age Defense

BROAD SPECTRUM SPF 60+
WATER RESISTANT (80 MINUTES)
SUNSCREEN

For All Skin Types Including Sensitive

150mL 5 FL. OZ.

Drug Facts (continued)

Inactive ingredients

Water • Diphenylsiloxy Phenyl
Trimethicone • Dimethicone • Cetyl
Ethylhexanoate • Trisiloxane • Dipropylene
Glycol • Glycerin • Butyloctyl Salicylate •
Bis-Butyldimethicone Polyglyceryl-3 •
Silica • PEG-9 Polydimethylsiloxyethyl
Dimethicone • PEG-10 Dimethicone •
Dextrin Palmitate • Myristyl Myristate •
Phenethyl Benzoate • PEG/PPG-14/7
Dimethyl Ether • Dipotassium
Glycyrrhizate • Scutellaria Baicalensis
Root Extract • Hibiscus Sabdariffa Flower
Extract • Citrus Depressa Peel Extract •
Rubus Idaeus (Raspberry) Fruit Extract •
Hamamelis Virginiana (Witch Hazel) Leaf
Extract • Aloe Barbadensis Leaf Extract •
Thymus Serpyllum Extract • Eucalyptus
Serra/Grateloupia Sparsa/Saccharina
Angustata/Ulva Linza/Undaria
Pinnatifida Extract • Saccharina
Angustata/Undaria Pinnatifida Extract •
Aluminum Hydroxide • Butylene Glycol •
Disteardimonium Hectorite • Hydrogen
Dimethicone • Isostearic Acid • Trisodium
EDTA • Calophyllum Inophyllum Seed Oil •
Triethoxycaprylsilane • Sodium Citrate •
Citric Acid • Stearic Acid • Sodium
Metabisulfite • Glucosylrutin • Syzygium
Jambos Leaf Extract • Tocopherol •
Phenoxyethanol

Other Information

- protect this product in this container from excessive heat and direct sun

Questions or Comments?

Call toll free 1-800-906-7503

<M126912-811>

FSCマーク
W30XH14.3

82X38X120

1 2 3 4 5 6 7 8 9 0

SHISEIDO
ULTIMATE SUN PROTECTOR LOTION MINERAL
BROAD SPECTRUM SPF 60+

A 100% mineral UV filter sunscreen formulated with carefully selected ingredients for all skin types including sensitive skin. This gentle, lightweight and breathable protective veil powerfully protects the skin from UVA/UVB and micro dust with Shiseido's original Supereil360 technology.

- Formulated with Algae Complex and Glycyrrhizic acid derivatives. Targets breakout-prone skin.
- Formulated with ProfenseCELS, which contains an anti-oxidant ingredient. For a beautiful, smooth, plumped look.
- For all skin types including sensitive skin.

NO OCTINOXATE • NO OXYBENZONE • NO PARABENS • NO FRAGRANCE
NON-COMEDOGENIC • DERMATOLOGIST AND OPHTHALMOLOGIST-TESTED.

Drug Facts

Active Ingredients

Titanium Dioxide 5.7%
Zinc Oxide 5.9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure

- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 21989
www.shiseido.com




70% plant-derived plastic* bottle
* Without cap.



<http://s1872.com/21989AA>
See our website for more information.

W33XH14
(8mm/㍿)

7 30852 21989 2



SHISEIDO ULTIMATE SUN PROTECTOR MINERAL

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-903
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.44 g in 150 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.77 g in 150 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
GLICYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)	
TANGERINE PEEL (UNII: JU3D414057)	
RASPBERRY (UNII: 4N14V5R27W)	
HAMAMELIS VIRGINIANA LEAF (UNII: T07U1161SV)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
CALOPHYLLUM INOPHYLLUM WHOLE (UNII: 7BHF8MMF6F)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MONOSODIUM CITRATE (UNII: 68538UP9SE)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-903-40	1 in 1 CARTON	01/01/2025	
1		150 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2025	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Registrant - Shiseido America Inc. (782677132)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-903) , manufacture(58411-903)