OBSTETRIX ONE- calcium ascorbate dihydrate, cholecalciferol, d-alpha tocopheryl acetate, pyridoxine hydrochloride, calcium I-5methyltetrahydrofolate, cyanocobalamin, carbonyl iron, magnesium oxide, zinc oxide, docosahexaenoic acid capsule, gelatin coated Seyer Pharmatec, Inc.

\_\_\_\_\_

#### Obstetrix<sup>™</sup> One

Supplement Facts	Amount	% Daily
Serving Size: 1 Softgel / Servings Per Container: 30	Per Serving	Value**
Vitamin C (as calcium ascorbate dihydrate)	18 mg	15%
Vitamin D (as cholecalciferol)	6.25 mcg	42%
Vitamin E (as d-alpha tocopheryl acetate)	10 mg	53%
Vitamin B6 (as pyridoxine HCl)	30 mg	1500%
Folate (as calcium L-5- methyltetrahydrofolate) (1mg folate)	1.7 mg DFE	284%
Vitamin B12 (as cyanocobalamin)	15 mcg	536%
Iron (as carbonyl iron)	38 mg	141%
Magnesium (as magnesium oxide)	15 mg	4%
Zinc (as zinc oxide)	20 mg	154%
DHA (Docosahexaenoic Acid from Algal Oil)	225 mg	*
* Daily Value not established.		
** Daily Value for Pregnant and Lactating Women.		

**OTHER INGREDIENTS:** Gelatin capsule (bovine gelatin, glycerin, purified water, titanium dioxide, FD&C Red #40, FD&C Blue #1), soy lecithin, white beeswax.

Manufactured in the USA for:

Seyer Pharmatec, Inc Caguas, Puerto Rico 00725

To report a serious adverse event or to obtain product information, contact (888) 444-5072.

**DESCRIPTION: Obstetrix**<sup>™</sup> **One** is a prenatal vitamin and mineral supplementation with DHA taken throughout pregnancy and during the postnatal period for both lactating and non-lactating mothers. **Obstetrix**<sup>™</sup> **One** is also useful in improving nutritional status prior to conception. It is recommended that for all women folate levels should be high for at least one month prior to possible conception and continued at that level for

<sup>†</sup>This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6.**KEEP THIS PRODUCT OUT OF REACH OF CHILDREN**. In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE Obstetrix™ One** with individuals that have a known hypersensitivity to any of the ingredients. This product is not for use in children under 12 years of age.

# CAUTION:

This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Ingestion of more than 3 grams per day of omega-3 fatty acids, such as DHA (docosahexaenoic acid) has been shown to have potential anti-thrombotic effects, including increased bleeding times. Administration of **Obstetrix**<sup>™</sup> **One** should be avoided in patients taking anticoagulants.

**ADDITIONAL INFORMATION:** Product contains FASTER Act of 2021 allergen: Soy. Product contains bio-engineered (BE) ingredient.

**ADVERSE REACTIONS:** Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

# **DIRECTIONS FOR USE:**

One Softgel Daily with or without food or as prescribe by your healthcare provider

#### **OTHER INFORMATION:**

**Obstetrix**<sup>™</sup> **One** is supplied in child resistant bottles of 30 softgels and sample bottles of 7 softgels. Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from extreme temperatures. Freezing & excessive heat may damage the softgels


**Dietary Supplement** 

Prenatal Multi-Vitamin

with 100% Bioactive Folate

Plant Based DHA

### Packaging



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP Is broken or missing.		
Supplement I Serving Size: 1 Softgel / Servings Per Cont		ts
Pe	Amount Serving	% Daily Value**
Vitamin C (as calcium ascorbate dihydrate)	18 mg	15%
Vitamin D (as cholecalciferol)	6.25 mcg	42%
Vitamin E (as d-alpha tocopheryl acetate)	10 mg	53%
Vitamin B6 (as pyridoxine HCI)	30 mg	1500%
Folate (as calcium L-5-methyltetrahydro- folate) (1mg folate)	1.7 mg DF	E 284%
Vitamin B12 (as cyanocobalamin)	15 mcg	536%
Iron (as carbonyl iron)	38 mg	141%
Magnesium (as magnesium oxide)	15 mg	4%
Zinc (as zinc oxide)	20 mg	154%
DHA (Docosahexaenoic Acid from Algal Oil	225 mg	*
* Daily Value not established. ** Daily Value for Pregnant and Lactating V	Vomen.	

OTHER INGREDIENTS: Gelatin capsule (bovine gelatin, glycerin, purified water, titanium dioxide, FD&C Red #40, FD&C Blue #1), soy lecithin, white beeswax.

#### Manufactured in the USA for:



Seyer Pharmatec, Inc Caguas, Puerto Rico 00725

To report a serious adverse event or to obtain product information, contact (888) 444-5072.



**DESCRIPTION: Obstetrix<sup>™</sup> One** is a prenatal vitamin and mineral supplementation with DHA taken throughout pregnancy and during the postnatal period for both lactating and non-lactating mothers. **Obstetrix<sup>™</sup> One** is also useful in improving nutritional status prior to conceptivon. It is recommended that for all women folate levels should be high for at least one month prior to possible conception and continued at that level for the first three months of pregnancy.<sup>†</sup>

<sup>†</sup>This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE Obstetrix™ One** with individuals that have a known hypersensitivity to any of the ingredients. This product is not for use in children under 12 years of age.

**CAUTION:** This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Ingestion of more than 3 grams per day of omega-3 fatty acids, such as DHA (docosahexaenoic acid) has been shown to have potential anti-thrombotic effects, including increased bleeding times. Administration of **Obstetrix™One** should be avoided in patients taking anticoagulants.

ADDITIONAL INFORMATION: Product contains FASTER Act of 2021 allergen: Soy. Product contains bio-engineered (BE) ingredient.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE: One softgel daily with or without food or as prescribe by you healthcare provider

OTHER INFORMATION: Obsterix<sup>™</sup> One is supplied in child resistant trade bottles of 30 softgels and sample bottles of 7 softgels. Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from extreme temperatures. Freezing & excessive heat may damage the soft gels

Codo#SEA322 801 04/33

UUUE#3E12023-30L NEV. 04/22

# **OBSTETRIX ONE**

calcium ascorbate dihydrate, cholecalciferol, d-alpha tocopheryl acetate, pyridoxine hydrochloride, calcium l-5-methyltetrahydrofolate, cyanocobalamin, carbonyl iron, magnesium oxide, zinc oxide, docosahexaenoic acid capsule, gelatin coated

Product Information						
Product Type	DIETARY SUPPLEMENT	Item Code (Sou	(Source) NHRIC:		11026-2630	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingi	edient Name		<b>Basis of</b>	Strength	Strength	
CALCIUM ASCORBATE (UNII: 183	E4W213W) (ASCORBIC ACID	- UNII:PQ6CK8PD0R)	ASCORBIC	ACID	18 mg	
CHOLECALCIFEROL (UNII: 1C6V7	QF41) (CHOLECALCIFEROL	- UNII:1C6V77QF41)	CHOLECALO	CIFEROL	6.25 ug	
.ALPHATOCOPHEROL ACETATE, D- (UNII: A7E6112E4N) (.ALPHAALPHATOCOPHTOCOPHEROL, D UNII:N9PR3490H9)D-			COPHEROL,	10 mg		
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE -PYRIDOXINEUNII:KV2JZ1BI6Z)HYDROCHLORIDE				30 mg		
LEVOMEFOLATE CALCIUM (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - LEVOMEFOLATE CALCIUM (UNII: 89S10K3F2F) (LEVOMEFOLIC ACID - CALCIUM		LATE	1.7 mg			
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204) CYANOCOBALAM		ALAMIN	15 ug			
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7) IRON			38 mg			
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838) MAGNESIUM OXI			M OXIDE	15 mg		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) ZINC OXIDE			20 mg			
DOCONEXENT (UNII: ZAD9OKH9JC	) (DOCONEXENT - UNII:ZAD	ЭОКН9ЈС)	DOCONEXE	NT	225 mg	
Inactive Ingredients						
	Ingredient Name			St	rength	
GELATIN TYPE B BOVINE (230 B	LOOM) (UNII: WL1404U79)					
GLYCERIN (UNII: PDC6A3C0OX)						
WATER (UNII: 059QF0KO0R)						
TITANIUM DIOXIDE (UNII: 15FIX9V	2JP)					
FD&C RED NO. 40 (UNII: WZB912	7XOA)					
FD&C BLUE NO. 1 (UNII: H3R47K3	TBD)					
LECITHIN, SOYBEAN (UNII: 1DI56	QDM62)					
WHITE WAX (UNII: 7G1J5DA97F)						

# Item Code	Package Description	Marketing S	Start Date Ma	rketing End Date
<b>1</b> NHRIC:11026-2630	-3 30 in 1 BOTTLE			
Marketing Information				
Marketing I	nformation			
Marketing II Marketing Category	nformation Application Number or Mo Citation	onograph	Marketing Start Date	Marketing End Date
Marketing	Application Number or Me			-

Supplement Facts				
Serving Size :		Serving per Container :		
A	mount Per Serving	% Daily Value		
color				
shape				
size (solid drugs)	14 mm			
scoring	1			

Labeler - Seyer Pharmatec, Inc. (832947126)

Revised: 2/2023

Seyer Pharmatec, Inc.