

OXYGEN- oxygen liquid
OXYGEN- oxygen gas
BayCare Home Care, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

LIQUID OXYGEN, pRODUCT ndc 59400-005

**OXYGEN,
REFRIGERATED
LIQUID USP
UN1073**



R only

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **R only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

CONTENTS

Reservoir Type	Units	
Companion 21	50 lbs / 22.68 kg/L	<input type="checkbox"/>
Companion 31	75 lbs / 34.02 kg/L	<input type="checkbox"/>
Companion 41	100 lbs / 45.36 kg/L	<input type="checkbox"/>
Helios 46	110 lbs / 49.9 kg/L	<input type="checkbox"/>

DANGER: Produced by Air Liquefaction. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7



DISTRIBUTED BY: BAYCARE HOMECARE
8452 118th AVENUE N., LARGO, FL 33773
727-394-6575 1-800-940-5151

DO NOT REMOVE THIS PRODUCT LABEL.

**OXYGEN,
COMPRESSED
USP**

UN1072

Produced by Air Liquefaction



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

CONTENTS

Cylinder Type	Units	
H/J	7075 L	<input type="checkbox"/>
E	680 L	<input type="checkbox"/>
D	425 L	<input type="checkbox"/>
M6/ML6	170 L	<input type="checkbox"/>
ML9	255 L	<input type="checkbox"/>

DISTRIBUTED BY: BAYCARE HOMECARE
8452 118th AVENUE N., LARGO, FL 33773
727-394-6575 1-800-940-6151



DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN

oxygen liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59400-005
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	210 mg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59400-005-08	49.9 kg in 1 DEWAR; Type 0: Not a Combination Product	01/13/2025	
2	NDC:59400-005-06	34.02 kg in 1 DEWAR; Type 0: Not a Combination Product	01/13/2025	
3	NDC:59400-005-07	45.36 kg in 1 DEWAR; Type 0: Not a Combination Product	01/13/2025	
4	NDC:59400-005-05	22.68 kg in 1 DEWAR; Type 0: Not a Combination Product	01/13/2025	
5	NDC:59400-005-01	34168 kg in 1 DEWAR; Type 0: Not a Combination Product	09/23/2022	02/15/2023
6	NDC:59400-005-02	37585 kg in 1 DEWAR; Type 0: Not a Combination Product	09/23/2022	02/15/2023
7	NDC:59400-005-03	25626 kg in 1 DEWAR; Type 0: Not a Combination Product	09/23/2022	02/15/2023
8	NDC:59400-005-04	17084 kg in 1 DEWAR; Type 0: Not a Combination Product	09/23/2022	02/15/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		09/23/2022	

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59400-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	210 mL in 1 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59400-001-02	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/13/2025	
2	NDC:59400-001-06	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/13/2025	
3	NDC:59400-001-05	7075 L in 1 CYLINDER; Type 0: Not a Combination Product	01/13/2025	
4	NDC:59400-001-08	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/13/2025	
5	NDC:59400-001-07	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/13/2025	
6	NDC:59400-001-01	670 L in 1 CYLINDER; Type 0: Not a Combination Product	09/23/2022	02/15/2023
7	NDC:59400-001-03	140 L in 1 CYLINDER; Type 0: Not a Combination Product	09/23/2022	02/15/2023
8	NDC:59400-001-04	7760 L in 1 CYLINDER; Type 0: Not a Combination Product	09/23/2022	02/15/2023
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		09/23/2022		

Labeler - BayCare Home Care, Inc. (794046607)

Registrant - BayCare Home Care, Inc. (794046607)

Establishment

Name	Address	ID/FEI	Business Operations
BayCare HomeCare, Inc.		832097641	manufacture(59400-005, 59400-001)

Establishment

Name	Address	ID/FEI	Business Operations
BayCare Home Care, Inc.		794046607	manufacture(59400-001, 59400-005)