

**PCXX BUBBLEGUM APF F- sodium fluoride aerosol, foam**  
**Ross Healthcare Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**PCXX BUBBLEGUM APF F**

Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.

1. After thorough prophylaxis, fill two single or one dual tray, one third full with gel. Air dry teeth and insert trays into the mouth.
2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minute

<b>PCXX BUBBLEGUM APF F</b>			
sodium fluoride aerosol, foam			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:62007-052
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.0272 g in 1 g

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62007-052-07	125 g in 1 CAN; Type 0: Not a Combination Product	11/21/2017	

Local Professional Use Only - Not for Sale

### Directions:

1. Use after prophylaxis.
2. Insert applicator.
3. Place applicator on root of tooth.
4. Press gently down for 30 seconds.
5. Remove applicator and use again on next tooth.
6. Do not eat or drink for 30 minutes after use.

### Medicinal Ingredients:

1.33% Fluoride Ion  
 Non-Medicinal Ingredients:  
 Monosodium phosphate, hydrofluoric acid, xylitol, sucralose, flavor, carmine gum, polyacrylate, sodium lauryl sulfate, xanthan gum, polyvinylpyrrolidone, glycerin.

### Does not contain gluten.

### Warnings:

For a dental professional use only. Do not swallow.  
 Do not use if you are allergic to any of the ingredients.  
 Do not use in presence of open sores or abrasions.  
 Do not use in presence of open sores or abrasions.  
 Do not use if the container is damaged or the seal is broken.

NDC 62007-052-07  
 NDC 62007-052-07

MPN 00343511  
 Raza Pharmaceuticals Inc.  
 1-800-825-6262 or 1-416-490-8888  
 Made in Canada / Fabriqué au Canada



Made d'ingrédients pharmaceutiques pour l'usage professionnel.

### Mode d'emploi:

1. Utiliser après prophylaxie.
2. Insérer l'applicateur.
3. Placer l'applicateur sur la racine de la dent.
4. Appuyer doucement pendant 30 secondes.
5. Retirer l'applicateur et utiliser à nouveau sur la dent suivante.
6. Ne pas manger ou boire pendant 30 minutes après l'utilisation.

### Ingédients médicamenteux:

1.33% ions fluorure  
 Ingrédients non médicamenteux:  
 phosphate de sodium, acide phosphorique, polyacrylate, laurylsulfate de sodium, xylitol, sucralose, gomme de carmin, gomme de polyvinylpyrrolidone, glycérine.

### Ne contient pas de gluten.

### Avertissements:

Produit destiné à un usage professionnel.  
 Ne pas avaler.  
 Ne pas utiliser si vous êtes allergique à l'un des ingrédients.  
 Ne pas utiliser en présence de plaies ou d'abrasions.  
 Ne pas utiliser si le récipient est endommagé ou si le sceau est brisé.

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2017	

