

**CANDIDIASIS - YEAST - adrenalinum, candida albicans thyroidinum, torula cerevisiae, triticum, ustilago maidis, antimon. crud., arsenicum alb., baptisia, berber. aqui, bryonia calc. phos., cinchona, helonias dioica, hydrastis, iodium, iris versicolor, kali carb., lachesis, lycopodium, merc. viv., nat. carb, nat. phos., nitricum ac., phosphorus, podoph. pelt., pulsatilla, sepia, echinacea, ginkgo, juglans regia, lappa, thuja occ. pellet  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Candidiasis - Yeast**

### **INDICATIONS & USAGE SECTION**

**Candida - Yeast** Formulated for symptoms associated with vaginal yeast infections, oral thrush, esophageal candidiasis, and other yeast or fungal overgrowth conditions.

### **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

### **ACTIVE INGREDIENT SECTION**

Adrenalinum 20x, Candida albicans 20x, Thyroidinum 20x, Torula cerevisiae 20x, Triticum 20x, Ustilago maidis 20x, Antimon. crud. 15x, Arsenicum alb. 15x, Baptisia 15x, Berber. aqui. 15x, Bryonia 15x, Calc. phos. 15x, Cinchona 15x, Helonias dioica 15x, Hydrastis 15x, Iodium 15x, Iris versicolor 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. phos. 15x, Nitricum ac. 15x, Phosphorus 15x, Podoph. pelt. 15x, Pulsatilla 15x, Sepia 15x, Echinacea 8x, Ginkgo 8x, Juglans regia 8x, Lappa 8x, Thuja occ. 8x, Echinacea 3x, Ginkgo 3x, Juglans regia 3x, Lappa 3x, Thuja occ. 3x.

### **PURPOSE SECTION**

Formulated for symptoms associated with vaginal yeast infections, oral thrush, esophageal candidiasis, and other yeast or fungal overgrowth conditions.

### **INACTIVE INGREDIENT SECTION**

Gluten-free, non-GMO, beet-derived sucrose pellets.

### **QUESTIONS? SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

### **WARNINGS SECTION**

**Warning:** Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

## PREGNANCY OR BREAST FEEDING SECTION


Consult a licensed healthcare professional if pregnant or nursing or if symptoms worsen or persist for more than a few days.

## KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

## PACKAGE LABEL

**www.newtonlabs.net**  
 Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012  
**Questions? 1.800.448.7256**  
**Warnings:** Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.



# Candidiasis

## ~ Yeast

*Formulated for symptoms associated with vaginal yeast infections, oral thrush, esophageal candidiasis, and other yeast or fungal overgrowth conditions.*

### 1 oz (28.35 g)

Dispensed by healthcare professionals only.  
Not for over-the-counter sale.

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

**Active Ingredients:** Adrenalinum 20x, Candida albicans 20x, Thyroidinum 20x, Torula cerevisiae 20x, Triticum 20x, Ustilago maidis 20x, Antimon. crud. 15x, Arsenicum alb. 15x, Baptisia 15x, Berber. aqu. 15x, Bryonia 15x, Calc. phos. 15x, Cinchona 15x, Helonias dioica 15x, Hydrastis 15x, Iodium 15x, Iris versicolor 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. phos. 15x, Nitricum ac. 15x, Phosphorus 15x, Podoph. pelt. 15x, Pulsatilla 15x, Sepia 15x, Echinacea 8x, Ginkgo 8x, Juglans regia 8x, Lappa 8x, Thuja occ. 8x, Echinacea 3x, Ginkgo 3x, Juglans regia 3x, Lappa 3x, Thuja occ. 3x.

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

**Stock# R043 Lot#**

## CANDIDIASIS - YEAST

adrenalinum, candida albicans thyroidinum, torula cerevisiae, triticum, ustilago maidis, antimon. crud., arsenicum alb., baptisia, berber. aqu, bryonia calc. phos., cinchona, helonias dioica, hydrastis, iodium, iris versicolor, kali carb., lachesis, lycopodium, merc. viv., nat. carb, nat. phos., nitricum ac., phosphorus, podoph. pelt., pulsatilla, sepia, echinacea, ginkgo, juglans regia, lappa, thuja occ. pellet

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55714-4485
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Epinephrine</b> (UNII: YKH834O4BH) (Epinephrine - UNII:YKH834O4BH)	Epinephrine	20 [hp_X] in 1 g
<b>Candida Albicans</b> (UNII: 4D7G21HDBC) (Candida Albicans - UNII:4D7G21HDBC)	Candida Albicans	20 [hp_X] in 1 g

<b>Thyroid, Unspecified</b> (UNII: 0B4FDL9I6P) (Thyroid, Unspecified - UNII:0B4FDL9I6P)	Thyroid, Unspecified	20 [hp_X] in 1 g
<b>Saccharomyces Cerevisiae</b> (UNII: 978D8U419H) (Saccharomyces Cerevisiae - UNII:978D8U419H)	Saccharomyces Cerevisiae	20 [hp_X] in 1 g
<b>Elymus Repens Root</b> (UNII: 3IXW0F6P8W) (Elymus Repens Root - UNII:3IXW0F6P8W)	Elymus Repens Root	20 [hp_X] in 1 g
<b>Ustilago Maydis</b> (UNII: 4K7Z7K7SWG) (Ustilago Maydis - UNII:4K7Z7K7SWG)	Ustilago Maydis	20 [hp_X] in 1 g
<b>Antimony Trisulfide</b> (UNII: F79059A38U) (Antimony Trisulfide - UNII:F79059A38U)	Antimony Trisulfide	15 [hp_X] in 1 g
<b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 g
<b>Baptisia Tinctoria Root</b> (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	15 [hp_X] in 1 g
<b>Mahonia Aquifolium Root Bark</b> (UNII: VZJ9F3C3SB) (Mahonia Aquifolium Root Bark - UNII:VZJ9F3C3SB)	Mahonia Aquifolium Root Bark	15 [hp_X] in 1 g
<b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
<b>Tribasic Calcium Phosphate</b> (UNII: 91D9GV0Z28) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Cation	15 [hp_X] in 1 g
<b>Cinchona Officinalis Bark</b> (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	15 [hp_X] in 1 g
<b>Chamaelirium Luteum Root</b> (UNII: DQV54Y5H3U) (Chamaelirium Luteum Root - UNII:DQV54Y5H3U)	Chamaelirium Luteum Root	15 [hp_X] in 1 g
<b>Goldenseal</b> (UNII: ZW3Z11D0JV) (Goldenseal - UNII:ZW3Z11D0JV)	Goldenseal	15 [hp_X] in 1 g
<b>Iodine</b> (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	15 [hp_X] in 1 g
<b>Iris Versicolor Root</b> (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	15 [hp_X] in 1 g
<b>Potassium Carbonate</b> (UNII: BQN1B9B9HA) (Carbonate Ion - UNII:7UJQ5OPE7D)	Potassium Carbonate	15 [hp_X] in 1 g
<b>Lachesis Muta Venom</b> (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	15 [hp_X] in 1 g
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
<b>Mercury</b> (UNII: FXS1BY2PGL) (Mercury - UNII:FXS1BY2PGL)	Mercury	15 [hp_X] in 1 g
<b>Sodium Carbonate</b> (UNII: 45P3261C7T) (Carbonate Ion - UNII:7UJQ5OPE7D)	Sodium Carbonate	15 [hp_X] in 1 g
<b>Sodium Phosphate, Dibasic, Heptahydrate</b> (UNII: 70WT22SF4B) (Phosphate Ion - UNII:NK08V8K8HR)	Sodium Phosphate, Dibasic, Heptahydrate	15 [hp_X] in 1 g
<b>Nitric Acid</b> (UNII: 411VRN1TV4) (Nitric Acid - UNII:411VRN1TV4)	Nitric Acid	15 [hp_X] in 1 g
<b>Phosphorus</b> (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	15 [hp_X] in 1 g
<b>Podophyllum</b> (UNII: 2S713A4VP3) (Podophyllum - UNII:2S713A4VP3)	Podophyllum	15 [hp_X] in 1 g
<b>Pulsatilla Vulgaris</b> (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	15 [hp_X] in 1 g
<b>Sepia Officinalis Juice</b> (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	15 [hp_X] in 1 g
<b>Echinacea, Unspecified</b> (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	8 [hp_X] in 1 g
<b>Ginkgo</b> (UNII: 19FUJ2C58T) (Ginkgo - UNII:19FUJ2C58T)	Ginkgo	8 [hp_X] in 1 g
<b>English Walnut</b> (UNII: 1V3SHR7QB7) (English Walnut - UNII:1V3SHR7QB7)	English Walnut	8 [hp_X] in 1 g
<b>Arctium Lappa Root</b> (UNII: 597E9B13Z3) (Arctium Lappa Root - UNII:597E9B13Z3)	Arctium Lappa Root	8 [hp_X] in 1 g

<b>Thuja Occidentalis Leafy Twig</b> (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)		Thuja Occidentalis Leafy Twig	8 [hp_X] in 1 g	
<b>Inactive Ingredients</b>				
		<b>Ingredient Name</b>	<b>Strength</b>	
		Sucrose (UNII: C151H8M554)		
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55714-4485-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4485-2	56.7 g in 1 BOTTLE, GLASS		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved homeopathic		06/01/2011		

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

**Establishment**

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4485)