

**MICROCAINE TOPICAL ANALGESIC- lidocaine cream
Unit Dose, Ltd.**

Microcaine Topical Analgesic Cream

Drug Facts

Active Ingredient

Lidocaine 5% w/w

Purpose

Local Anesthetic

Uses:

Temporarily relieves pain from anorectal origin.

WARNINGS

For External Use only

When using this product

- Do not get into the eyes
- Do not use more than directed
- Do not swallow

Stop use and ask a doctor if

- pain worsens or does not improve within 7 days or clears up and appears again in a few days
- **you develop an allergy**

Keep out of reach of children

- If swallowed, get medical help right away or contact a Poison Control Center right away. NDC 67194-022-01

Directions:

Children under 12 years-ask a doctor

- **Adults: Apply 1-2 gm to desired area and wait 12 to 60 minutes. Remove excess. May repeat 2-3 times/day.**

Questions?

Call toll free 888/452-4946

Inactive ingredients:

Water (Aqua), Prolatum Oil, Stearyl Alcohol, Polysorbate 60, Cetearyl Alcohol, Glyceryl Stearate, Carbomer, Triethanolamine, Propylparaben, Propylene Glycol, Methylparaben, Disodium EDTA, Diazolidinyl Carbamide, BHT

Package Labeling:



Drug Facts **Topical Anesthetic Creme**
 Active Ingredient Purpose
 Lidocaine 5% w/w Local Anesthetic
 Uses: Temporarily relieves pain from anorectal origin.
WARNINGS
 For External Use only
 When using this product • Do not get into the eyes

Unit Dose Ltd
 •Do not use more than directed • Do not swallow
 Stop use and ask a doctor if _____
 •pain worsens or does not improve within 7 days or clears up
 and appears again in a few days •**you develop an allergy**
 Keep out of reach of children
 •If swallowed, get medical help right away or contact a
 Poison Control Center right away. NDC 67194-022-01

Phoenix, AZ
Directions: Children under 12 years-ask a doctor Net wt. 15 gms.
 •Adults: Apply 1-2 gm to desired area and wait 12 to 60 minutes. Remove
 excess. May repeat 2-3 times/day. Questions? Call toll free 888/452-4946
 Inactive ingredients: Water (Aqua), Prolatum Oil, Stearyl Alcohol, Polysorbate 60,
 Cetearyl Alcohol, Glyceryl Stearate, Carbomer, Triethanolamine, Propylparaben,
 Propylene Glycol, Methylparaben, Disodium EDTA, Diazolidinyl Carbamide, BHT

MICROCAINE TOPICAL ANALGESIC

lidocaine cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67194-022

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67194-022-01	15 g in 1 JAR; Type 0: Not a Combination Product	01/19/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/19/2016	

Labeler - Unit Dose, Ltd. (119080393)

Revised: 10/2023

Unit Dose, Ltd.