

GLYCERIN - glycerin suppository
DSC Laboratories Inc.

Best Choice Glycerin Suppositories

Active ingredient (in each suppository)

Glycerin 2.1 g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort of burning sensation

Ask a Doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

adults and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions

1-800-492-5988

Glycerin Suppositories, 50 count

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Glycerin Suppositories, 50 count

Distributed by Valu Merchandisers, Co.

5000 Kansas Ave.

Kansas City, KS 66106

BestChoice50ct

Best Choice

COMPARE TO THE ACTIVE INGREDIENT IN FLEET™ GLYCERIN SUPPOSITORIES*

Glycerin SUPPOSITORIES

Laxative

TAMPER EVIDENT
DO NOT USE IF INNER SEAL IS BROKEN OR MISSING

50 ADULT SUPPOSITORIES

Drug Facts

Active ingredient (in each suppository) Glycerin 2.1g **Purpose** laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions *Single daily dosage*

adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients purified water, sodium hydroxide, stearic acid

Questions 1-800-492-5988

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet.®

Best Choice
100% GUARANTEED

www.bestchoicebrand.com
PRODUCT DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE.
KANSAS CITY, KS 66106

BEST CHOICE

0 170038 16118 2

NO VARNISH AREA

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52316-723
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2.1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-723-50	50 in 1 JAR; Type 0: Not a Combination Product	08/15/2012	
2	NDC:52316-723-25	25 in 1 JAR; Type 0: Not a Combination Product	08/15/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/15/2012	

Labeler - DSC Laboratories Inc. (097807374)**Registrant** - DSC Laboratories Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-723)

Revised: 10/2025

DSC Laboratories Inc.