

**GLYCERIN - glycerin suppository**  
**DSC Laboratories Inc.**

-----  
**Best Choice Glycerin Suppositories**

**Active ingredient (in each suppository)**

Glycerin 2.1 g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort of burning sensation

**Ask a Doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Single daily dosage

adults and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Questions

1-800-492-5988

## Glycerin Suppositories, 50 count

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Glycerin Suppositories, 50 count

Distributed by Valu Merchandisers, Co.

5000 Kansas Ave.

Kansas City, KS 66106

BestChoice50ct

**COMPARE TO THE ACTIVE INGREDIENT IN FLEET™ GLYCERIN SUPPOSITORIES\***

**Best Choice®**

# Glycerin SUPPOSITORIES

Laxative

**TAMPER EVIDENT**  
DO NOT USE IF INNER SEAL IS BROKEN OR MISSING

**50 ADULT SUPPOSITORIES**

---

**Drug Facts**

**Active ingredient (in each suppository)** Glycerin 2.1g ..... laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**  
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition. **Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions** *Single daily dosage*

adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

---

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**  
purified water, sodium hydroxide, stearic acid

**Questions 1-800-492-5988**

---

\*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet.®

**Best Choice. 100% guaranteed**

www.bestchoicebrand.com  
 PRODUCT DISTRIBUTED BY:  
 VALU MERCHANDISERS, CO.  
 5000 KANSAS AVE.  
 KANSAS CITY, KS 66106

**BEST CHOICE**

0 170038 61188 2

**NO VARNISH AREA**

## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52316-723
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2.1 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-723-50	50 in 1 JAR; Type 0: Not a Combination Product	08/15/2012	
2	NDC:52316-723-25	25 in 1 JAR; Type 0: Not a Combination Product	08/15/2012	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/15/2012	

**Labeler** - DSC Laboratories Inc. (097807374)**Registrant** - DSC Laboratories Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-723)

Revised: 12/2023

DSC Laboratories Inc.