# LAXATIVE- sennosides tablet, film coated L.N.K. International, Inc.

-----

Quality Plus 44-773

#### Active ingredient (in each tablet)

Sennosides USP, 25 mg

#### Purpose

Stimulant laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### Warnings

#### Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

#### Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

#### Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

## When using this product,

do not use for a period longer than 1 week.

## Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take more than directed
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and	2 tablets once or twice
over	daily
Children 6 to linder 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

#### Other information

- each tablet contains: calcium 35 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

#### Inactive ingredients

corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

#### **Ouestions or comments?**

1-800-426-9391

## Principal display panel

#### QUALITY +PLUS

NDC 50844-773-08

\*Compare to active ingredient in ex•lax® Maximum Strength

MAXIMUM STRENGTH

LAXATIVE Sennosides USP, 25 mg

Stimulant Laxative

#### 24 Tablets

Gentle, Dependable

#### Constipation Relief

**ACTUAL SIZE** 

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark ex•lax Maximum Strength. 50844 ORG082177308

Distributed by **LNK INTERNATIONAL, INC.** 60 Arkay Drive Hauppauge, NY 11788 USA

hypromellose, magnesium stearate, medium chain phosphate dihydrate, FD&C blue #1 aluminum lake, medical help or contact a Poison Control Center right Inactive ingredients com starch, dibasic calcum Keep out of reach of children. In case of overdose, get before use. ■ see end flap for expiration date and lot number If pregnant or breast-feeding, ask a health professional 12,-30,C (26,-86,E) These may be signs of a serious condition. ■ store at 25°C (77°F); excursions permitted between to have a bowel movement occur after use of a laxative. OPENED OR BLISTER IS TORN OR BROKEN Stop use and ask a doctor if rectal bleeding or failure ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS than 1 week ■ each tablet contains: calcium 35 mg When using this product, do not use for a period longer Other information after other drugs. ssk a doctor drugs work. Take this product 2 or more hours before or children under 6 years taking any other drug. Laxatives may affect how other twice daily 12 years Ask a doctor or pharmacist before use if you are 1 tablet once or children 6 to under twice daily 12 years and over change in bowel habits that persists over a period of 2 2 tablets once or adults and children Ask a doctor before use if you have noticed a sudden swallow tablet(s) whole; do not crush, break, or chew doctor. ■ swallow tablet(s) with a glass of water nausea, or vomiting are present unless directed by a ■ do not take more than directed Do not use laxative products when abdominal pain, Directions Warnings

B-1603-773-08 0RG082177308

Stimulant laxative Sennosides USP, 25 mg. (in each tablet)

Purpose

COMPLETE PRODUCT INFORMATION KEEP OUTER PACKAGE FOR

■ generally produces bowd movement in 6 to 12 hours ■ relieves occasional constipation (irregularity) səsn

**Drug Facts** (continued)

(panujuoo) **staet guru** 

NDC 50844-773-08

Active ingredient

Drug Facts

**Drug Facts** (continued)

\*Compare to active ingredient in ex•lax® Maximum Strength

MAXIMUM STRENGTH

Sennosides USP, 25 mg Stimulant Laxative

24 **Tablets** 

Gentle, Dependable **Constipation Relief** 

**ACTUAL SIZE** 

ORG082177308 Maximum Strength. 20844 Healthcare SARL, owner of the registered trademark ex•lax \*This product is not manufactured or distributed by GSK Consumer

glýcol, polyvinyl alcohol, silicon dioxide, sodium lauryl 🕨 trigly cerides, microcrystalline cellulose, polyethylene

Drug Facts (continued)

**Drug Facts** (continued)

Questions or comments? 1-800-426-9391 sulfate, sucrose, talc, titanium dioxide

Distributed by
LNK INTERNATIONAL, INC.
60 Arkay Drive
Hauppauge, NY 11788
USA 3 J  $\infty$ o

**Quality Plus 44-773** 

TAMPER EVIDENT: DO NOT USE IF Package is opened or if blister unit is torn, broken or shows any signs of tampering

#### sennosides tablet, film coated

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50844-773

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

I	Ingredient Name	Basis of Strength	Strength
ı	g.carciii itaiiic	Dubib of Gurengui	
I	SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics					
Color	blue	Score	no score		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	L7		
Contains					

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
NDC:50844- 773-08	2 in 1 CARTON	06/18/2022				
1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Application Number or Monograph Marketing Start Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	06/18/2022	

## Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(50844-773)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-773) , pack(50844-773)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(50844-773)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(50844-773)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(50844-773)

Revised: 6/2025 L.N.K. International, Inc.