

**WALGREENS SUNSCREEN BABY SPF 50- homosalate, oxybenzone, octisalate, avobenzone, octocrylene lotion
WALGREEN CO.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 3.0% Homosalate 13.0% Octisalate 5.0% Octocrylene 7.0% Oxybenzone 4.0%
.....Sunscreen

Warnings

For external use only

When using this product

- Keep out of eyes. Rinse with water to remove

stop use and ask a doctor if

- rash or irritation develops and lasts

keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Questions or comments?

1-801-WALGREENS (1-801-925-4733)

Principal Display Panel

Mix and Match \$2.99 each

2/\$5

Walgreens

SUNSCREEN

LOTION

BROAD SPECTRUM

UVA/UVB

PROTECTION

VERY WATER RESISTANT

baby

SPF

50

3 FL OZ (88 mL)

Mix & Match \$2.99 each **2/\$5**
BNA

Walgreens

SUNSCREEN LOTION

BROAD SPECTRUM
UVA/UVB
PROTECTION
VERY WATER RESISTANT

baby
SPF
50

3 FL OZ (88 mL)

ITEM 420161

490221576568

Questions or comments?
1-800-WALGREENS (1-800-925-4733)

Made in the USA

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60010
100% SATISFACTION GUARANTEED
walgreens.com
©2011WalgreenCo.

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 7.0%, Oxybenzone 4.0%	Sunscreen

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age: ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Other information

- May stain some materials
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance.

Inactive Ingredients

Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance.

WALGREENS SUNSCREEN BABY SPF 50

homosalate, oxybenzone, octisalate, avobenzone, octocrylene lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0363-4010

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	4 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4010-22	85 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/04/2012	

Labeler - WALGREEN CO. (008965063)

Revised: 12/2012

WALGREEN CO.