

SALICYLIC ACID- wart removers patch
Walgreen Company

Walgreens Wart Remover Patches

Active ingredient

Salicylic acid

Purpose

Wart remover

Use

for the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance.

Warnings

For external use only.

Do not use this product if

- you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

Do not use on

- irritated, infected or reddened skin
- genital warts and warts on face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Stop and ask a doctor

If discomfort persists see your doctor or podiatrist

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- if necessary, cut medicated patch to fit wart
- apply adhesive side down of patch onto wartcover patch with pad to conceal area
- repeat this procedure every 48 hours as needed (until wart is removed) for up to 12

weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyvinyl alcohol, polyethylene

Questions?

call 1-866-964-0939

Principal Display Panel

Well at Walgreens

MEDICATED

Wart Remover

Salicylic Acid 40%

- Patch & pad treatment removes warts
- No mess of liquids
- Safe & effective

18 MEDICATED PATCHES | 20 CONCEALING PADS



Drug Facts	
Active ingredient Salicylic acid 40% w/w.	Purpose Wart remover
Use For the removal of common warts. The common wart has a rough 'cauliflower-like' appearance.	
Warnings For external use only. Do not use this product if • you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. Do not use on • irritated, infected or reddened skin • moles, birthmarks and warts with hair growing from them • genital warts and warts on the face • mucous membranes Keep this and all drugs out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If discomfort persists see your doctor or podiatrist.	
Directions • after washing affected area, soak wart for 5 minutes in comfortably warm water • dry area thoroughly • if necessary, cut medicated patch to fit wart • apply adhesive side down of patch onto wart • cover patch with pad to conceal area • repeat this procedure every 48 hours as needed (until wart is removed) for up to 12 weeks	
Other information store between 59° and 86°F (15° and 30°C)	
Inactive ingredient rubber-based adhesive	
Questions? Call 1-888-884-0839	

[†]Walgreens Pharmacist Survey Study, November 2012.

^{**}This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's[®].

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEE
walgreens.com ©2013 Walgreen Co.
MADE IN U.S.A.

WRBW-3

ORG0213-F

SALICYLIC ACID

wart removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0203
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	40 mg in 18

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0203-18	18 in 1 BOX; Type 0: Not a Combination Product	07/26/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	07/26/2013	

Labeler - Walgreen Company (008965063)

Revised: 12/2024

Walgreen Company