

**DR BELLS POMADE- triple antibiotic plus pain relief ointment**  
**Genomma lab USA Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (In each gram)**

Bacitracin 500

Neomycin 3.5 mg

Polymyxin B 10,000 units

Pramoxine hydrochloride 10mg

**Purpose**

First aid antibiotic

First aid antibiotic

First aid antibiotic

Pain reliever

**Uses**

First aid helps prevent infection in and temporarily relieves pain due to:

- cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Allergy Alert:** Do not use if allergic to any of the ingredients

**Do not use**

- in or near the eyes or nose
- on large areas of the body

**Consult a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**When using this product**

- do not use longer than 1 week

**Stop use and consult a doctor if**

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days

- a rash or other allergic reaction develops

**Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center immediately.

### **Directions**

#### **▣Adults and children 2 years and older.**

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Children 2 years and under ask a doctor

### **Other information**

- Store at a controlled room temperature 68°-77°F (20°-25°C)

### **Inactive ingredient**

White Petrolatum

**Questions? 1-877-99 GENOM ( 43666)**

### **Principal Display Panel – Carton Label**

**POMADA DE LA CAMPANA**

Original Ointment

**First Aid** Antibiotic + Pain Relief Ointment

NET WT. 0.5 oz ( 14g)



**Maximum Strength  
Potencia Máxima**

**Triple Antibiotic + Pain Relief  
Triple Antibiótico + Analgésico**

- Bacitracin Zinc / Bacitracina
- Neomycin Sulfate / Sulfato de Neomicina
- Polymyxin B Sulfate / Sulfato de Polimixina B
- Pramoxine HCl / Pramoxina HCl



**Maximum Strength  
Potencia Máxima**

**POMADA DE LA CAMPANA**

**ORIGINAL OINTMENT**

**First Aid Antibiotic + Pain Relieving Ointment**  
Antibiótico de Primeros Auxilios + Pomada que Alivia el Dolor

NET WT. 0.5 oz. (14 g)

Questions or comments? ¿Preguntas o comentarios? 1 877 99 GENOM (43666)  
Distributed by / Distribuido por: Televisa Consumer Products USA, LLC, 4550 Post Oak  
Place, Suite 326, Houston, TX 77027



2PFDLCOOEWW1A

**Drug Facts**

**Propósito**  
Antibiótico de primeros auxilios  
Bacitracina 500 unidades  
Neomicina 3 mg  
Polimixina B 10,000 unidades  
Analgésico  
Pramoxina hidrocloreto 10 mg

**Ingredientes activos**  
Bacitracina 500 unidades  
Neomicina 3 mg  
Polimixina B 10,000 unidades  
Pramoxina hidrocloreto 10 mg

**Usos**  
Ayuda a prevenir la infección y alivia temporalmente el dolor debido a:  
• cortes menores  
• rasguños menores  
• quemaduras menores

**Advertencias**  
Unicamente para uso externo.  
Alerta de alergia. No utilizar si es alérgico a cualquiera de los componentes.  
No utilizar  
• en o cerca de los ojos y/o nariz  
• en áreas grandes del cuerpo  
Consulte a su médico antes de utilizarla si usted tiene:  
• heridas profundas o de tipo de punción  
• mordidas de animales  
• quemaduras graves.  
Cuando utilice este producto no utilice por más de 1 semana.  
Suspéndalo si los síntomas duran por más de 7 días o si se presenta erupción o alguna otra reacción alérgica.  
Manténgase fuera del alcance de los niños. Si se ingiere, consiga ayuda médica o contacte al Centro de Control de Envenenamiento de manera inmediata.  
**Indicaciones** Adultos y niños de 2 años y mayores: ■ Limpie la superficie de la punta del dedo) sobre el área de 1 a 3 veces diariamente ■ Aplique una pequeña cantidad (igual al área de la punta del dedo) sobre el área de 1 a 3 veces diariamente ■ Puede cubrirse con un vendaje estéril. ■ Niños menores de 2 años: consulte a su médico.

**Información adicional** Almacenar a temperatura ambiente controlada de 68°-77° F (20° - 25° C).

**Ingrediente inactivo** Petrolato Blanco

**Other information** Store at controlled room temperature 68°-77° F (20°-25° C).

**Inactive ingredient** White Petrolatum

**Warnings**  
For external use only.  
Allergy Alert: Do not use it along to any of the ingredients.  
Do not use ■ in or near the eyes or nose ■ on large areas of the body.  
Ask a doctor before use if you have  
■ deep or puncture wounds ■ animal bites ■ serious burns.  
When using this product, do not use longer than 1 week.  
Stop use and ask a doctor if ■ condition gets worse ■ symptoms last more than 7 days or clear up and occur again ■ symptoms last more than 7 days or clear up and occur again.  
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

**Directions**  
Adults and children 2 years and older: ■ clean affected area ■ apply a small amount (equal to the surface area of the tip of a finger) the area 1 to 3 times daily. ■ May be covered with a sterile bandage.  
Children 2 years and under: ask a doctor.

Lot No./Lote No.:  
Exp.:  
5088471



5088471

Principal Display Panel – Tube Label



**ORIGINAL OINTMENT**  
 First Aid Antibiotic / Pain Relieving Ointment  
 Antibiótico de Primeros Auxilios / Pomada que Alivia el Dolor



NET WT. 0.5 oz (14 g)

**Triple Antibiotic + Pain Relief / Triple Antibiótico + Analgésico**  
 Bacitracin Zinc • Neomycin Sulfate • Polymyxin-B Sulfate • Pramoxine HCl  
 Bacitracina • Sulfato de Neomicina • Sulfato de Polimixina B • Pramoxina HCl

2CPOM14UEA1A 2504956

**Active ingredients (in each gram)**  
 Bacitracin 500 units, Neomycin 3.5 mg, Polymyxin B 10,000 units ..... First aid antibiotic  
 Pramoxine hydrochloride 10 mg ..... Pain reliever

**Purpose**

**Uses** Helps prevent infection in and temporarily relieves pain due to • minor cuts • scrapes • burns  
**Warnings** For external use only. **Allergy alert:** • do not use if allergic to any of the ingredients. **Do not use**  
 • in or near the eyes • on large areas of the body. **Ask a doctor before use if you have** • deep or puncture  
 wounds • animal bites • serious burns. **When using this product** • do not use longer than 1 week. **Stop use**  
**and ask a doctor if** • condition lasts or gets worse • symptoms last for more than 7 days or clear up and come  
 back within a few days • a rash or other allergic reaction occurs. **Keep out of the reach of children.** If  
 swallowed get medical help or contact a Poison Control Center immediately. **Directions** Adults and children 2  
 years and older: • clean affected area • apply a small amount (equal to surface area of tip of finger) on the area  
 1 to 3 times daily. • may be covered with a sterile bandage. Children 2 years and under: ask a doctor.

**(Questions? Preguntas?)** 1 877 99 GENOM (43666) Para información en español ver caja.  
 Distributed by / Distribuido por: Televisa Consumer Products USA, LLC 4550 Post Oak Place Suite 326 Houston, TX 77027

**POMADA DE LA CAMPANA**

Original Ointment

First Aid Antibiotic + Pain Relief Ointment

**Triple Antibiotic + Pain Relief**

- Bacitracin Zinc
- Neomycin Sulfate
- Polymyxin B Sulfate
- Pramoxine HCL

**NET WT. 0.5 oz ( 14g)**

**DR BELLS POMADE**

triple antibiotic plus pain relief ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50066-161
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [USPU] in 1 g
<b>Polymyxin B Sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [USPU] in 1 g
<b>Neomycin Sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-161-51	1 in 1 CARTON		
1		14 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	05/16/2012	

**Labeler** - Genomma lab USA Inc. (832323534)

**Registrant** - Faria LLC dba Sheffield Pharmaceuticals (151177797)

### Establishment

Name	Address	ID/FEI	Business Operations
Faria LLC dba Sheffield Pharmaceuticals		151177797	manufacture(50066-161)

Revised: 1/2014

Genomma lab USA Inc.