LORATADINE OD- loratadine tablet, orally disintegrating Fred's Inc.

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

• place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	e ask a doctor

OTHER INFORMATION

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- keep in a dry place.
- use tablet immediately after opening individual blister.

INACTIVE INGREDIENTS

Aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

fred's

Non-Drowsy*

Allergy Relief

Loratadine Orally Disintegrating Tablets, 10 mg

Antihis tamine

No Water Needed, Melts In Your Mouth!

INDOOR & OUTDOOR ALLERGIES

24 hour relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Compare To Active Ingredient of Claritin® RediTabs®†

30 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

DISTRIBUTED BY: fred's, Inc.

5091232/R1111

SIGNS OF TAMPERING.

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY ■ Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.

Other information

The state of the s	
ask a doctor	consumers with liver or kidney disease
ask a doctor	children under 6 years of age
1 tablet daily; not more than 1 tablet in 24 hours	adults and children 6 years and over

■ place 1 tablet on tongue; tablet disintegrates, with or without water

Directions

away (1-800-222-1222). Keep out of reach of children, in case of overdose, get medical help or contact a Poison Control Center right If pregnant or breast-feeding, ask a health professional before use.

problems and ask a doctor it an allergic reaction to this product occurs. Seek medical help right away. When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat NSGS remporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

Loratadine, USP 10 mg.

Purpose

Active ingredient (in each tablet)

Drug Facts



Non-Drowsy*



Loratadine Orally Disintegrating Tablets, 10 mg

reds

Non-Drowsy*



Allergy Relief

Loratadine Orally Disintegrating Tablets, 10 mg **Antihistamine**

No Water Needed, Melts In Your Mouth! **INDOOR & OUTDOOR ALLERGIES**

24 hour relief of:

- Sneezing
 Itchy, Watery Eyes
 Itchy Throat or Nose

30 Orally Disintegrating Tablets

LAB TESTED

When taken as directed. See Drug Facts Panel

Questions? call 1-800-406-7984

sodium stearyl fumarate

Inactive ingredients aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol,

- use tablet immediately after opening individual blister.
 - keep in a dry place.

■ store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.

Drug Facts (continued)





DISTRIBUTED BY: fred's, Inc. 4300 NEW GETWELL RD, MEMPHIS, TN 38118 Not Happy With This Product? Just Bring It Back For a Refund! **freds** Promise www.fredsinc.com

The product is not manufactured or distributed by Schering-Plough Healthcare Products, CLARITIN® and REDITABS® are registered trademarks of Schering Corporation.

R1111



vanel for expiration date. It contains important nformation. See end Keep the carton.

õ

Ō **Expiration Date** 8457

Area

Non Varnish

LORATADINE OD

loratadine tablet, orally disintegrating

Prod	luct	Info	rma	tion
PIUU	luct	HILL	THIA	uvii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55315-529

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UI. 7 A IO2DO7ON) (I ODATADINE LINII-7 A IO2DO7ON)	LODATADINE	10 mg

LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE 10 mg

Inactive Ingredients

inactive ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MANNITOL (UNII: 3OWL53L36A)		
CODWIN CHEADYN DYNADATE (IDW EGYELWY IV)		

SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)

Product Characteristics

1 Todact Characteristics			
Color	white (White to Off-White)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10 mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

Packaging

ı	1 uchuşmş				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:55315-529-31	30 in 1 BLISTER PACK			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

Labeler - Fred's Inc. (005866116)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		051565745	manufacture(55315-529)	

Revised: 1/2013 Fred's Inc.