## LAXATIVE- sennosides tablet, film coated L.N.K. International, Inc.

-----

Sound Body 44-773

#### Active ingredient (in each tablet)

Sennosides USP, 25 mg

#### Purpose

Stimulant laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### Warnings

#### Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

#### Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

#### Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

### When using this product,

do not use for a period longer than 1 week.

### Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take more than directed
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and	2 tablets once or twice
over	daily
children 6 to linder 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

#### Other information

- each tablet contains: calcium 35 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

#### Inactive ingredients

corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

#### **Ouestions or comments?**

1-800-426-9391

#### Principal display panel

SOUND**BODY**™

\*Compare to the active ingredient in ex•lax®
Maximum Strength

NDC 50844-073-08

MAXIMUM STRENGTH

#### Laxative

Sennosides USP, 25 mg Stimulant Laxative

Gentle, Dependable Constipation Relief

**24** TABLETS

#### **Actual Size**

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark ex•lax® Maximum Strength.

50844 ORG082177308

Manufactured for Big Lots Stores, Inc. by **LNK INTERNATIONAL, INC.** 60 Arkay Drive, Hauppauge, NY 11788 USA V#733000 ITEM#022777308BLBX

see end flap for expiration date and lot number 12,-30,C (26,-89,E) ■ store at 25°C (77°F); excursions permitted between OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS ■ each tablet contains: calcium 35 mg Other information

saka doctor	children under 6 years
1 tablet once or	children 6 to under
twice daily	12 years
2 tablets once or	adults and children
twice daily	12 years and over
do not crush, preak, or cnew	swallow tablet(s) whole;

■ swallow tablet(s) with a glass of water ■ do not take more than directed Directions

medical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get before use. If pregnant or breast-feeding, ask a health professional

may be signs of a serious condition. have a bowel movement occur after use of a laxative. These Stop use and ask a doctor if rectal bleeding or failure to

When using this product, do not use for a period longer

any other drug. Laxatives may affect how other drugs work Take this product 2 or more hours before or after other

Ask a doctor or pharmacist before use if you are taking

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2

or vomiting are present unless directed by a doctor. Do not use laxative products when abdominal pain, nausea, Warnings

■ generally produces bowel movement in 6 to 12 hours USes I relieves occasional constipation (irregulanty)

Sennosides USP, 25 mg. Active ingredient (in each tablet) Purpose

Drug Facts

**MAXIMUM STRENGTH** 



Sennosides USP, 25 mg Stimulant Laxative



**Drug Facts** (continued)

\*Compare to the active ingredient in ex•lax® **Maximum Strength** 

NDC 50844-073-08

# MAXIMUM STRENGT axative

Sennosides USP, 25 mg Stimulant Laxative

Gentle, Dependable Constipation Relief

**24** TABLETS

**Actual Size** 

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print Area Lot & Exp. Date

\*This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark exviac\* Maximum of Strength. 5084 ORG082177308

Questions or comments? 1-800-426-9391

aulfate, sucrose, talc, titanium dioxide glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl

**Drug Facts** (continued)

tňýlycerides, microcnystalline cellulose, polyetnylene hypromellose, magnesium stearate, medium chain Inactive ingredients corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake,

**Drug Facts** (continued)

Sound Body 44-773

Big Lots Stores, Inc. by LNK INTERNATIONAL, INC. 60 Arkay Drive, Hauppauge, NY 11788 USA

### sennosides tablet, film coated

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50844-073

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

- 10 11 9 1 0 11 1 1 1 1 1 1 1 1 1 1 1 1		
Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2IP)	

Product Characteristics				
Color	blue	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	L7	
Contains				

Packagi	ing			
# Item	Code	Package Description	Marketing Start Date	Marketing End Date
NDC:508	344-	2 in 1 CARTON	07/05/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

<b>Marketing Information</b>	Marketing	Information
------------------------------	-----------	-------------

Marketing Application Number or Monograph Marketing Start Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	07/05/2022	

### Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(50844-073)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-073) , pack(50844-073)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(50844-073)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(50844-073)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(50844-073)

Revised: 7/2023 L.N.K. International, Inc.