

PRO-SAN LV BASE- sodium chlorite solution IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PRO-SAN LV SANITIZING PRE-MILKING AND POST-MILKING TEAT DIP. A HIGHLY EFFECT GERMICIDAL NON-IDIONE FORMULATION

ACTIVE INGREDIENT

SODIUM CHLORITE.....0.70%

INDICATIONS AND USAGE

MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF PRO-SAN LV TEAT DIP, ADD EQUAL VOLUMES OF PRO-SAN LV BASE AND PRO-SAN LV ACTIVATOR INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORM THROUGHOUT. DO NOT DILUTE. DO NOT MIX WITH ANY OTHER PRODUCTS. DISCARD ANY UNUSED TEAT DIP. UNUSED TEAT DIP MAY BE DILUTED WITH WATER AND SAFELY FLUSHED DOWN THE DRAIN.

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment
4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. REMOVE VISIBLE SOILS FROM THE TEATS.
2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH **READY-TO-USE PRO-SAN LV TEAT DIP**.
4. WAIT APPROXIMATELY 15-30 SECONDS.
5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES AND UDDER (IF SPRAYING), WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
6. ATTACH MILKING UNIT

B. POST-MILKING (POST DIPPING)

Immediately after milking dip or spray all teats full length with **READY-TO-USE PRO-SAN LV TEAT DIP**. **Ensure good coverage of all sides of the teats and teat orifices**. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

WARNING

DO NOT DILUTE THIS PRODUCT
DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER
CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

STORE AT ROOM TEMPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT.

PROTECT THIS PRODUCT FROM FREEZING. HOWEVER, FREEZING WILL NOT AFFECT
PRO-SAN LV PROVIDED THAT THE CONTENTS ARE THAWED COMPLETELY AND
AGITATED THOROUGHLY BEFORE MIXING BASE AND ACTIVATOR TOGETHER.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

FIRST AID PROCEDURES

EYE CONTACT: RINSE CAUSTIOUSLY WITH FRESH, TEPID WATER FOR SEVERAL
MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE
RINSING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS,
KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION
INTO THE LUNGS. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION

FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

PRO-SAN LV BASE

NDC 29983-0105-8



NPE FREE PRO-SAN LV NPE FREE

SANITIZING PRE-MILKING AND POST-MILKING TEAT DIP

A Highly Effective Germicidal Non-Iodine Formulation

ACTIVE INGREDIENT:
Sodium Chlorite 0.70%

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dry, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION:
KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD.
DO NOT TAKE INTERNALLY.
NOT FOR HUMAN USE.

FIRST AID PROCEDURES

Eye Contact: Rinse cautiously with fresh tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical attention.
Skin Contact: For ready-to-use products, wash any sensitive areas.
Inhalation: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep animals upright. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical attention.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9200

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO.:

NET CONTENTS: 55 GALLONS

IBA STOCK # 162674

223E



BASE FOR USE ONLY WITH PRO-SAN LV ACTIVATOR

MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF PRO-SAN LV TEAT DIP, ADD EQUAL VOLUMES OF PRO-SAN LV BASE AND PRO-SAN LV ACTIVATOR INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORM THROUGHOUT. DO NOT DILUTE. DO NOT MIX WITH ANY OTHER PRODUCTS. MIX ONLY THE AMOUNT NEEDED FOR A 24 HOUR PERIOD. DISCARD ANY UNUSED TEAT DIP. UNUSED TEAT DIP MAY BE DILUTED WITH WATER AND SAFELY FLUSHED DOWN THE DRAIN.

RECOMMENDED PROCEDURES FOR TEAT SANITATION

- A. PRE-MILKING (PRE-DIPPING)**
1. Remove visible soots from the teats.
 2. Deterse teats by stepping two or three streams of milk into a dip cup.
 3. Dip teats in the teat dip.
 4. Wipe at least 15-30 seconds.
 5. Place teats in teat dip by thoroughly drying the teats, teat orifices and udder with a clean towel (one service paper towel(s) to avoid contamination of milk).
- B. POST-MILKING (POST-DIPPING)**
- Immediately after milking, dip teat dip or spray all teats (full length with all sides of the teats and teat orifices). Allow to dry. Do not work. Do not bun cows out in freezing weather until teat dip is completely dry.

WARNING

DO NOT DILUTE THIS PRODUCT. DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER. ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. STORE AT ROOM TEMPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT. PROTECT THIS PRODUCT FROM FREEZING. HOWEVER, FREEZING WILL NOT AFFECT PRO-SAN LV PROVIDED THAT THE CONTENTS ARE THOROUGHLY COMPLETED AND MIXED THOROUGHLY BEFORE MIXING BASE AND ACTIVATOR TOGETHER.

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

PRO-SAN LV BASE

sodium chlorite solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H3745B6)	SODIUM CHLORITE	8.9 g in 1 L

Product Characteristics

Color	white (CLEAR)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0105-4	18.9 L in 1 DRUM		
2	NDC:29983-0105-6	56.7 L in 1 DRUM		
3	NDC:29983-0105-8	207.9 L in 1 DRUM		
4	NDC:29983-0105-9	1039.5 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/28/2023	

Labeler - IBA (019494160)

Revised: 3/2023

IBA