BASIC CARE LIDOCAINE- lidocaine patch Amazon.com Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Amazon Lidocaine Patch Drug Facts

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Uses

For temporary relief of pain

Warnings

For external use only

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you have ever had an allergic reaction to this product or any of its ingredients

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- conditions worsen
- symptoms persist for more than 7 days
- · symptoms clear up and occur again within a few days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove film from patch and apply to the skin (see illustration)
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove patch from the skin after at most 8 hours of application

Children under 12 years of age: consult a doctor

Other information

- avoid storing product in direct sunlight
- protect product from excessive moisture
- store at 20-25°C (68-77°F)

Inactive ingredients

carboxymethylcellulose sodium, dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polyvinyl alcohol, propylene glycol, propylparaben, purified water, sodium polyacrylate, sodium polyacrylate starch, sorbitol solution, tartaric acid, urea

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

basic care

Maximum Strength

Compare to Aspercreme® Lidocaine Patch active ingredient

Lidocaine Patch

4% Lidocaine

Topical Anesthetic

Numbs Away Pain

- Desensitizes Aggravated Nerves
- Fast Acting
- Non Irritating

Unscented

5 PATCHES

3-15/16" x 5-1/2" (10 cm x 14 cm)

Lidocaine Patch

Unscented

amazon

basic@care

Maximum Strength

NDC 72288-361-13

Compare to Aspercreme® Lidocaine Patch active ingredient*

Lidocaine Patch

4% Lidocaine **Topical Anesthetic**



- Desensitizes
 Aggravated Nerves
- Fast Acting
- Non Irritating



Unscented

5 PATCHES 3-15/16" x 5-1/2" (10 cm x 14 cm)



GODE AREA

idocaine Patch Unscel



3B013 BN C1





HOW TO APPLY







Do not use if printed pouch is torn or punctured.

Drug Facts

Active ingredient

Lidocaine 4%..

.Topical anesthetic

Purpose

Uses

For temporary relief of pain

Warnings

For external use only

Do not use

- more than 1 patch at a time on wounds or damaged skin with a heating pad
- if you have ever had an allergic reaction to this product or any of its ingredients

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove film from patch and apply to the skin (see illustration)
 apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove patch from the skin after at most 8 hours of application

Children under 12 years of age: consult a doctor

Other information


- avoid storing product in direct sunlight
- protect product from excessive moisture
- store at 20-25°C (68-77°F)

Inactive Ingredients carboxymethylcellulose sodium, dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polyvinyl alcohol, propylene glycol, propylparaben, purified water, sodium polyacrylate, sodium polyacrylate starch, sorbitol solution, tartaric acid, urea

Questions or comments? 1-800-719-9260

MADE IN TAIWAN DISTRIBUTED BY: AMAZON.COM SERVICES LLC 410 TERRY AVENUE N. SEATTLE, WA 98109

© 2020 AMAZON.COM, INC. OR ITS AFFILIATES. ALL RIGHTS RESERVED. BASIC CARE AND ALL RELATED LOGOS ARE TRADEMARKS OF AMAZON.COM, INC. OR ITS AFFILIATES.



BASIC CARE LIDOCAINE

lidocaine patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288- 361
Route of Administration	TOPICAL, PERCUTANEOUS, TRANS DERMAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	560 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
TARTARIC ACID (UNII: W48881119H)	
UREA (UNII: 8W8T17847W)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:72288-361- 13	5 in 1 CARTON	01/03/2022			
1		1 in 1 POUCH; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	01/03/2022		

Labeler - Amazon.com Services LLC (128990418)

Revised: 1/2022 Amazon.com Services LLC