

**REGULAR STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide, dimethicone suspension**

**CVS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS ANTACID original**

**Active ingredients (in each 5 mL teaspoonful)**

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)

Magnesium hydroxide 200 mg

Simethicone 20mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

**Other information**

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature

- protect from freezing
- keep tightly closed

### **Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

### **Questions or comments?**

**1-800-540-3765**

### **package Label**

CVS Health

COMPARE TO THE ACTIVE INGREDIENTS  
IN MYLANTA® REGULAR STRENGTH\*  
REGULAR STRENGTH

Antacid

Liquid

Alumina / Magnesia / Simethicone

Antacid/Anti-gas

Fast-Acting

Soothing Relief of:

- Heartburn
- Acid Indigestion
- Sour Stomach

Plus anti-gas relief

ORIGINAL FLAVOR

Alcohol: less than 0.5%

12 FL OZ (355 mL)



Compare to the active ingredients in Mylanta® Regular Strength\*

# Regular Strength Antacid Liquid


ALUMINA / MAGNESIA / SIMETHICONE  
Antacid/Anti-gas

Fast-Acting

**Soothing relief of:**

- Heartburn
- Acid indigestion
- Sour stomach

**Plus anti-gas relief**



Original Flavor  
Alcohol: Less than 0.5%

12 FL OZ (355 mL) 205-06112-1 REV GC-0615

## Drug Facts

**TAMPER-EVIDENT: DO NOT USE IF BREAKAWAY BAND ON BOTTLE CAP IS MISSING OR BROKEN.**

**Active ingredients (in each 5 mL teaspoonful)**

Aluminum hydroxide 200 mg (equivalent to dried gel, USP) .....	Antacid
Magnesium hydroxide 200 mg .....	Antacid
Simethicone 20 mg .....	Antigas

## Purposes

**Uses** relieves • heartburn • sour stomach  
• acid indigestion • the symptoms referred to as gas

## Warnings

**Ask a doctor before use if you have**

- kidney disease
- magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if symptoms last more than 2 weeks**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Directions** • shake well before each use

- adults and children 12 years and older: take 2 to 4 teaspoonfuls as needed, between meals, at bedtime, or as directed by a doctor.
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.
- children under 12: ask a doctor

**Other information** • each 5 mL teaspoonful contains:

- magnesium 85 mg, sodium 3 mg
- store at room temperature • protect from freezing
- keep tightly closed

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments?** 1-800-540-3765

\*This product is not manufactured or distributed by J & J • MERCK Consumer Pharmaceuticals Co., distributor of Mylanta®.



Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
905-06112-2 REV GC0417 V-13966

#109611



## REGULAR STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-286
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNI-50-R0-T2-UNO) (ALUMINUM HYDROXIDE - UNI-50-R0-T2-UNO)	ALUMINUM	200 mg

ALUMINUM HYDROXIDE (UNII: 3QB01Z10N0) (ALUMINUM HYDROXIDE - UNII:3QB01Z10N0)	HYDROXIDE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QP1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-286-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/01/2015	

**Labeler** - CVS (062312574)

**Registrant** - GCP Laboratories (965480861)

### Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(69842-286) , pack(69842-286)

Revised: 12/2017

CVS