

# MINU BRIGHTENING SUNSCREEN MINERALS SPF 30- titanium dioxide and zinc oxide cream

MINU

-----  
**Minu Brightening Sunscreen Minerals SPF 30**

## ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 0.5%,	Sunscreen
Zinc Oxide 18.5%	Sunscreen

## **Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

## **Warnings**

- **For external use only.**
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours. Children under 6 months of age: Ask a doctor.

## **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

## **Other Information**

- Protect this product from excessive heat and direct sun.
- May stain some fabrics.
- Protect from freezing.

### **Inactive Ingredients**

Water, C15-19 Alkane, Cetyl Dimethicone, Phenyl Trimethicone, Caprylic/Capric Triglyceride, Glyceryl Oleate Citrate, Propanediol, Silica, Dimethicone, Glyceryl Dibehenate, Cetearyl Alcohol, Tribehenin, Polyhydroxystearic Acid, Mica, Hydroxyacetophenone, Magnesium Aluminum Silicate, Cetyl Palmitate, Distearidimonium Hectorite, Sorbitan Palmitate, Xanthan Gum, 1,2 Hexanediol, Caprylyl Glycol, Glyceryl Behenate, Polyglyceryl-4 Oleate, Acrylates/Dimethicone Copolymer, Sorbitan Oleate, Synthetic Fluorphlogopite, Cetearyl Glucoside, Triethyl Citrate, Glycerin, Bisabolol, Alumina, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Stearic Acid, Echinacea Purpurea Extract, Carnosine, Niacinamide, Panthenol, Allantoin, Citric Acid, Sodium Citrate, Tocopheryl Acetate, Polygonum Aviculare Extract, Tropolone, Zingiber Officinale Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77499, CI 77491, CI 77492).

### **Questions?**

Contact us at [hello@minuskincare.com](mailto:hello@minuskincare.com)

Dist. By Minu Inc.  
L.A., CA 90274

### **PRINCIPAL DISPLAY PANEL - 50 ML Bottle Carton**

Brightening  
Sunscreen Minerals

Broad Spectrum SPF 30  
Gel-Cream

MINU

Dermatologist developed  
PA++++  
Water resistant (40 min)

50 ML / 1.7 FL OZ

MINU

Brightening  
Sunscreen Minerals  
Broad Spectrum SPF 30  
Gel-Cream

MINERAL.

MINU

SKINCARE.

This lightweight, clean-feeling tinted gel-cream vanishes on all skin tones for a lit-from-within glow. The mineral-rich formula provides superior broad spectrum UVA/UVB, PA++++, infrared, blue light, and environmental protection.

Discover why all minerals are not created equal.  
minuskinca.re.com  
@minuskinca.re

Dermatologist developed  
PA++++  
Water resistant (40 min)  
50 ML / 1.7 FL OZ

FOR ALL.

Dist. By Minu Inc.  
L.A., CA 90274  
Made in USA  
400210-A1  
Please recycle



**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 0.5%, Zinc Oxide 18.5%	Sunscreen Sunscreen

**Uses**

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

• For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• Apply liberally and evenly 15 minutes before sun exposure. • Reapply, • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. Children under 6 months of age: Ask a doctor. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

**Other Information**

• Protect this product from excessive heat and direct sun. • May stain some fabrics. • Protect from freezing.

**Inactive Ingredients**

Water, C15-19 Alkane, Cetyl Dimethicone, Phenyl Trimethicone, Caprylyl Capric Triglyceride, Glyceryl Oleate Citrate, Propenediol, Silica, Dimethicone, Glyceryl Dibehenate, Cetearyl Alcohol, Tribehenin, Polyhydroxystearic Acid, Mica, Hydroxycaptofenone, Magnesium Aluminum Silicate, Cetyl Palmitate, Disodiummonium Hexchlorite, Sorbitan Palmate, Xanthan Gum, 1,2 Hexanediol, Caprylyl Glycol, Glyceryl Behenate, Polyglyceryl-4 Oleate, Acrylates Dimethicone Copolymer, Sorbitan Oleate, Synthetic Fluorphlogopite, Cetearyl Glucoside, Triethyl Citrate, Glycerin, Biotin, Alumina, Bis-Vinyl Dimethiconedimethicone Copolymer, Stearic Acid, Echinacea Purpurea Extract, Carnosine, Niacinamide, Panthenol, Allantoin, Citric Acid, Sodium Citrate, Tocopheryl Acetate, Polygonum Articulare Extract, Tropolone, Zingiber Officinale Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77499, CI 77491, CI 77492).

**Questions?**

Contact us at [hello@minuskinca.re.com](mailto:hello@minuskinca.re.com)



# MINU BRIGHTENING SUNSCREEN MINERALS SPF 30

titanium dioxide and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84184-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	185 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>C15-19 ALKANE</b> (UNII: CI87N1IM01)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>GLYCERYL MONOOLEATE CITRATE</b> (UNII: NLE5KIG74K)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)	
<b>CETYL PALMITATE</b> (UNII: 5ZA2S6B08X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SORBITAN MONOPALMITATE</b> (UNII: 77K6Z421KU)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>POLYGLYCERYL-4 OLEATE</b> (UNII: 15B05TY4GX)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ECHINACEA PURPUREA WHOLE</b> (UNII: QI7G114Y98)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYGONUM AVICULARE TOP</b> (UNII: ZCD6009IUF)	
<b>TROPOLONE</b> (UNII: 7L6DL16P1T)	
<b>GINGER</b> (UNII: C5529G5JPQ)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84184-001-01	1 in 1 CARTON	02/01/2024	
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	02/01/2024	

**Labeler** - MINU (119189388)

### Establishment

Name	Address	ID/FEI	Business Operations
Weckerle Cosmetics		152060273	MANUFACTURE(84184-001)

Revised: 9/2024

MINU