MILK OF MAGNESIA- magnesium hydroxide suspension WALGREEN COMPANY

WALgreens mom

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765

package Label



Compare to the active ingredient in Phillips'* Milk of Magnesia"

Milk of Magnesia

MAGNESIUM HYDROXIDE / SALINE LAXATIVE

Sugar Free

Stimulant Free

Cramp Free

 Comfortable, dependable overnight relief

Original flavor

12 FL 0Z (355 mL)

222-19112-6 REV GC-0721

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN

Active ingredient (in each 15 mL)
Magnesium hydroxide 1200 mg

Purpose Saline laxative

se • relieves occasional constipation (irregularity)

. usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- · a magnesium-restricted diet
- stornach pain, nausea, or voriting a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product.
 These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- · shake well before use
- . do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- · drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

922-19112-8 RE W3ORG0821-ITEM 221698

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.



"This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips® Milk of Magnesia. DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTÉED walgreens.com @ 2021 Walgreen Co.

MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0649

ത

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		

F	Packaging				
#	Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:0363-0649- 12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017		
2	NDC:0363-0649- 26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2017	
OTC Monograph Drug	INIOU /	07/01/2017	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	Business Operations	
GCP Laboratories		965480861	pack(0363-0649), manufacture(0363-0649)	

Revised: 11/2023 WALGREEN COMPANY