

**SHOPRITE ANTACID- calcium carbonate tablet, chewable**  
**Wakefern Food Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ShopRite Antacid Drug Facts**

**Active ingredient (in each tablet)**

Calcium carbonate USP 500mg

**Purpose**

Antacid

**Uses**

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

**Warnings**

**Ask a doctor before use if you have**

- kidney stones
- a calcium-restricted diet

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

- do not take more than 15 tablets in 24 hours
- if pregnant do not take more than 10 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a doctor

**Keep out of reach of children.**

**Directions**

- adults and children 12 years of age and over: chew 2-4 tablets as symptoms occur, or as directed by a doctor
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor

## **Other information**

- each tablet contains: calcium 215mg
- store at 20-25°C (68-77°F)
- does not meet USP for assay

## **Inactive ingredients**

citric acid, dextrose, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, FD&C yellow #5 aluminum lake (tartrazine), FD&C yellow #6 aluminum lake, flavors, glycerin, magnesium stearate, maltodextrin, mineral oil

## **Questions?**

1-800-SHOPRITE

## **Principal Display Panel**

Compare to: Active Ingredient in Tums® Regular Strength 500

REGULAR STRENGTH

ANTACID

Calcium Carbonate

500 mg

STARTS WORKING IN SECONDS

Chewable Tablets

Assorted Fruit Flavors

K PAREVE

actual size

150 TABLETS



**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
 Calcium carbonate USP 500mg.....Antacid

**Uses** relieves ■ heartburn  
 ■ acid indigestion ■ sour stomach  
 ■ upset stomach associated with these symptoms

**Warnings**  
**Ask a doctor before use if you have**  
 ■ kidney stones ■ a calcium-restricted diet  
**Ask a doctor or pharmacist before use if you are**  
 presently taking a prescription drug. Antacids may interact  
 with certain prescription drugs.

**When using this product**  
 ■ do not take more than 15 tablets in 24 hours  
 ■ if pregnant do not take more than 10 tablets in 24 hours  
 ■ do not use the maximum dosage for more than 2 weeks  
 except under the advice and supervision of a doctor

**Keep out of reach of children.**

**Directions** ■ adults and children 12 years of age and over:  
 chew 2-4 tablets as symptoms occur, or as directed by a doctor  
 ■ do not take for symptoms that persist for more than 2 weeks  
 unless advised by a doctor

**Other information**  
 ■ each tablet contains: calcium 215mg  
 ■ store at 20-25°C (68-77°F)  
 ■ does not meet USP for assay

**Inactive ingredients** citric acid, dextrose, FD&C  
 blue #1 aluminum lake, FD&C red #40 aluminum  
 lake, FD&C yellow #5 aluminum lake (tartrazine),  
 FD&C yellow #6 aluminum lake, flavors, glycerin,  
 magnesium stearate, maltodextrin, mineral oil

**Questions?** **DO NOT USE IF PRINTED**  
**1-800-SHOPRITE** **SEAL UNDER CAP IS**  
**BROKEN OR MISSING**

\*This product is not manufactured or distributed by  
 GlaxoSmithKline, distributor of Tums® Regular  
 Strength 500.

**QUALITY GUARANTEE**

Distributed By: Wakefern Food Corp.  
 5000 Riverside Drive  
 Keasbey, NJ 08832 ©2016

0 41190 21423

P 5

: 47847 8B B1

**SHOPRITE ANTACID**

calcium carbonate tablet, chewable

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41190-478
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ50PE7D)	CALCIUM CARBONATE	500 mg

## Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DEXTROSE (UNII: IY9XDZ35W2)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
MINERAL OIL (UNII: T5L8T28FGP)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

## Product Characteristics

Color	RED, YELLOW, GREEN, ORANGE	Score	no score
Shape	ROUND	Size	17mm
Flavor	FRUIT (Cherry, lemon, lime, orange)	Imprint Code	L478
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-478-47	150 in 1 BOTTLE; Type 0: Not a Combination Product	12/26/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	12/26/2016	

**Labeler** - Wakefern Food Corporation (069722418)

Revised: 12/2018

Wakefern Food Corporation