

**LIDOCAINE- burn relief aerosol, spray**  
**Topco Associates LLC**

-----  
**TopCare Burn Relief Spray**

***Active Ingredients***

Lidocaine 0.5%

***Purpose***

External analgesic

***Uses***

for temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- insect bites
- scrapes
- minor skin irritations

***Warnings***

**For external use only.**

**Flammable:**

Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Do not use**

in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- do not get into eyes
- ask a doctor before using on children under 2 years of age

**Stop use and ask a doctor if**

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face, spray in palm of hand and gently apply

***Other information***

store between 20° and 25°C (68° and 77°F)

***Inactive ingredients***

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

***Questions?***

Call 1-888-423-0139

**Principal Display Panel**

**Top Care** health

**Burn Relief Spray**

LIDOCAINE 0.5%

EXTERNAL ANALGESIC

- Relieves Pain & Itching from Sunburn, Minor Burns & Insect Bites
- Cools, Moisturizes & Soothes Sunburned Skin

NET WT 4.5 OZ (127 g)

NDC 36800-031-45



COMPARE TO SOLARCAINE® BURN RELIEF SPRAY ACTIVE INGREDIENT\*

# Burn Relief Spray

LIDOCAINE 0.5%  
EXTERNAL ANALGESIC



- Relieves Pain & Itching from Sunburn, Minor Burns & Insect Bites
- Cools, Moisturizes & Soothes Sunburned Skin

NET WT 4.5 OZ (127 g)

### Drug Facts

**Active ingredient Purpose**  
Lidocaine 0.5%.....External analgesic

**Uses** for temporary relief of pain and itching associated with:  
 ■ sunburn ■ minor burns  
 ■ minor cuts ■ insect bites  
 ■ scrapes ■ minor skin irritations

### Warnings

**For external use only.**

**Flammable:** Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

### When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

### Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

\* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcaine®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
 ELK GROVE VILLAGE, IL 60007  
 ©TOPCO PBAA0818 QUESTIONS? 1-888-423-0139  
 topcare@topco.com www.topcarebrand.com  
 MADE IN USA WITH U.S. AND IMPORTED PARTS

### Drug Facts (continued)

### Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face, spray in palm of hand and gently apply

### Other information

store between 20° to 25°C (68° to 77°F)

### Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

**Questions? Call 1-888-423-0139**



Scan here for more information

This TopCare® product laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



3/16 INCH OVERWRAP (NO TEXT)

50-022TC-02

## LIDOCAINE

burn relief aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-031
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	

<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-031-45	127 g in 1 CAN; Type 0: Not a Combination Product	01/03/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/03/2012	

**Labeler** - Topco Associates LLC (006935977)

Revised: 11/2025

Topco Associates LLC