

MILK OF MAGNESIA CHERRY- magnesium hydroxide liquid
WALGREEN COMPANY

WAL milk of mag cherry

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

adults and children 12 years and older

30 mL to 60 mL

children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL tablespoonful contains:** magnesium 500 mg, sodium 6 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or Comments?

1-800-540-3765

package label

Walgreens

Compare to the active ingredient in Phillips® Milk of Magnesia®

Milk of Magnesia

MAGNESIUM HYDROXIDE / SALINE LAXATIVE

Stimulant Free

Cramp Free

- Comfortable, dependable overnight relief



Cherry flavor

12 FL OZ (355 mL)

222-19312-7
REV GC-0724

Drug Facts **TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN**

Active ingredient (in each 15 mL)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug.
This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-540-3765

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. 

^{††}This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips® Milk of Magnesia. DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

922-19312-10 REV GC-0724
W3ORG0821-F
ITEM 221692 W10071-0821-F



3 11917115176 2

MILK OF MAGNESIA CHERRY			
magnesium hydroxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1648
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink (opaque light pink)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1648-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2014	
2	NDC:0363-1648-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/01/2014	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0363-1648)

Revised: 12/2024

WALGREEN COMPANY