

ADVANCED REGULAR STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide, dimethicone suspension
WALGREEN COMPANY

WAL ANTACID MINT

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200mg (equivalent to dried gel, USP)
Magnesium hydroxide 200 mg
Simethicone 20mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between

- meals, at bedtime, or as directed by a doctor
- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature and avoid freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package label

Walgreens



Compare to the active ingredients
in Maalox® Advanced[†]

**ADVANCED
Antacid
Liquid**

ALUMINA, MAGNESIA, AND SIMETHICONE
ORAL SUSPENSION / ANTACID & ANTI-GAS

Regular Strength

• Fast relief of heartburn, pressure,
bloating & acid indigestion



12 FL OZ (355 mL)

Mint
Flavor

222-11212-9 REV-0622

Drug Facts

**TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY
BAND ON CAP IS BROKEN OR MISSING.**

Active ingredients (in each 5 mL teaspoonful)	Purposes
Aluminum hydroxide 200 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

Uses relieves • heartburn • sour stomach
• acid indigestion • symptoms referred to as gas

Warnings
Do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.
Ask a doctor before use if you have
• kidney disease • a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than 2 weeks
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions • shake well before use
• adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
• children under 12 years: ask a doctor

Other information
• each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
store at room temperature and avoid freezing • keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

[†]Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.
MADE IN U.S.A. W3ORG1021-F
ITEM 221699 W10071-1021-F
922-11212-9 REV GC-0621



11917 15182 3

ADVANCED REGULAR STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1639
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	200 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1639-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2015	
2	NDC:0363-1639-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/01/2015	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0363-1639) , pack(0363-1639)