#### BENZODENT- benzocaine cream Focus Consumer Healthcare, LLC

-----

#### Benzodent

Benzocaine 20%

Pain reliever

For the temporary relief of pain due to minor irritation of the mouth and gums caused by dentures or orthodontic appliances or injury to mouth and gums.

## Adults and children12 years and over:

- remove cap, break metal seal with cap point
- apply directly to the gums or to the denture surface that comes in contact with the affected area of the gums
- if you are using the dentures, wait a few minutes then reinsert dentures and you may use your regular denture adhesive with this product
- use up to 4 times daily or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product

#### children under 12 years: consult a dentist or doctor

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried to the blood. This can occur even if you have used this product before. Stop use and seek immedicate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** Do not use if you have a history of allergy to local anetsthetics such as procaine, butacaine, benzocaine, or other "caine: anesthetics. Localized allergic reactions may occur after prolonged or repeated use.

### Do not use

- for more than 7 consecutive days unless directed by a dentist of a doctor
- for teething
- in children under 2 years of age

# When using this product

- avoid contact with eyes
- do not exceed recommended dosage

# Stop use and ssk a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- swelling, rash or fever develops

• irritation, pain or redness persists or worsens

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

cellulose gum, D&C red no.30 lake, eugneol, FD&C blue no. 1 lake, oxyquinoline sulfate, petrolatum









BENZODENT							
benzocaine cream							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:7		NDC:716	1687-1053		
Route of Administration	TOPICAL						
Active Ingredient/Active	Molety						
Ingredient Name			<b>Basis of Strength</b>		Strength		
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)			BENZOCAINE		0.2 g in 1 g		
Inactive Ingredients							
mactive mgreatents					<u>.</u>		
Ingredient Name					Strength		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)							
D&C RED NO. 30 (UNII: 2542T280	08B)						
EUGENOL (UNII: 3T8H1794QW)							
ALUMINUM OXIDE (UNII: LMI2606	· ·						
OXYQUINOLINE SULFATE (UNII:	61VUG75Y3P)						
PETROLATUM (UNII: 4T6H12BN9U)							
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)							

P	Packaging						
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:71687- 1053-1	1 in 1 CARTON	12/08/2017				
1		7 g in 1 TUBE; Type 0: Not a Combination Product					
2	NDC:71687- 1053-2	1 in 1 CARTON	12/08/2017				
2		28 g in 1 TUBE; Type 0: Not a Combination Product					
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
01	FC Monograph Drug	g M017	12/08/2017				

Labeler - Focus Consumer Healthcare, LLC (080743737)

Revised: 12/2023

Focus Consumer Healthcare, LLC