

**ISOPROPYL ALCOHOL- isopropyl alcohol liquid**  
**Cardinal Health (Leader) 70000**

-----  
**Drug Facts**

**Active ingredient (by volume)**

Isopropyl alcohol (70% conc.)

**Purpose**

First aid antiseptic

**Uses**

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

**Warnings**

**For external use only.**

- if taken internally, serious gastric disturbances will result

**flammable, keep away from fire or flame**

- **use only in a well-ventilated area; fumes may be toxic**

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites or serious burns

**When using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if**

condition persists or gets worse

**Keep out of reach of children.**

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- clean affected area

- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

**Other information**

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredients**

FD&C green #3, FD&C yellow #5, methyl salicylate, purified water

**Principal Display Panel****Isopropyl Alcohol 70%**

Wintergreen with Methyl Salicylate

First Aid Antiseptic

For External Use Only

**WARNING: FLAMMABLE | keep away from heat, spark, electrical, fire or flame**

**USE ONLY IN A WELL-VENTILATED AREA;**

**FUMES MAY BE TOXIC**

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER THE CAP IS  
BROKEN OR MISSING.**

DIST. BY CAH DUBLIN, OH 43017

**Package Label**

**LEADER**<sup>TM</sup>

NDC 70000-0690-1

# Isopropyl Alcohol 70%

Wintergreen with Methyl Salicylate  
First Aid Antiseptic

PLD-A227D LB009757

For External Use Only

100% Money Back Guarantee

**WARNING FLAMMABLE**  Keep away from heat, spark, electrical, fire or flame

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE TOXIC

16 FL OZ (1 PT) 473 mL

**Drug Facts** TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Active ingredient (by volume)** **Purpose**  
Isopropyl alcohol (70% conc.).....First aid antiseptic

**Uses** first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

**Warnings**  
For external use only.  
 ■ if taken internally, serious gastric disturbances will result  
**Flammable, keep away from fire or flame.**  
 ■ use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

**When using this product** ■ do not get into eyes  
 ■ do not apply over large areas of the body  
 ■ do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if** condition persists or gets worse.

**Keep out of reach of children.** In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ if bandaged, let dry first ■ may be covered with a sterile bandage

**Other information**  
 ■ store at room temperature  
 ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredients**  
 FD&C green #3, FD&C yellow #5, methyl salicylate, purified water

**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DIST. BY CAH DUBLIN, OH 43017  
 www.myleader.com 1-800-200-6313  
 ©2024 Cardinal Health.

**CIN 5912019**  
**REV. 04/24**

0 96295 14384 3  
 PLD-A227D LB009757

**LEADER Isopropyl Alcohol 70% Wintergreen**

**ISOPROPYL ALCOHOL**

isopropyl alcohol liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0690
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR6O1S)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0690-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/20/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/20/2024	

**Labeler** - Cardinal Health (Leader) 70000 (063997360)

Revised: 7/2025

Cardinal Health (Leader) 70000