

**ELROEL PANG PANG SUN CUSHION PLUS- zinc oxide, titanium dioxide,
octinoxate, octisalate cream
MONOGLLOT HOLDINGS Inc.**

83154-004_ELROEL Pang Pang Sun Cushion Plus

ZINC OXIDE 9.70%

OCTINOXATE 7.00%

OCTISALATE 3.00%

TITANIUM DIOXIDE 1.52%

Sunscreen

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

- Apply liberally 15 minutes before sun exposure.
- Reapply: - after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours
- Sun protection measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: 1) Limit time in the sun, especially from 10 a.m. to 2 p.m. 2) Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor.

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.



When using this product, keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Aloe Barbadensis Leaf Juice Cyclopentasiloxane, Butylene Glycol, Butyloctyl Salicylate, Caprylyl Methicone, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclohexasiloxane, Niacinamide, Diphenylsiloxy Phenyl Trimethicone, Alcohol Denat., Propylene Glycol Dicaprylate, Sodium Chloride, Silica, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Hydroxyacetophenone, Synthetic Beeswax, Disteardimonium Hectorite, Triethoxycaprylylsilane, Dipropylene Glycol, Water, Fragrance, Caprylyl Glycol, Squalane, Tocopheryl Acetate, Propylene Carbonate, Ethylhexylglycerin, Glycerin, Adenosine, Butyrospermum Parkii (Shea) Butter, Xylitylglucoside, Anhydroxylitol, Disodium EDTA, Methyl Diisopropyl Propionamide, Laminaria Japonica Extract, Ulmus Davidiana Root Extract, Aloe Barbadensis Leaf Extract, Viola Mandshurica Flower Extract, Dioscorea Japonica Root Extract, Xylitol, CI 77492, 1,2-Hexanediol, Glucose, Menthyl Lactate, Beeswax, Ethyl Mentane Carboxamide, Glyceryl Stearate, Caprylic/Capric Triglyceride, Hydrogenated Phosphatidylcholine, Calcium Pantothenate, Centella Asiatica Extract, Sucrose Stearate, Stearamidopropyl Dimethylamine Lactate, Phenethyl Alcohol, PEG-100 Stearate, Sodium

Ascorbyl Phosphate, Dipotassium Glycyrrhizate, Cetearyl Alcohol, Polyquaternium-67, Pyridoxine HCl, Madecassoside, Madecassic Acid, Asiaticoside, Asiatic Acid

Protect the product in this container from excessive heat and direct sunlight



ELROEL
PANG PANG SUN CUSHION PLUS
 BROAD SPECTRUM • SUNSCREEN SPF50 • WATER RESISTANT (80MINUTES)
 (Net Contents) 8g / 0.28oz

Drug Facts

Active Ingredients	Purposes
Oxycarbonate 7.00%	Sunscreen
Oxycarbonate 3.00%	Sunscreen
Titanium Dioxide 1.50%	Sunscreen
Zinc Oxide 7.70%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product, keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply after 80 minutes of swimming or sweating or immediately after towel drying or at least every 2 hours.

PEEL HERE

Drug Facts (continued)

- Sun protection measures, covering time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: 1) Limit time in the sun, especially from 10 a.m. to 2 p.m., 2) Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Inactive ingredients

Aloe Barbadensis Leaf Juice, Cyclopentasiloxane, Butylene Glycol, Butylacetyl Celcylate, Caprylyl Methicone, Diethylamino Hydroxyethyl Cocoyl Benzoate, Cetyl PEG/PPG-10/7 Dimethicone, Cyclohexylsiloxane, Niacinamide, Diurethylsilyl Phenyl Trimethylsiloxy Alcohol Denat., Propylene Glycol Diacrylate, Sodium Chloride, Glycerin, Vinyl Dimethicone Methacrylate, Cetearyl Alcohol, Hydroxyacetophenone, Synthetic Beeswax, Disteardimonium Hectorite, Trihydroxyethylsiloxane, Dipropylene Glycol, Water, Fragrance, Caprylyl Glycol, Citronellol, Tocopheryl Acetate, Propylene Carbonate, Ethylhexylglycerin, Dicyeril, Adenosine, Butyrospermum Parkii (Shea) Butter, Xylitylglucoside, Amyltrimethylsiloxane, Disodium EDTA, Methyl Glucosyl Propylamine, Laminaria Japonica Extract, Ulmus Davidiana Root Extract, Aloe Barbadensis Leaf Extract, Viola Mandshurica Flower Extract, Dioscorea Japonica Root Extract, Xylitol, 1,2-Hexanediol, D-Glucose, Menthyl Lactate, Beeswax, Ethyl Menthyl Carboxamide, Dicyeril Stearate, Caprylyl Glycol, Triglyceride, Hydrogenated Phosphatidylglycol, Calcium Panthothenate, Cetearyl Alcohol, Sucrose Stearate, Stearandimonium Dimethylamino Lactate, Phenethyl Alcohol, PEG-100 Stearate, Sodium Ascorbyl Phosphate, Disodium Dicyanamide, Cetearyl Alcohol, Polyquaternium-07, Pyridoxine HCl, Madecassoside, Madecassic Acid, Ascorbyl Tetraacetate, Iron Oxides (CI 77492).

Other Information

- Protect the product in this container from excessive heat and direct sun.

IPAO112M
 (Country of Origin) Republic of Korea
 (Manufactured by) OT Co., Ltd. 110, Heukseok-daem 1-ro, Heukseok-eu, Dongjin-gu, Chungcheongnam-do, Republic of Korea
 (Distributed by) HANHOLCT HOLDINGS INC. 47, Hongik-ro 8-gil, Mapo-gu, Seoul, Republic of Korea, 04051 1483 1522-4378
 MADE IN KOREA
 WWW.ELROELGLOBAL.COM

ELROEL
PANG PANG SUN CUSHION PLUS
 BROAD SPECTRUM • SUNSCREEN SPF50 • WATER RESISTANT (80MINUTES)

PANG PANG SUN CUSHION PLUS
 BROAD SPECTRUM • SUNSCREEN SPF50 • WATER RESISTANT (80MINUTES)

NET WT. 8G / 0.28OZ.



805930 730275




PANG PANG SUN CUSHION PLUS
 BROAD SPECTRUM • SUNSCREEN SPF50 • WATER RESISTANT (80MINUTES)

Net Wt. 15g / 0.53oz

ELROEL
PANG PANG SUN CUSHION PLUS
 BROAD SPECTRUM • SUNSCREEN SPF50 • WATER RESISTANT (80MINUTES)
 (Net Contents) 15g / 0.53oz (REFILL)

Drug Facts

Active Ingredients	Purposes
Oxycarbonate 7.00%	Sunscreen
Oxycarbonate 3.00%	Sunscreen
Titanium Dioxide 1.50%	Sunscreen
Zinc Oxide 7.70%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product, keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply after 80 minutes of swimming or sweating or immediately after towel drying or at least every 2 hours.
- Sun protection measures, covering time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: 1) Limit time in the sun, especially from 10 a.m. to 2 p.m., 2) Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

IPAO112M
 (Country of Origin) Republic of Korea
 (Manufactured by) OT Co., Ltd. 110, Heukseok-daem 1-ro, Heukseok-eu, Dongjin-gu, Chungcheongnam-do, Republic of Korea
 (Distributed by) HANHOLCT HOLDINGS INC. 47, Hongik-ro 8-gil, Mapo-gu, Seoul, Republic of Korea, 04051 1483 1522-4378
 MADE IN KOREA
 WWW.ELROELGLOBAL.COM

Yoo young hwa



805930 730275

LAMINARIA JAPONICA (UNII: WE98HW412B)	
ULMUS DAVIDIANA ROOT (UNII: URQ79U8261)	
VIOLA MANDSHURICA FLOWER (UNII: 46MR945M6X)	
DIOSCOREA JAPONICA TUBER (UNII: I43FCF3356)	
XYLITOL (UNII: VCQ006KQ1E)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ANHYDROUS DEXTROSE (UNII: 5SL0G7R00K)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ETHYL MENTHANE CARBOXAMIDE (UNII: 6S7S02945H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CALCIUM PANTOTHENATE (UNII: 568ET80C3D)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
SUCROSE STEARATE (UNII: 274KW0050M)	
STEARAMIDOPROPYL DIMETHYLAMINE LACTATE (UNII: 31Q9363QSX)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836S5JG51DR)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLICYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	
MADECASSIC ACID (UNII: M7O1N24J82)	
ASIATICOSIDE (UNII: PKO39VY215)	
ASIATIC ACID (UNII: 9PA5A687X5)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
AMILOXATE (UNII: 376KTP06K8)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWW2)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
WATER (UNII: 059QF0KO0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SQUALANE (UNII: GW89575KF9)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83154-004-02	1 in 1 CARTON	02/03/2024	
1	NDC:83154-004-01	15 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:83154-004-08	1 in 1 POUCH	09/18/2025	
2	NDC:83154-004-07	15 g in 1 CONTAINER; Type 0: Not a Combination Product		
3	NDC:83154-004-04	1 in 1 CARTON	01/20/2025	
3	NDC:83154-004-03	8 g in 1 CONTAINER; Type 0: Not a Combination Product		
4	NDC:83154-004-06	1 in 1 CARTON	01/20/2025	
4	NDC:83154-004-05	25 g in 1 CONTAINER; Type 0: Not a Combination Product		
5	NDC:83154-004-10	1 in 1 POUCH	09/18/2025	
5	NDC:83154-004-09	25 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/03/2024	

Labeler - MONOGLOT HOLDINGS Inc. (694628175)

Registrant - MONOGLOT HOLDINGS Inc. (694628175)

Establishment

Name	Address	ID/FEI	Business Operations
Cit Co., Ltd.		690081646	manufacture(83154-004)

Revised: 9/2025

MONOGLOT HOLDINGS Inc.