LORATADINE- loratadine tablet Major Pharmaceuticals

Major Pharmaceuticals Allergy Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and	1 tablet daily; not more than 1 tablet in 24 hours
over	
children under 6 years of age	ask a doctor
consumers with liver or kidney	ask a doctor
disease	

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

Other Safety Information

This Unit Dose package is not child resistant and is intended for Institutional Use Only.

Gluten Free

The drug product contained in this package is from NDC # 0904-6852, Major® Pharmaceuticals

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268 USA

www.major-rugby.com

LBLN0296-01

Rev. 03/25	M-05	Re-order No. 303078
------------	------	---------------------

Principal Display Panel

MAJOR® NDC 0904-7511-61 Unit Dose

Original Prescription Strength

Loratadine

Tablets

10 mg

Antihistamine

100 TABLETS (10 x 10)

MAJOR^{*}

NDC 0904-7511-61

Unit Dose

Original Prescription Strength Loratadine

Tablets

10 mg

Antihistamine

100 TABLETS (10 x 10)

MAJOR

Durum Conto	
Drug Facts	
Active ingredient (in each table	() Purpose Antihistamine
Loratadine 10 mg	Anunistamine
	e to hay fever or other upper respiratory allergies: sneezing itching of the nose or throat
Warnings Do not use if you have ever had an allen	gic reaction to this product or any of its ingredients
Ask a doctor before use if you have liv if you need a different dose.	er or kidney disease. Your doctor should determine
When using this product do not take m may cause drowsiness.	ore than directed. Taking more than directed
Stop use and ask a doctor if an allergic Seek medical help right away.	reaction to this product occurs.
	alth professional before use. Dose package is not child resistant and is intended dose, get medical help or contact a Poison Control Center
Directions	
adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor
Other information do not use it store between 20° to 25°C (68° to 77	printed foll under cap is broken or missing *F)
Inactive ingredients lactose monohy	vorate, magnesium stearate, povicione, pregelatinized starch
Questions or comments? 1-800	-719-9260

Gluten Free

The drug product contained in this package is from NDC # 0904-6852, Major* Pharmaceuticals



LORATADINE

loratadine tablet

Product Information

Marketing Marketing Category		ation Number Citatio		graph		eting Start Date		eting End Date	
U									
	Informa	tion							
1	1 in 1 BLISTE Product	1 in 1 BLISTER PACK; Type 0: Not a Combination Product							
1 NDC:0904-7511 61	100 IN 1 CAR				03/18/2025				
# Item Code	P	ackage Description			Marketing Start Date		Marketing End Date		
Packaging									
Flavor Contains			Imprint Co	mprint Code			L612		
		DVAL	Size				8mm		
Color WH		WHITE					no score		
Product Char	acteristics	5							
POVIDONE, UNSP	ECIFIED (UNI	l: FZ989GH94E)							
MAGNESIUM STE									
LACTOSE MONOI	IYDRATE (UNI	-							
	Juiento	Ingredient	Name				Strength		
Inactive Ingr	edients								
Ingredient Name LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)					LORATADINE 10 mg				
Active Ingredient/Active Moiety						Basis of St	ronath	Strength	
Active Increase	lio at / A stir /	o Moiotr							
	Istration	OTAL							
Route of Admin	ictrotion	ORAL							

Labeler - Major Pharmaceuticals (191427277)

Revised: 3/2025

Major Pharmaceuticals