LEADER MILK OF MAGNESIA- magnesium hydroxide suspension Cardinal Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Milk of Magnesia Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- · stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

• do not exceed the maximum recommended daily dose in a 24 hour period

- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
- mL = milliliter

adults and children 12	30 mL to 60 mL
years and older	
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, and sodium 2 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- close cap tightly after use
- avoid freezing

Inactive ingredients

light mineral oil, peppermint oil, purified water, saccharin sodium

Questions or comments?

1-800-719-9260

Principal Display Panel

Genuine

Milk of Magnesia

Magnesium Hydroxide, 1200 mg per 15 mL

Saline Laxative

COMPARE TO PHILLIPS'® MILK OF MAGNESIA active ingredient

Fresh Mint Flavor

Sugar-Free

Stimulant-Free

Cramp-Free

100% Money Back Guarantee

12 FL OZ (355 mL)



NDC 70000-0483-1

Genuine

Milk of Magnesia

Magnesium Hydroxide, 1200 mg per 15 mL Saline Laxative

Fresh Mint Flavor

Sugar-Free Stimulant-Free Cramp-Free COMPARE TO PHILLIPS²⁶ MILK OF MAGNESIA active ingredient*

100% Money Back Guarantee

12 FL OZ (355 mL)

: 33240 E9 F10

Drug Facts

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.

Active ingredient (in each 15 mL)

Purpose

Magnesium hydroxide 1200 mg.....

..Saline laxative

Uses ■ relieves occasional constipation (megularity)

■ generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease a magnesium-restricted diet stomach pain, nausea, or vorniting
- a sudden change in bowel hab its that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug.

Take this product two or more hours before or after other dirugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if would not not use you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
 mL = milliliter

	adults and children 12 years and olde children 6 to 11 years children under 6 years	15 mL to 60 mL 15 mL to 30 mL ask a doctor			
	Other information ■ each 15 mL contains: calcium 20 mg, magnesium 595 mg, and sodium 2 mg ■ does not meet USP requirements for preservative effectiveness ■ store at 20-25°C (68-77°F) ■ close cap tightly after use ■ avoid freezing				
	Inactive ingredients light mineral oil, peppermint oil, purified water, saccharin sodium Questions or comments? 1-800-719-9260				
This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips' Milk of Magnesia. DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com 1-800-200-6313 8/2019 Cardinal Health 100% Money Back Guarantee Return to place of purchase if not satisfied. 96295 13679					

LEADER MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:70000-0483

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9 159 UV38 1P)

Basis of Strength

1200 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
LIGHT MINERAL OIL (UNII: N6K5787QVP)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)			
PEPPERMINT O IL (UNII: AV092KU4JH)			

Product Characteristics				
Color	WHITE (opaque)	Score		
Shape		Size		
Flavor	MINT	Imprint Code		
Contains				

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:70000-0483-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/20/2019				
Marketing Information						
Marketing Categor	ry Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not fin	part334	02/20/2019				

Labeler - Cardinal Health (097537435)

Revised: 2/2019 Cardinal Health