

**SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTION-
dextromethorphan hydrobromide, and guaifenesin liquid
KRAMER LABORATORIES**

SAFETUSSIN Non-Drowsy Cough and chest Drug Facts

Drug Facts

<i>Active ingredients (in each 30 mL dose cup)</i>	<i>Purpose</i>
Dextromethorphan HBr 10 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- loosen phlegm (mucus)
- helps rid bronchial passages of phlegm(mucus)

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hours period
- This adult product is not intended for use in children under 12 years of age

age	dose
Adults and children 12 years and over	10 mL every hours
Children under 12 years	do not use

Other information

- Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F)
Save this package for complete information

Inactive ingredients

citric acid, glycerin, menthol, natural peppermint flavor, propylene glycol, purified water, sodium benzoate, sucralose,

Questions? Comments?

Call 1-800-824-4894

Distributed by

©2023 Kramer Laboratories, Inc Bridgewater, NJ 08807

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safetussin® DM

NON-DROWSY

Cough+Chest

Congestion

Dextromethorphan HBr 10 mg / Cough Suppressant

Guaifenesin 100 mg/ Expectorant

Safe for adults with

High Blood Pressure

Diabetes

- ✓ Control cough
- ✓ Loosens mucus
- ✓ Relives chest congestion

SUGAR & ALCOHOL FREE

8.0 FL OZ (237mL)

Safetussin® DM contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No Sugar
- ✓ No Alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended Brand

Always read and follow label directions. Do not use longer than 7 consecutive days unless directed by a doctor. Ask a doctor if you have individual health questions.

Questions? Comments? Call 1-800-824-4894

©2023 Kramer Laboratories, Inc. Bridgewater, NJ 08807

K0423



SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safetussin® DM

NON-DROWSY

Cough+Chest

Congestion

Dextromethorphan HBr / Cough Suppressant Guaifenesin / Expectorant

Safe for adults with

High Blood Pressure

Diabetes

- ✓ Control cough
- ✓ Loosens mucus
- ✓ Relives chest congestion

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

Safetussin® DM contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No Sugar
- ✓ No Alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended

Always read and follow label directions. Ask a doctor if you have individual health questions.

Questions? Comments?

Call 1-800-824-4894

©2020 Kramer Laboratories, Inc.
Bridgewater, NJ 08807

K0820



Drug Facts

Active ingredients (in each 5mL teaspoon) **Purpose**
 Dextromethorphan HBr, USP 10mg Cough Suppressant
 Guaifenesin, USP 100mg Expectorant

Uses
 ■ temporarily relieves cough due to minor throat and bronchial irritation
 ■ loosens phlegm (mucus)
 ■ helps rid bronchial passages of phlegm (mucus)

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
 ■ cough that occurs with too much phlegm (mucus)
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ do not take more than 6 doses in any 24-hour period
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information
 ■ Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F)
 ■ Phenylephrine: each teaspoon contains phenylephrine 4.2 mg
 Save this package for complete information

Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safe tussin 

DM

NON-DROWSY
Cough+ Chest Congestion

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safe tussin 

DM

NON-DROWSY
Cough+ Chest Congestion

SEGURO PARA ADULTOS CON PRESIÓN ALTA Y DIABETES

Safe tussin 

DM

NO SOMNOLIENTO
Tos+ Congestión en el Pecho

Safetussin® contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No sugar
- ✓ No alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended

Always read and follow label directions. Ask a doctor if you have individual health questions.

Questions? Comments?
 Call 1-800-824-4894
 ©2020 Kramer Laboratories, Inc.
 Bridgewater, NJ 08807

Dextromethorphan HBr / Cough Suppressant
 Guaifenesin / Expectorant

Safe for adults with

 **High Blood Pressure**

 **Diabetes**

✓ Controls cough
 ✓ Loosens mucus
 ✓ Relieves chest congestion

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

Dextromethorphan HBr / Antitussivo
 Guaifenesin / Expectorante

Seguro para adultos con

 **Presión Alta**

 **Diabetes**

✓ Controla la tos
 ✓ Afloja la mucosidad
 ✓ Alivia la congestión en el pecho

SIN AZÚCAR Y SIN ALCOHOL

4.0 FL OZ (118mL)

K0820



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

K0820

Safe tussin[®] DM
NON-DROWSY
Cough + Chest Congestion

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expecterant

Safe for adults with
High Blood Pressure **Diabetes**

✓ Controls cough ✓ Relieves chest congestion
✓ Loosens mucus

4.0 FL OZ (118mL) K0820

Drug Facts
Active ingredients (in each 5mL teaspoon) **Purpose**
Dextromethorphan HBr, USP 10mg Cough Suppressant
Guaifenesin, USP 100mg Expecterant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation ■ loosens phlegm (mucus) ■ helps rid bronchial passages of phlegm (mucus)

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ do not take more than 6 doses in any 24-hour period
■ this adult product is not intended for use in children under 12 years of age

age	dose
adults & children 12 years & over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information
■ Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F) ■ Phenylketonurics: each teaspoon contains phenylalanine 4.2mg **Save package for complete information**

Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.

Always read and follow label directions. Ask a doctor if you have individual health questions.
Questions? Comments? Call 1-800-824-4894
© 2020 Kramer Laboratories, Inc. Bridgewater, NJ 08807

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTION

dextromethorphan hydrobromide, and guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-220
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	

MINT (UNII: FV98Z8GITP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-220-36	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2023	
2	NDC:55505-220-33	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2023	

Labeler - KRAMER LABORATORIES (122720675)

Revised: 12/2023

KRAMER LABORATORIES