

**SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTION-
dextromethorphan hydrobromide, and guaifenesin liquid
KRAMER LABORATORIES**

SAFETUSSIN Non-Drowsy Cough and chest Drug Facts

Drug Facts

<i>Active ingredients (in each 5 mL)</i>	<i>Purpose</i>
Dextromethorphan HBr 10 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- loosen phlegm (mucus)
- helps rid bronchial passages of phlegm(mucus)

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hours period
- This adult product is not intended for use in children under 12 years of age

age	dose
Adults and children 12 years and over	10 mL every 4 hours
Children under 12 years	do not use

Other information

- Protect from excessive heat and freezing.
Store at 15° - 30°C (59° - 86°F)

Save this package for complete information

Inactive ingredients

citric acid, glycerin, menthol, natural peppermint flavor, propylene glycol, purified water, sodium benzoate, sucralose,

Questions? Comments?

Call 1-800-824-4894

Distributed by

©2023 Kramer Laboratories, Inc Bridgewater, NJ 08807

PRINCIPAL DISPLAY PANEL - 237 ml Bottle Label

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

**Safe
tussin®**

DM

NON-DROWSY
**Cough + Chest
Congestion**

**Dextromethorphan HBr 10mg / Cough Suppressant
Guaifenesin 100mg / Expectorant**

Safe for adults with

- **High Blood Pressure**
- **Diabetes**

- ✓ Controls **cough**
- ✓ Loosens **mucus**
- ✓ Relieves **chest congestion**

SUGAR & ALCOHOL FREE

8.0 FL OZ (237mL)

SEGURO PARA ADULTOS CON
PRESIÓN ALTA Y DIABETES

**Safe
tussin®**

DM

NO SOMNOLIENTO
**Tos + Congestión
en el Pecho**

**Dextromethorphan HBr 10mg / Antitusivo
Guaifenesin 100mg / Expectorante**

Seguro para adultos con

- **Presión Alta**
- **Diabetes**

- ✓ Controla **la tos**
- ✓ Afloja **la mucosidad**
- ✓ Alivia **la congestión en el pecho**

SIN AZÚCAR Y SIN ALCOHOL

8.0 FL OZ (237mL)

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

**Safe
tussin®**

DM

NON-DROWSY
**Cough + Chest
Congestion**

Safetussin® contains:

- ✓ **No** decongestants
- ✓ **No** acetaminophen
- ✓ **No** sugar
- ✓ **No** alcohol
- ✓ **No** sorbitol
- ✓ **No** fructose
- ✓ **No** gluten
- ✓ **No** dyes

Pharmacist Recommended Brand

Always read and follow label directions.
Do not use longer than 7 consecutive days
unless directed by a doctor. Ask a doctor
if you have individual health questions.

Questions? Comments? Call 1-800-824-4894

©2020 Kramer Laboratories, Inc., Bridgewater, NJ 08807

K0423



PRINCIPAL DISPLAY PANEL - 118 ml Bottle Label

**SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES**

**Safe
tussin®**

DM

clear
sugar free
syrup

Cough + Chest Congestion

**Dextromethorphan HBr 10mg / Cough Suppressant
Guaifenesin 100mg / Expectorant**

Safe for adults with

- **High Blood Pressure**
- **Diabetes**

- ✓ Controls **cough**
- ✓ Loosens **mucus**
- ✓ Relieves **chest congestion**

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

SEGURO PARA ADULTOS CON
PRESIÓN ALTA Y DIABETES

**Safe
tussin®**

DM

almíbar
claro sin
azúcar

Tos + Congestión en el Pecho

**Dextromethorphan HBr 10mg / Antitusivo
Guaifenesin 100mg / Expectorante**

Seguro para adultos con

- **Presión Alta**
- **Diabetes**

- ✓ Controla **la tos**
- ✓ Afloja **la mucosidad**
- ✓ Alivia **la congestión en el pecho**

SIN AZÚCAR Y SIN ALCOHOL

4.0 FL OZ (118mL)

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

**Safe
tussin®**

DM

clear
sugar free
syrup

Cough + Chest Congestion

Safetussin® contains:

- ✓ **No** decongestants
- ✓ **No** acetaminophen
- ✓ **No** sugar
- ✓ **No** alcohol
- ✓ **No** sorbitol
- ✓ **No** fructose
- ✓ **No** gluten
- ✓ **No** dyes

Pharmacist Recommended Brand

Always read and follow label directions.
Do not use longer than 7 consecutive days
unless directed by a doctor. Ask a doctor if
you have individual health questions.

Questions? Comments? Call 1-800-824-4894

©2020 Kramer Laboratories, Inc., Bridgewater, NJ 08807

K1124

**TAMPER-EVIDENT: DO NOT USE IF PRINTED
INNER SEAL UNDER CAP IS TORN OR MISSING.**

TAMPER-EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING.

Drug Facts

Active ingredients (in each 5mL) **Purpose**
 Dextromethorphan HBr, USP 10mg Cough Suppressant
 Guaifenesin, USP 100mg Expectorant

Uses
 ■ temporarily relieves cough due to minor throat and bronchial irritation
 ■ loosens phlegm (mucus)
 ■ helps rid bronchial passages of phlegm (mucus)

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
 ■ cough that occurs with too much phlegm (mucus)
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ do not take more than 6 doses in any 24-hour period
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information
 ■ Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F)
 Save this package for complete information

Inactive ingredients citric acid, glycerin, menthol, natural peppermint flavor, propylene glycol, purified water, sodium benzoate, sucralose.

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

Safe
tussin®

DM

Clear
Sugar Free
Syrup

Cough+Chest
Congestion

Safetussin® contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No sugar
- ✓ No alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended Brand

Always read and follow label directions. Do not use longer than 7 consecutive days unless directed by a doctor. Ask a doctor if you have individual health questions.

Questions? Comments? Call 1-800-824-4894
©2024 Kramer Laboratories, Inc., Bridgewater, NJ 08807

K1124

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

Safe
tussin®

DM

Clear
Sugar Free
Syrup

Cough+Chest
Congestion

Dextromethorphan HBr 10 mg / Cough Suppressant
Guaifenesin 100 mg / Expectorant

Safe for adults with

High Blood Pressure

Diabetes

✓ Controls cough

✓ Loosens mucus

✓ Relieves chest congestion

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

SEGURO PARA ADULTOS CON
PRESIÓN ALTA Y DIABETES

Safe
tussin®

DM

almíbar
claro sin
azúcar

Tos+Congestión
en el Pecho

Dextromethorphan HBr 10 mg / Antitusivo
Guaifenesin 100 mg / Expectorante

Seguro para adultos con

Presión Alta

Diabetes

✓ Controla la tos

✓ Afloja la mucosidad

✓ Alivia la congestión en el pecho

SIN AZÚCAR Y SIN ALCOHOL

4.0 FL OZ (118mL)

SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTION			
dextromethorphan hydrobromide, and guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-220
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
Inactive Ingredients			
Ingredient Name	Strength		

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
MINT (UNII: FV98Z8GITP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-220-33	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2025	
2	NDC:55505-220-36	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2023	

Labeler - KRAMER LABORATORIES (122720675)

Revised: 6/2025

KRAMER LABORATORIES